

# Index

Page numbers followed by f indicate figures.

- A**
- Abnormality patterns, 1–14
  - Abscess, 6
    - in male breast, 370–371
      - mammography, 370f
      - pearls and pitfalls, 371
      - ultrasound, 371, 371f
    - poorly identified on mammogram, 502–503
      - mammography, 502f
      - pearls and pitfalls, 503
      - ultrasound, 503, 503f
  - Absorption, shadowing and, 25
  - Adenoid cystic carcinoma, 96–97
    - mammography, 96, 96f
    - pearls and pitfalls, 97
    - ultrasound, 97, 97f
  - Adenolipomas, 47
  - Adenoma, lactating, poorly identified on mammogram, 500–501
    - pearls and pitfalls, 501
    - ultrasound, 500f
  - Adenomyoepithelioma, 290–292
    - mammography, 290, 290f, 291f
    - pearls and pitfalls, 292
    - ultrasound, 291, 291f
  - Adenosis, 132–133
    - mammography, 132, 132f
    - pearls and pitfalls, 133
    - sclerosing, 6, 9, 348–350
      - mammography, 348f
      - pearls and pitfalls, 350
      - ultrasound, 349, 349f, 350, 350f
    - ultrasound, 133, 133f
  - ADH. *See* Atypical ductal hyperplasia (ADH)
  - AMC. *See* Atypical medullary carcinoma (AMC)
  - Amorphous calcification, 8
  - Anatomical landmarks, 19, 20
  - Angiolipoma, benign
    - as circumscribed mass, 55–56
      - mammography, 55, 55f
      - pearls and pitfalls, 56
      - ultrasound, 56, 56f
    - in male breast, 372
  - Angiosarcoma
    - as circumscribed mass, 98–99
      - mammography, 98, 98f
      - MRI, 99
      - pearls and pitfalls, 99
      - ultrasound, 99, 99f
    - poorly identified on mammogram, 504–505
      - mammography, 504f
      - MRI, 505f
      - pearls and pitfalls, 505
  - Apocrine carcinoma, 287–289
    - mammography, 287, 287f, 288f
    - pearls and pitfalls, 289
    - ultrasound, 288, 288f
  - Architectural distortion
    - approach to, 333
    - causes of, 9
    - central, 9, 10f, 348–367
    - cross-correlation and, 26, 27f
    - overview of, 8–14
    - peripheral, 9, 11f, 334–347
    - in reduction mammoplasty patients, 452–456
      - mammography, 452f, 453f, 454f, 455f
      - pearls and pitfalls, 453, 455, 456
      - ultrasound, 456 f
    - sonographic, 14
  - Artifacts, calcifications vs. , 8
  - Assessment categories, 1
  - Asymmetry(ies)
    - diffuse, 6
    - focal, 324–331
      - cross-correlation and, 26, 27f
      - definition of, 6
      - masses vs. , 1
      - global, 306–323
      - overview of, 6–8
  - Atherosclerosis, 190–192
    - mammography, 190, 191f
    - pearls and pitfalls, 192
  - Atypical ductal hyperplasia (ADH), 245–249
    - biopsy, 249f
    - mammography, 248, 248f
    - pearls and pitfalls, 247, 249
    - ultrasound, 246f, 247f
  - Atypical medullary carcinoma (AMC), 118
  - Augmentation mammoplasty
    - implant bulge, 410–411
      - mammography, 410f
      - MRI, 410f
      - pearls and pitfalls, 411
    - implant calcifications, 413–414
      - after renewal, 417–418
        - mammography, 417f
        - pearls and pitfalls, 418
      - chest radiograph, 414f
      - mammography, 413f
      - pearls and pitfalls, 414
    - implant fluid, 412–414
      - pearls and pitfalls, 412
      - ultrasound, 412, 412f
    - infected fluid in subglandular implants, 402–404
      - mammography, 402f
      - pearls and pitfalls, 404
      - ultrasound, 403, 403f
    - postsurgical approach to, 401
    - residual silicone, 415–416
      - mammography, 415f
      - pearls and pitfalls, 416
    - silicone injections, 408–409
      - mammography, 408f
      - pearls and pitfalls, 409
    - subpectoral implants, 405–406
      - advantages of, 406
      - mammography, 405f
      - MRI, 406f, 407f
      - pearls and pitfalls, 406, 407

- Brown fat, 621–623  
 mammography, 621, 621f  
 pearls and pitfalls, 623  
 PET, 622f  
 PET-CT, 622f  
 ultrasound, 622f
- C**
- Calcifications  
 amorphous, 8, 244–259  
 artifacts vs. , 8  
 branching, 8, 290–304  
 dystrophic, 216–223  
 eggshell, 207–210  
 mammography, 207, 207f, 209, 209f  
 pearls and pitfalls, 208, 210  
 evaluation of, 189  
 fine linear, 8, 290–304  
 heterogenous, 8, 9f, 260–289  
 implant, 417–418  
 indistinct, 244–259  
 large round, 201–202  
 mammography, 201, 201f  
 pearls and pitfalls, 201, 201f  
 lobular, 250–251  
 biopsy, 250f  
 mammography, 250, 250f  
 pearls and pitfalls, 251  
 lymph node, 256–257  
 mammography, 256, 256f  
 pearls and pitfalls, 257  
 milk of calcium, 197–200  
 mammography, 197, 197f, 198, 198f, 199, 199f  
 pearls and pitfalls, 198, 200  
 ultrasound, 200, 200f  
 overview of, 7–8  
 pleomorphic, 8, 9f, 260–289  
 punctuate, 224–243  
 rim, 207–210  
 mammography, 207, 207f, 209, 209f  
 pearls and pitfalls, 208, 210  
 round lucent center, 203–206  
 mammography, 203, 203f, 205, 205f  
 pearls and pitfalls, 204, 206  
 ultrasound, 204, 204f  
 secretory, 193–196  
 mammography, 193, 193f, 195, 195f  
 pearls and pitfalls, 194, 196  
 shapes of, 8  
 small round, 224–243  
 assessment of, 232  
 vascular, 190–192  
 mammography, 190, 191f  
 pearls and pitfalls, 192
- Carcinoma  
 adenoid cystic, 96–97  
 mammography, 96, 96f  
 pearls and pitfalls, 97  
 ultrasound, 97, 97f
- apocrine, 287–289  
 mammography, 287, 287f, 288f  
 pearls and pitfalls, 289  
 ultrasound, 288, 288f
- ductal  
 with lobular, underestimated on  
 mammography, 519–520  
 mammography, 519, 519f  
 pearls and pitfalls, 520  
 ultrasound, 520, 520f
- inflammatory  
 as irregular mass, 186–188  
 color Doppler, 187f  
 mammography, 186, 186f  
 pearls and pitfalls, 188  
 ultrasound, 187, 187f  
 in male breast, 394–395  
 bone scan, 395f  
 chest radiography, 395f  
 mammography, 394, 394f  
 pearls and pitfalls, 395
- invasive ductal  
 as amorphous calcification, 258–259  
 mammography, 258, 258f  
 pearls and pitfalls, 259  
 ultrasound, 259, 259f  
 as architectural distortion, 340–341  
 mammography, 340, 340f  
 pearls and pitfalls, 341  
 ultrasound, 341, 341f  
 as central architectural distortion, 355–364  
 mammography, 355, 355f, 357f, 359, 359f, 360, 360f, 362, 362f  
 pearls and pitfalls, 356, 358, 359, 361, 363  
 ultrasound, 356, 356f, 358, 358f, 361, 361f  
 as circumscribed mass  
 mammography, 100, 100f, 102, 102f, 103f, 107, 107f  
 MRI, 104f, 105f  
 pearls and pitfalls, 101, 106, 109  
 ultrasound, 101, 101f, 104, 104f, 105f, 106f, 108, 108f, 109f  
 on fatty mammogram, 516–518  
 mammography, 516, 516f  
 pearls and pitfalls, 518  
 ultrasound, 517, 517f, 518f  
 as fine linear calcification  
 breast sestamibi scan, 303f  
 mammography, 299, 299f, 301, 301f  
 pearls and pitfalls, 303, 304  
 ultrasound, 302, 302f  
 as global asymmetry, 323–325  
 mammography, 323f  
 MRI, 325f  
 pearls and pitfalls, 325  
 ultrasound, 324, 324f
- as heterogenous  
 microcalcification, 277–286  
 lymphoscintigraphy, 282f  
 mammography, 277, 277f, 280, 280f, 284, 284f  
 MRI, 279f, 285f  
 pearls and pitfalls, 279, 283, 286  
 ultrasound, 278, 278f, 281, 281f, 282f, 284f, 285f
- as irregular mass  
 bone scan, 156, 156f  
 mammography, 155, 155f, 157, 157f, 159, 159f, 162, 162f, 165, 165f, 168, 168f  
 microscopy, 161f  
 MRI, 166f, 169f, 170f  
 pearls and pitfalls, 156, 158, 161, 164, 167, 171  
 ultrasound, 158, 158f, 160, 160f, 163, 163f, 166, 166f, 169, 169f
- with lobular carcinoma, 343–345, 346–347, 365–367  
 mammography, 343f, 346f, 365, 365f  
 MRI, 347f, 366f  
 pearls and pitfalls, 345, 348, 367  
 ultrasound, 344, 344f, 347f, 367, 367f
- as mammographically occult lesion  
 mammography, 543f, 546, 546f, 550f  
 MRI, 544f, 547f, 548f, 551f, 552f  
 pearls and pitfalls, 545, 553  
 ultrasound, 544f, 547f, 548f, 551f, 552f
- in patients unable to tolerate mammogram, 495–496  
 poorly identified on mammogram, 508–509  
 mammography, 508f  
 pearls and pitfalls, 509  
 ultrasound, 509, 509f
- as small round calcification  
 mammography, 242, 242f  
 pearls and pitfalls, 243
- staging of  
 CT, 577f  
 mammography, 570, 570f, 574, 574f, 577, 577f, 581f, 587, 586f  
 MRI, 571f, 572f, 582f, 583f, 589f, 590f

- pearls and pitfalls, 573, 576, 579, 585, 591
- PET, 572f, 575f, 576f, 578f, 590f
- PET-CT, 578f, 583f, 584f, 590f
- ultrasound, 571f, 575f, 582f, 587f, 588f
- underestimated on mammogram, 521–523, 524–526
  - color Doppler, 526f
  - mammography, 521, 521f, 524, 524f
  - MRI, 525f
  - pearls and pitfalls, 523, 526
  - sestamibi scan, 522f
  - ultrasound, 522, 522f, 525f
- in unusual location, 529–530
  - mammography, 529, 529f
  - pearls and pitfalls, 530
  - ultrasound, 530, 530f
- lobular
  - as circumscribed mass, 112–113
    - mammography, 112, 112f
    - pearls and pitfalls, 113
    - ultrasound, 113, 113f
  - with ductal, 343–345, 346–347, 365–367
    - mammography, 343f, 346f, 365, 365f
    - MRI, 347f, 367f
    - pearls and pitfalls, 345, 348, 367
    - ultrasound, 344, 344f, 347f, 367, 367f
  - with ductal, underestimated on mammogram, 519–520
    - mammography, 519, 519f
    - pearls and pitfalls, 520
    - ultrasound, 520, 520f
  - as focal asymmetry, 328–331
    - mammography, 328f
    - MRI, 330f
    - pearls and pitfalls, 327, 331
    - ultrasound, 329, 329f, 330, 330f
  - as irregular mass, 172–174, 175–177
    - mammography, 172, 172f, 175, 175f
    - microscopy, 172f
    - pearls and pitfalls, 174, 177
    - ultrasound, 173, 173f, 176, 176f, 177, 177f
  - as mammographically occult lesion
    - mammography, 546, 546f
    - MRI, 547f, 548f
    - pearls and pitfalls, 545
    - ultrasound, 547f, 548f
- medullary, 117–118
  - atypical, 118
  - mammography, 117, 117f
  - pearls and pitfalls, 118
- typical, 118
- metaplastic, 119–120
  - lymphoscintigraphy, 120f
  - mammography, 119, 119f
  - pearls and pitfalls, 120
  - ultrasound, 119, 120f
- mucinous, 123–125
  - mammography, 123, 123f
  - pearls and pitfalls, 125
  - ultrasound, 124, 124f
- papillary
  - intracystic, in male breast, 399–400
    - mammography, 399, 399f
    - pearls and pitfalls, 400
    - ultrasound, 400, 400f
  - invasive, 110–111
    - mammography, 110, 110f
    - pearls and pitfalls, 111
    - ultrasound, 111, 111f
  - in situ ductal
    - as amorphous calcification, 254–255
      - biopsy, 254f
      - mammography, 254, 254f
      - microscopy, 255f
      - pearls and pitfalls, 255
    - as global asymmetry, 321–322
      - mammography, 321f
      - pearls and pitfalls, 322
    - intraductal, 535–538
      - ductogram, 538f
      - mammography, 535f, 537f
      - pearls and pitfalls, 536, 538
      - ultrasound, 536, 536f
    - in male breast, 392–393
      - mammography, 392f
      - pearls and pitfalls, 393
    - mammography, 611f, 612f
    - MRI, 610f, 617f
    - pearls and pitfalls, 614, 619
    - PET-CT, 611f, 617f
    - poorly identified on mammogram, 506
      - mammography, 506f
      - pearls and pitfalls, 507
      - ultrasound, 507, 507f
    - as small round calcification
      - biopsy, 236f, 237f
      - mammography, 235, 235f, 237, 237f, 240, 240f
      - pearls and pitfalls, 236, 239, 241
      - ultrasound, 238, 238f, 239, 239f
    - thick wall ducts, 539–540
      - mammography, 539f
      - pearls and pitfalls, 540
      - ultrasound, 540f
    - ultrasound, 612f, 613f
- tubular
  - as irregular mass, 181–185
    - mammography, 181, 181f, 183, 183f
    - microscopy, 185f
    - pearls and pitfalls, 182, 185f
    - ultrasound, 182, 182f, 184, 184f
  - as peripheral architectural distortion, 348–349
    - mammography, 348, 348f
    - pearls and pitfalls, 349
    - ultrasound, 349, 349f
- Categories, assessment, 1
- Central architectural distortion, 9, 10f, 348–367
- Chest wall, in breast anatomy, 20, 21f
- Circumscribed masses, overview of, 1
- Clips, dynamic, 18
- Clumped enhancement, 29
- Color Doppler, 16–18, 18f
- Contrast resolution, 15–16, 17f
- Cooper's ligaments
  - in breast anatomy, 20, 21f
  - on poor mammogram, 512–513
    - mammography, 512f
    - pearls and pitfalls, 513
    - ultrasound, 512, 512f
- Cross-correlation
  - anatomy in, 20, 21f
  - architectural distortion and, 26, 27f
  - of MRI and sonography, 106
  - rules of, 20–23
  - shadowing and, 24–26
  - of sonography and mammography, 19–23, 24f
- Curve analysis, kinetic, 28, 549
- Cutaneous paraneoplastic syndromes, 495
- Cyst, 57–58, 59–60, 61–62. *See also* Fibrocystic change, benign
  - definition of, 58
  - as eggshell/rim calcification, 207–208
    - mammography, 207, 207f
    - pearls and pitfalls, 208
  - incidence of, 60
  - mammography, 57, 57f, 59, 59f, 61, 61f
- oil
  - as circumscribed mass, 51–52, 53–54
    - mammography, 51, 51f, 53, 53f
    - pearls and pitfalls, 52, 54
    - ultrasound, 52, 52f, 54, 54f
  - as large round calcification, 201–202
    - mammography, 201, 201f
    - pearls and pitfalls, 202
  - as round lucent center calcification, 203–206
    - mammography, 203, 203f, 205, 205f
    - pearls and pitfalls, 204, 206

- Cyst (*continued*)  
 ultrasound, 204, 204f  
 pearls and pitfalls, 58, 60  
 sebaceous, 84–85  
 in male breast, 392–393  
 mammography, 392, 392f  
 pearls and pitfalls, 393  
 ultrasound, 393, 393f  
 mammography, 84, 84f  
 pearls and pitfalls, 85, 85f  
 ultrasound, 85, 85f  
 ultrasound, 57–58, 58f, 59–60, 60f, 62, 62f
- Cystic carcinoma, adenoid, 96–97  
 mammography, 96, 96f  
 pearls and pitfalls, 97  
 ultrasound, 97, 97f
- D**
- Deodorant  
 as amorphous calcification, 244–247  
 mammography, 244, 244f  
 pearls and pitfalls, 245
- Diabetic mastopathy  
 as circumscribed mass, 63–65  
 mammography, 63, 63f  
 pearls and pitfalls, 65  
 ultrasound, 64, 64f  
 poorly identified on mammography, 496–498  
 mammography, 496f  
 pearls and pitfalls, 498  
 ultrasound, 497, 497f
- Diffuse asymmetry, 6
- Ductal abnormalities, 531–541
- Ductal carcinoma  
 invasive  
 as amorphous calcification, 258–259  
 mammography, 258, 258f  
 pearls and pitfalls, 259  
 ultrasound, 259, 259f  
 as architectural distortion, 340–342  
 mammography, 340, 340f  
 pearls and pitfalls, 341  
 ultrasound, 341, 341f  
 as central architectural distortion, 357–364  
 mammography, 357, 357f, 358f, 360, 360f, 362, 362f, 363, 363f  
 pearls and pitfalls, 357, 359, 364  
 ultrasound, 356, 356f, 359, 359f, 363, 363f  
 as circumscribed mass, 100–101, 102–106, 107–109  
 mammography, 100, 100f, 102, 102f, 103f, 107, 107f  
 MRI, 104f, 105f  
 pearls and pitfalls, 101, 106, 109  
 ultrasound, 101, 101f, 104, 104f, 105f, 106f, 108, 108f, 109f  
 on fatty mammogram, 516–518  
 mammography, 516, 516f  
 pearls and pitfalls, 518  
 ultrasound, 517, 517f, 518f  
 as fine linear calcification  
 breast sestamibi scan, 303f  
 mammography, 299, 299f, 301, 301f  
 pearls and pitfalls, 300, 304  
 ultrasound, 302, 302f  
 as global asymmetry, 324–327  
 mammography, 324f  
 pearls and pitfalls, 327  
 ultrasound, 326f  
 as heterogenous  
 microcalcification, 280–289  
 lymphoscintigraphy, 282, 282f  
 mammography, 280, 280f, 284, 284f  
 MRI, 285f  
 pearls and pitfalls, 283, 286, 289  
 ultrasound, 281, 281f, 282, 282f, 284f, 285f, 288f  
 as irregular mass, 155–171  
 bone scan, 156, 156f  
 mammography, 155, 155f, 157, 157f, 159, 159f, 162, 162f, 165, 165f, 168, 168f  
 microscopy, 161f  
 MRI, 166f, 169f, 169f  
 pearls and pitfalls, 156, 158, 161, 164, 167, 171  
 ultrasound, 158, 158f, 160, 160f, 163, 163f, 166, 166f, 169, 169f  
 with lobular, 341–343, 344–347, 362–364  
 mammography, 340f, 344f, 362, 362f  
 MRI, 345f, 363f  
 pearls and pitfalls, 342, 345, 364  
 ultrasound, 341, 341f, 344f, 363, 363f  
 as mammographically occult  
 lesion  
 mammography, 543f, 546, 546f, 548f  
 MRI, 541f, 544f, 547f, 553f, 554f  
 pearls and pitfalls, 545, 549  
 ultrasound, 544f, 547f, 548f  
 in patients unable to tolerate  
 mammogram, 494–495  
 poorly identified on mammogram, 508–509  
 mammography, 508f  
 pearls and pitfalls, 509  
 ultrasound, 509, 509f  
 as small round calcification  
 mammography, 240, 240f  
 pearls and pitfalls, 241  
 staging of  
 CT, 578f  
 mammography, 570, 570f, 574, 574f, 577, 577f, 580, 581f, 586, 586f  
 MRI, 571f, 572f, 583f, 584f, 590f, 591f  
 pearls and pitfalls, 573, 576, 579, 585, 591  
 PET, 572f, 575f, 575f, 578f, 590f  
 PET-CT, 578f, 583f, 584f, 590f  
 ultrasound, 571f, 575f, 582f, 587f, 588f  
 underestimated on mammogram, 521–523, 524–526  
 color Doppler, 526f  
 mammography, 521, 521f, 524, 524f  
 MRI, 525f  
 pearls and pitfalls, 523, 526  
 sestamibi scan, 522f  
 ultrasound, 522, 522f, 525f  
 in unusual location, 529–530  
 mammography, 529, 529f  
 pearls and pitfalls, 530  
 ultrasound, 530, 530f  
 with lobular, underestimated on  
 mammography, 519–520  
 mammography, 519, 519f  
 pearls and pitfalls, 520  
 ultrasound, 520, 520f
- in situ  
 as amorphous calcification, 254–255  
 biopsy, 255f  
 mammography, 254, 254f  
 microscopy, 255f  
 pearls and pitfalls, 255  
 as fine linear calcification, 293–298  
 mammography, 293, 293f, 294, 294f, 297, 297f, 298f  
 microscopy, 298f  
 MRI, 296f  
 pearls and pitfalls, 294, 296, 298  
 ultrasound, 295f  
 as global asymmetry, 321–323  
 mammography, 321f  
 pearls and pitfalls, 323  
 as heterogenous  
 microcalcification  
 mammography, 273, 273f, 275, 275f  
 MRI, 276, 276f

- pearls and pitfalls, 274, 276
  - ultrasound, 274, 274f
  - intraductal, 535–538
    - ductogram, 538f
    - mammography, 535f, 537f
    - pearls and pitfalls, 536, 538
    - ultrasound, 536, 536f
  - in male breast, 394–395
    - mammography, 394f
    - pearls and pitfalls, 395
  - mammography, 611f, 615, 615f
  - MRI, 610f, 617f
  - pearls and pitfalls, 614, 618
  - PET-CT, 611f, 617f
  - poorly identified on mammogram, 506–507
    - mammography, 506f
    - pearls and pitfalls, 507
    - ultrasound, 507, 507f
  - as small round calcification
    - biopsy, 237f, 238f
    - mammography, 236, 236f, 238, 238f, 240, 240f
    - pearls and pitfalls, 236, 239, 241
    - ultrasound, 238, 238f, 239, 239f
  - thick wall ducts, 539–540
    - mammography, 539f
    - pearls and pitfalls, 540
    - ultrasound, 540f
  - ultrasound, 612f, 613f, 616f
  - Ductal enhancement, 29
  - Dynamic clips, 18
  - E**
  - Echoes, in benign cysts, 62
  - Eggshell calcification, 207–210
    - mammography, 207, 207f, 209, 209f
    - pearls and pitfalls, 208, 210
  - Encephalomyelitis, 495
  - Endocrine paraneoplastic syndromes, 495
  - Enhancement
    - clumped, 29
    - ductal, 29
    - kinetics, 549
    - rim, 28
  - Equipment, sonography, 15
  - Estrogen effect , 313–315
    - mammography, 313f, 314f
    - pearls and pitfalls, 315
  - Extent of disease, on MRI, 31
  - Extremely dense mammogram, 502–513
  - F**
  - Fascia, in breast anatomy, 20, 21f
  - Fat
    - brown, 621–623
      - mammography, 621, 621f
      - pearls and pitfalls, 623
    - PET, 622f
    - PET-CT, 622f
    - ultrasound, 622f
  - on mammography vs. sonography, 20, 22f
  - types of, 624
  - white, 624
- Fat necrosis, 51–52, 53–54
  - as amorphous microcalcification, 252–253
    - mammography, 252, 252f, 253f
    - pearls and pitfalls, 253
  - as architectural distortion cause, 9
  - as benign entity producing irregular mass, 6
  - as circumscribed mass, 51–52, 53–54
    - mammography, 51, 51f, 53, 53f
    - pearls and pitfalls, 52, 54
    - ultrasound, 52, 52f, 54, 54f
  - as dystrophic calcification, 216–221
    - mammography, 216, 216f, 218, 218f, 219f, 220, 220f
    - pearls and pitfalls, 217, 219, 221
    - ultrasound, 221, 221f
  - as eggshell calcification, 209–210
    - mammography, 209, 209f
    - pearls and pitfalls, 210
  - on fatty mammogram, 516–517
    - mammography, 516f
    - pearls and pitfalls, 517
    - ultrasound, 517, 517f
  - as global asymmetry, 316–318
    - mammography, 316f, 317f
    - pearls and pitfalls, 318
    - ultrasound, 18, 318f
  - as heterogenous microcalcification, 268–270
    - mammography, 268, 268f
    - pearls and pitfalls, 270
    - ultrasound, 269, 269f
  - as irregular mass, 134–137
    - mammography, 134, 134f, 136, 136f
    - pearls and pitfalls, 135, 137
    - ultrasound, 135, 135f, 137, 137f
- in male breast, 375–376
  - mammography, 375, 375f
  - pearls and pitfalls, 376
  - ultrasound, 376, 376f
- in neoplasm procedure patients, 471–475
  - mammography, 471, 471f, 473, 473f
  - pearls and pitfalls, 472, 475
  - ultrasound, 474, 474f
- in reduction mammoplasty patients, 458–459
  - mammography, 458f, 459f
  - pearls and pitfalls, 459
- Fatty mammogram, 514–518
- FDG. *See* 18F-fluorodeoxyglucose (FDG)
- Fibroadenolipoma, 47
- Fibroadenoma, 6, 66–67
  - adenoma vs. , 501
  - as focal asymmetry, 324–325
    - mammography, 324f
    - pearls and pitfalls, 325
    - ultrasound, 325, 325f
  - as heterogenous calcification
    - mammography, 262, 262f, 263, 263f
    - pearls and pitfalls, 263, 267
    - ultrasound, 265f
  - as irregular mass, 138–139
    - mammography, 136, 136f, 140, 140f
    - MRI, 141f
    - pearls and pitfalls, 140, 143
    - ultrasound, 137, 139f, 141, 142f
  - juvenile, poorly identified on mammogram, 496–498
    - pearls and pitfalls, 598
    - ultrasound, 497, 497f
  - mammography, 66, 66f
  - pearls and pitfalls, 67
  - ultrasound, 67, 67f
- Fibroadenomatoid hyperplasia , 335
  - mammography, 335f
  - MRI, 335, 335f
  - pearls and pitfalls, 335
  - ultrasound, 335f
- Fibroadenomatous hyperplasia
  - mammography, 264, 264f
  - pearls and pitfalls, 264
- Fibrocystic change
  - as amorphous microcalcification, 248–251
    - biopsy, 250f
    - mammography, 248, 249f, 250, 250f
    - pearls and pitfalls, 249, 251
  - as circumscribed mass, 68–69, 70–71 (*See also* Cyst, benign)
    - focal solid mass vs. , 71
    - mammography, 68, 68f, 70, 70f
    - pearls and pitfalls, 69
    - stages of, 69
    - ultrasound, 69, 69f, 71, 71f
  - as heterogenous microcalcification, 262–263
    - mammography, 262, 262f
    - pearls and pitfalls, 263
    - ultrasound, 263, 263f
  - as small round calcification, 226–228, 229–230, 231–232, 233–234
    - biopsy, 230, 230f

- Fibrocystic change (*continued*)  
 mammography, 226, 226f, 229, 229f, 231, 231f, 233, 233f  
 pearls and pitfalls, 228, 230, 232, 234  
 ultrasound, 227, 227f, 234, 234f
- Fibrosis, focal, 6, 9
- Fibrous histiocytoma, poorly identified  
 on mammogram, 510–511  
 mammography, 510f  
 pearls and pitfalls, 511  
 ultrasound, 511, 511f
- Fine linear calcifications, 8, 290–304
- 18F-fluorodeoxyglucose (FDG), 34  
 in benign findings, 35
- Focal asymmetries, 324–331  
 cross-correlation and, 26, 27f  
 definition of, 6  
 masses vs. , 1
- Focal fibrosis, 6, 9
- Focus(foci)  
 definition of, 345  
 as mammographically occult lesion, 553–555  
 single vs. multiple, 28
- Foreign body, 222–223  
 mammography, 222, 222f  
 pearls and pitfalls, 223
- Frequencies  
 shadowing and, 25  
 in sonography, 15
- G**
- Galactocele, 42–43  
 definition of, 43  
 mammography, 42, 42f  
 pearls and pitfalls, 43  
 ultrasound, 43, 43f
- Gastrointestinal paraneoplastic syndromes, 495
- Glandular tissue, in breast anatomy, 20, 21f
- Global asymmetry, 308–325
- Glucose level, PET study and, 35
- Granular cell tumor, 129–130  
 mammography, 129, 129f  
 pearls and pitfalls, 130  
 ultrasound, 130, 130f
- Granulocyte colony-stimulating factor, 624–627  
 mammography, 624f  
 MRI, 626f  
 pearls and pitfalls, 627  
 PET, 625f, 626f  
 PET-CT, 625f, 625f  
 ultrasound, 625f
- Gynecomastia  
 causes of, 383  
 definition of, 376  
 dendritic pattern  
 mammography, 379f, 380f  
 pearls and pitfalls, 381f  
 diffuse glandular pattern  
 mammography, 382f  
 pearls and pitfalls, 383  
 incidence of, 376  
 nodular pattern  
 mammography, 375f, 377f  
 pearls and pitfalls, 376, 378  
 ultrasound, 376f, 378, 378f  
 patterns of, 378
- H**
- Hamartoma  
 as circumscribed mass, 44–45, 46–47  
 definition of, 45  
 mammography, 44, 44f, 46, 46f  
 pearls and pitfalls, 45, 47  
 ultrasound, 44–45, 45f, 46–47, 47f  
 smooth muscle, 527–528  
 pearls and pitfalls, 528  
 ultrasound, 527, 527f
- Hemangioma, venous, 92–93  
 mammography, 92, 92f  
 pearls and pitfalls, 93  
 ultrasound, 93, 93f
- Hematologic paraneoplastic syndromes, 495
- Hematoma  
 as benign entity producing irregular mass, 6  
 as circumscribed mass, 72–73  
 mammography, 72, 72f  
 pearls and pitfalls, 73  
 ultrasound, 73, 73f  
 as irregular mass, 144–145  
 mammography, 144, 144f  
 ultrasound, 145, 145f  
 in neoplasm procedure patients, 466–468, 469, 469f, 468f  
 mammography, 466, 466f, 467f  
 pearls and pitfalls, 468  
 pearls and pitfalls, 144
- Heterogenous calcifications, 8, 9f
- High-frequency ultrasound, 15, 16f
- High-risk women, MRI screening of, 31
- Histiocytoma, fibrous poorly identified  
 on mammogram, 510–511  
 mammography, 510f  
 pearls and pitfalls, 511  
 ultrasound, 511, 511f
- I**
- Implants  
 bulge, 410–411  
 mammography, 410f  
 MRI, 410f  
 pearls and pitfalls, 411  
 calcifications, 413–414  
 after renewal, 417–418  
 mammography, 417f  
 pearls and pitfalls, 418  
 chest radiograph, 414f  
 mammography, 413f  
 pearls and pitfalls, 414  
 fluid, 412–414  
 pearls and pitfalls, 412  
 ultrasound, 412, 412f  
 neoplasm and, 442–447  
 mammography, 442, 442f, 446f  
 MRI, 442f  
 pearls and pitfalls, 445, 447  
 ultrasound, 443, 443f, 447, 447f  
 pseudocapsule, 419–421  
 mammography, 419f, 420f  
 pearls and pitfalls, 421  
 residual silicone, 415–416  
 mammography, 415f  
 pearls and pitfalls, 416  
 rupture, 422–441  
 extracapsular, 433–438  
 mammography, 433f, 436f  
 MRI, 434f, 437f  
 pearls and pitfalls, 435, 438  
 ultrasound, 437f  
 false positive, 439–441  
 mammography, 439f  
 MRI, 441f  
 pearls and pitfalls, 441  
 ultrasound, 440f  
 intracapsular, 429–432  
 mammography, 431f  
 MRI, 429f, 432f  
 pearls and pitfalls, 430, 432  
 mammography, 422f, 424f, 427f  
 MRI, 32  
 pearls and pitfalls, 427, 430, 432  
 ultrasound, 423f, 425f, 428f  
 subglandular  
 infected fluid in, 402–404  
 mammography, 402f  
 pearls and pitfalls, 404  
 ultrasound, 403, 403f  
 subpectoral, 405–407  
 advantages of, 406  
 mammography, 405f  
 MRI, 406f, 407f  
 pearls and pitfalls, 410, 411
- Inclusion cyst, 84–85  
 mammography, 84, 84f  
 pearls and pitfalls, 85, 85f  
 ultrasound, 85, 85f
- Inflammatory carcinoma  
 definition of, 312  
 as global asymmetry, 313–314  
 mammography, 313f  
 pearls and pitfalls, 314  
 as irregular mass, 186–188

- color Doppler, 187f
  - mammography, 186, 186f
  - pearls and pitfalls, 188
  - ultrasound, 187, 187f
  - in male breast, 394–395
    - bone scan, 395f
    - chest radiography, 395f
    - mammography, 394, 394f
    - pearls and pitfalls, 395
  - Intracystic papillary carcinoma, in male breast, 399–400
    - mammography, 399, 399f
    - pearls and pitfalls, 400
    - ultrasound, 400, 400f
  - Intraductal ductal carcinoma in situ, 537–540
    - ductogram, 540f
    - mammography, 537f, 539f
    - pearls and pitfalls, 538, 540
    - ultrasound, 538, 538f
  - Intraductal papilloma, 533–536
    - mammography, 533f, 535f, 536f
    - pearls and pitfalls, 534, 536
    - ultrasound, 534, 534f
  - Invasive ductal carcinoma
    - as amorphous calcification
      - mammography, 260, 260f
      - pearls and pitfalls, 261
      - ultrasound, 261, 261f
    - as central architectural distortion, 353–361
      - mammography, 353, 353f, 355f, 357, 357f, 358, 358f, 360, 360f
      - pearls and pitfalls, 354, 356, 357, 359, 361
      - ultrasound, 354, 354f, 358, 358f, 359, 359f
    - as circumscribed mass, 100–101, 102–106, 107–109
      - mammography, 100, 100f, 102, 102f, 103f, 107, 107f
      - MRI, 104f, 105f
      - pearls and pitfalls, 101, 106, 109
      - ultrasound, 101, 101f, 104, 104f, 105f, 106f, 108, 108f, 109f
    - on fatty mammogram, 516–518
      - mammography, 516, 516f
      - pearls and pitfalls, 518
      - ultrasound, 517, 517f, 518f
    - as fine linear calcification
      - breast sestamibi scan, 303f
      - mammography, 299, 299f, 301, 301f
      - pearls and pitfalls, 300, 304
      - ultrasound, 302, 302f
    - as global asymmetry, 321–323
      - mammography, 321f
      - MRI, 323f
      - pearls and pitfalls, 323
      - ultrasound, 322, 322f
    - as heterogenous microcalcification, 277–286
      - lymphoscintigraphy, 282f
      - mammography, 277, 277f, 280, 280f, 284, 284f
      - MRI, 278f, 285f
      - pearls and pitfalls, 279, 283, 286
      - ultrasound, 278, 278f, 281, 281f, 282f, 284f, 285f
    - as irregular mass, 155–171
      - bone scan, 156, 156f
      - mammography, 155, 155f, 157, 157f, 158, 158f, 161, 161f, 165, 165f, 168, 168f
      - microscopy, 161f
      - MRI, 166f, 169f, 170f
      - pearls and pitfalls, 156, 158, 161, 164, 167, 171
      - ultrasound, 158, 158f, 160, 160f, 163, 163f, 166, 166f, 169, 169f
    - with lobular, 343–345, 346–348, 365–367
      - mammography, 343f, 346f, 365, 365f
      - MRI, 347f, 366f
      - pearls and pitfalls, 345, 348, 367
      - ultrasound, 344, 344f, 347f, 366, 366f
    - with lobular carcinoma, 343–345, 346–348
      - mammography, 345f, 346f
      - MRI, 347f
      - pearls and pitfalls, 345, 348
      - ultrasound, 344, 344f, 347f
    - as mammographically occult lesion
      - mammography, 543f, 546, 546f, 550f
      - MRI, 544f, 547f, 548f, 551f, 552f
      - pearls and pitfalls, 545, 553
      - ultrasound, 542f, 547f, 548f, 551f, 552f
    - in patient unable to tolerate mammogram, 494–495
    - as peripheral architectural distortion, 340–342
      - mammography, 340, 340f
      - pearls and pitfalls, 342
      - ultrasound, 341, 341f
    - poorly identified on mammogram, 508–509
      - mammography, 508f
      - pearls and pitfalls, 509
      - ultrasound, 509, 509f
    - as small round calcification
      - mammography, 242, 242f
      - pearls and pitfalls, 243
    - staging of
      - CT, 577f
      - mammography, 570, 570f, 574, 574f, 577, 5787f, 581f, 586, 586f
      - MRI, 571f, 572f, 582f, 583f, 589f, 590f
      - pearls and pitfalls, 573, 576, 579, 585, 592
      - PET, 572f, 575f, 576f, 578f, 590f
      - PET-CT, 578f, 583f, 584f, 590f
      - ultrasound, 571f, 575f, 582f, 587f, 586f
    - underestimated on mammogram, 521–523, 524–526
      - color Doppler, 526f
      - mammography, 521, 521f, 524, 524f
      - MRI, 525f
      - pearls and pitfalls, 523, 526
      - sestamibi scan, 522f
      - ultrasound, 522, 522f, 525f
    - in unusual location, 529–530
      - mammography, 529, 529f
      - pearls and pitfalls, 530
      - ultrasound, 530, 530f
  - Invasive lobular carcinoma, 172–174, 175–177
    - mammography, 172, 172f, 174, 174f
    - microscopy, 173f
    - pearls and pitfalls, 174, 177
    - ultrasound, 173, 173f, 176, 176f, 177, 177f
  - Invasive papillary carcinoma, 110–111
    - mammography, 110, 110f
    - pearls and pitfalls, 111
    - ultrasound, 111, 111f
  - Inverted nipple, 79–80
    - in ductal carcinoma, 159
    - mammography, 79, 79f, 80f
  - Irregular masses
    - approach to, 131
    - benign entities producing, 6
    - overview of, 6
- J**
- Juvenile fibroadenoma, poorly identified on mammogram, 498–499
    - pearls and pitfalls, 499
    - ultrasound, 499, 499f
- K**
- “Keyhole” sign, 429f, 430
  - Kinetic curve analysis, 28, 549
- L**
- Lactating adenoma, poorly identified on mammogram, 500–501
    - pearls and pitfalls, 501
    - ultrasound, 500f
  - Landmarks, anatomical, 19, 20

- Large round calcification, 203–204  
 mammography, 203, 203f  
 pearls and pitfalls, 204
- Leiomyoma, 74–75  
 mammography, 74, 74f  
 pearls and pitfalls, 75  
 ultrasound, 75, 75f
- “Linguine” sign, 32, 428
- Lipoma, 48–49, 50–51  
 in male breast, 384–385  
 mammography, 384f  
 pearls and pitfalls, 385  
 ultrasound, 385, 385f  
 mammography, 48, 48f, 50, 50f  
 pearls and pitfalls, 49, 51  
 ultrasound, 49, 49f
- Lobular calcifications, 250–251  
 biopsy, 250f  
 mammography, 250, 250f  
 pearls and pitfalls, 251
- Lobular carcinoma  
 as circumscribed mass, 112–113  
 mammography, 112, 112f  
 pearls and pitfalls, 113  
 ultrasound, 113, 113f  
 with ductal, 343–345, 346–347, 365–367  
 mammography, 343f, 346f, 365, 365f  
 pearls and pitfalls, 345, 347, 367  
 ultrasound, 345f, 347f, 367, 367f  
 underestimated on mammogram, 521–523  
 mammography, 521, 521f  
 pearls and pitfalls, 523  
 ultrasound, 522, 522f  
 as focal asymmetry, 328–331  
 mammography, 328f, 330f  
 pearls and pitfalls, 331  
 PET-CT, 330  
 ultrasound, 329, 329f, 330f, 334f  
 as irregular mass, 172–174, 175–177  
 mammography, 172, 172f, 175, 175f  
 microscopy, 173f  
 pearls and pitfalls, 174, 177  
 ultrasound, 173, 173f, 176, 176f, 177, 177f  
 as mammographically occult lesion  
 mammography, 546, 546f, 556f  
 MRI, 547f, 548f, 558f, 559f  
 pearls and pitfalls, 545, 559  
 ultrasound, 547f, 548f, 557f
- Location estimation, 19
- Low standardized uptake value, 615–618
- Lymphedema  
 as global asymmetry, 308–309  
 mammography, 308, 308f  
 pearls and pitfalls, 309  
 in neoplasm procedure patients, 479–482  
 mammography, 480f  
 pearls and pitfalls, 482  
 ultrasound, 481, 481f
- Lymph node  
 benign, 76–78  
 mammography, 76, 76f  
 ultrasound, 77, 77f, 78f  
 in male breast, 386–387  
 mammography, 386, 386f  
 pearls and pitfalls, 387  
 malignant, 114–116  
 mammography, 114, 114f  
 MRI, 115f  
 pearls and pitfalls, 116  
 ultrasound, 115, 115f
- Lymph node calcifications, 256–257  
 mammography, 256, 256f  
 pearls and pitfalls, 257
- Lymphoma, 178–180  
 mammography, 178, 178f  
 pearls and pitfalls, 180  
 ultrasound, 179, 179f
- Lymphoscintigraphy, metastatic carcinoma on, 120f
- M**
- Magnetic resonance imaging (MRI)  
 applications of, 31–32  
 contrast administration in, 171  
 disease extent definition with, 31  
 identifying suspicious lesions on, 28–29  
 implant rupture on, 32  
 improving identification with, 106  
 mammographically occult masses on, 541–568  
 recurrent disease on, 31  
 residual disease on, 31  
 for screening high-risk women, 31  
 “second look” sonography and, 29–31  
 in staging of lobular cancer, 559  
 therapeutic response assessment on, 31  
 unknown primary on, 31–32
- Male breast  
 approach to, 369  
 benign, 370–391  
 malignant, 392–400
- Mammography  
 cross-correlation with sonography, 19–23, 24f  
 ductal abnormalities poorly identified with, 531–540  
 extremely dense, 504–515  
 fat on, vs. sonography, 20, 22f  
 fatty, 516–520  
 inability to tolerate, 494–495  
 occult MRI masses, 541–568  
 palpable masses poorly defined on, 496–518  
 scattered heterogenous, 502–513  
 underestimation of tumor size with, 519–526  
 unusual locations and, 527–530
- Mammoplasty  
 augmentation  
 implant bulge, 410–411  
 mammography, 410f  
 MRI, 410f  
 pearls and pitfalls, 411  
 implant calcifications, 413–414  
 after renewal, 417–418  
 chest radiograph, 414f  
 mammography, 413f  
 pearls and pitfalls, 414  
 implant calcifications after renewal  
 mammography, 417f  
 pearls and pitfalls, 418  
 implant fluid, 412–414  
 pearls and pitfalls, 412  
 ultrasound, 412, 412f  
 infected fluid in subglandular implants, 402–404  
 mammography, 402f  
 pearls and pitfalls, 404  
 ultrasound, 403, 403f  
 postsurgical approach to, 401  
 residual silicone, 415–416  
 mammography, 415f  
 pearls and pitfalls, 416  
 silicone injections, 408–409  
 mammography, 408f  
 pearls and pitfalls, 409  
 subpectoral implants, 405–407  
 advantages of, 406  
 mammography, 405f  
 MRI, 406f, 407f  
 pearls and pitfalls, 406, 407  
 reduction, postsurgical approach to, 449
- Margins, well-defined, 2–3, 4f
- Masses, 1–6  
 circumscribed, overview of, 1  
 density analysis of, 1  
 in diabetic mastopathy, 65  
 focal asymmetries vs. , 1  
 irregular  
 approach to, 131  
 benign entities producing, 6  
 overview of, 6  
 palpable  
 poorly identified on mammogram, 496–518  
 sonographic approach to, 18–19  
 on PET, 35

- on sonography vs. mammography, 21
- Mastitis**
  - as global asymmetry, 308–310
    - mammography, 308, 308f, 309f
    - pearls and pitfalls, 310
    - ultrasound, 310, 310f
  - plasma cell, as large linear calcification, 190–194
    - mammography, 190, 190f, 193, 193f
    - pearls and pitfalls, 192, 194
- Mastopathy, diabetic**
  - as circumscribed mass, 63–65
    - mammography, 63, 63f
    - pearls and pitfalls, 65
    - ultrasound, 64, 64f
  - poorly identified on mammography, 496–499
    - mammography, 496f
    - pearls and pitfalls, 498
    - ultrasound, 497, 497f
- Medullary carcinoma, 117–118**
  - atypical, 118
  - mammography, 117, 117f
  - pearls and pitfalls, 118
  - typical, 118
- Melanoma, metastatic, 121–122**
  - mammography, 121, 121f
  - pearls and pitfalls, 122
  - ultrasound, 121, 122f
- Menopause, fibrocystic changes and, 69**
- Mesothelioma**
  - chest radiograph, 608f
  - mammography, 607f
  - pearls and pitfalls, 609
  - PET-CT, 609f
- Metaplastic carcinoma, 119–120**
  - lymphoscintigraphy, 120f
  - mammography, 119, 119f
  - pearls and pitfalls, 120
  - ultrasound, 119, 120f
- Metastases, bone, 619–620**
- Metastases to male breast, 396–398**
  - CT, 397f, 398f
  - mammography, 496, 496f
  - pearls and pitfalls, 498
  - ultrasound, 497, 497f
- Metastatic melanoma, 121–122**
  - mammography, 121, 121f
  - pearls and pitfalls, 122
  - ultrasound, 121, 122f
- Microcysts, with milk of calcium, 197–200**
  - mammography, 197, 197f, 198, 198f, 199, 199f
  - pearls and pitfalls, 198, 200
  - ultrasound, 200, 200f
- Microglandular adenosis, 132–133**
  - mammography, 132, 132f
  - pearls and pitfalls, 133
  - ultrasound, 133, 133f
- Microlobulations, 6**
- Milk of calcium, 197–200**
  - mammography, 197, 197f, 198, 198f, 199, 199f
  - pearls and pitfalls, 198, 200
  - ultrasound, 200, 200f
- Mixed ductal and lobular carcinoma, 343–345, 346–347, 362–364**
  - mammography, 343f, 346f, 362, 362f
  - MRI, 363f
  - pearls and pitfalls, 345, 347, 364
  - ultrasound, 344, 344f, 347f, 363, 363f
- underestimated on mammogram, 521–522**
  - mammography, 521, 521f
  - pearls and pitfalls, 522
  - ultrasound, 522, 522f
- Mole, 86–87, 88–89**
  - mammography, 86, 86f, 88, 88f
  - pearls and pitfalls, 87, 89
- MRI. *See* Magnetic resonance imaging (MRI)**
- Mucinous carcinoma, 123–125**
  - mammography, 123, 123f
  - pearls and pitfalls, 125
  - ultrasound, 124, 124f
- Multicentricity**
  - incidence of, 167
  - multifocality vs. , 164
- Multifocality, multicentricity vs. , 164**
- Muscle(s)**
  - in breast anatomy, 20, 21f
  - sternalis, 90–91
    - mammography, 90, 90f
    - pearls and pitfalls, 91
    - ultrasound, 91, 91f
- Myofibroblastoma**
  - as irregular mass, 153–154
    - mammography, 153, 153f
    - pearls and pitfalls, 154
    - ultrasound, 154, 154f
  - in male breast, 388–389
    - mammography, 388, 388f
    - pearls and pitfalls, 389
    - ultrasound, 389, 389f
- N**
- Neoplasm procedures, findings after**
  - fat necrosis, 469–472
    - mammography, 469, 469f, 471, 471f, 472f
    - pearls and pitfalls, 472, 472
    - ultrasound, 470, 470f
  - hematoma, 466–468, 469, 469f, 470f
    - mammography, 466, 466f, 467f
    - pearls and pitfalls, 468
    - lymphedema, 475–479
      - mammography, 475f
      - pearls and pitfalls, 479
      - ultrasound, 476, 476f
    - pseudoaneurysm, 473–475
      - mammography, 473f
      - pearls and pitfalls, 475
      - ultrasound, 474, 474f
    - radiation changes, 477–478
      - mammography, 477, 477f, 478f
      - pearls and pitfalls, 478
    - recurrent neoplasm, 479–491
      - mammography, 479, 479f, 480f, 483f, 486, 486f, 488, 488f
      - MRI, 485f, 489f
      - pearls and pitfalls, 482, 485, 487, 490
      - ultrasound, 481, 481f, 484, 484f, 487, 487f, 489, 489f, 490f
    - scar, 460–466
      - mammography, 460, 460f, 461, 461f, 462f, 464f
      - pearls and pitfalls, 461, 463, 466
      - ultrasound, 462, 462f, 463f, 465f
  - Neurologic paraneoplastic syndromes, 495**
  - Nipple out of profile, 79–80**
    - in ductal carcinoma, 155
      - mammography, 79, 79f, 80f
  - “Noose” sign, 429**
  - Normal structures, poorly identified on mammogram, 512–513**
    - mammography, 512f
    - pearls and pitfalls, 513
    - ultrasound, 512, 512f
  - O**
  - Occult MRI lesions, mammographically, 541–568**
    - benign, 541–542
      - MRI, 541f
    - malignant, 543–555
      - mammography, 543f, 546, 546f, 550f
      - MRI, 544f, 547f, 548f, 551f, 552f
      - pearls and pitfalls, 545, 549, 553
      - ultrasound, 546f, 549f, 550f, 553f, 554f
  - Oil cyst**
    - as circumscribed mass, 51–52, 53–54
      - mammography, 51, 51f, 53, 53f
      - pearls and pitfalls, 52, 54
      - ultrasound, 52, 52f, 54, 54f
    - as large round calcification, 201–202
      - mammography, 201, 201f
      - pearls and pitfalls, 202

- Oil cyst (*continued*)  
 as round lucent center calcification, 203–206  
 mammography, 203, 203f, 205, 205f  
 pearls and pitfalls, 204, 206  
 ultrasound, 206, 206f
- Ointment  
 mammography, 260, 260f, 261f  
 pearls and pitfalls, 261
- P**
- Paget's disease, 561–568  
 mammography, 561f, 565f  
 MRI, 562f, 563f, 566f, 567f  
 pearls and pitfalls, 564, 567  
 ultrasound, 562f, 563f, 566f
- Palpable mass  
 as normal structure, 514  
 poorly identified on mammogram, 496–518  
 sonographic approach to, 18–19
- Papillary carcinoma  
 intracystic, in male breast, 402–403  
 mammography, 402, 402f  
 pearls and pitfalls, 404  
 ultrasound, 403, 403f  
 invasive, 110–111  
 mammography, 110, 110f  
 pearls and pitfalls, 111  
 ultrasound, 111, 111f
- Papillary lesions, 6, 145–147  
 mammography, 145, 145f  
 pearls and pitfalls, 147  
 ultrasound, 146, 146f, 147, 147f
- Papilloma  
 as circumscribed mass, 81–83  
 mammography, 81, 81f, 145, 145f  
 pearls and pitfalls, 83, 147  
 ultrasound, 82, 82f, 83f, 147, 147f  
 as heterogenous microcalcification, 271–272  
 mammography, 271, 271f  
 pearls and pitfalls, 272  
 intraductal, 533–534  
 mammography, 533f  
 pearls and pitfalls, 534  
 types of, 271
- Paraneoplastic syndromes, 495
- Patterns of abnormality, 1–14
- Perception, of abnormalities, 1
- Peripheral architectural distortion, 9, 11f, 336–350
- PET. *See* Positron emission tomography (PET)
- PET-CT. *See* Positron emission tomography-computed tomography (PET-CT)
- Phyllodes tumor, 126–128  
 mammography, 126, 126f  
 pearls and pitfalls, 128  
 ultrasound, 127, 127f
- Plasma cell mastitis, 194–196  
 mammography, 195, 195f  
 pearls and pitfalls, 194, 196
- Pleomorphic calcifications, 8, 9f
- Positron emission tomography-computed tomography (PET-CT), 34  
 for additional malignancies, 607–609  
 for recurrent disease identification, 602–606  
 for therapeutic response assessment, 592–601
- Positron emission tomography (PET)  
 benign breast findings on, 35  
 blood glucose and, 35  
 breast cancer applications of, 35–37  
 18F-fluorodeoxyglucose in, 34  
 history of, 34  
 limitations of, 37–38  
 mass identification with, 35  
 mechanism of, 34  
 patient preparation for, 35  
 pitfalls of, 37–38, 615–627  
 recurrent disease on, 37  
 scanner schematic, 35f  
 staging with, 35, 36f, 570–591  
 therapeutic response assessment on, 37
- Power Doppler, 16–18, 18f
- Pregnancy, lactating adenoma in, 500–501  
 pearls and pitfalls, 501  
 ultrasound, 500f
- Pre-menopause, fibrocystic changes and, 69
- Pseudoaneurysm, in neoplasm procedure patients, 473–475  
 mammography, 473f  
 pearls and pitfalls, 475  
 ultrasound, 474, 474f
- Pseudoangiomatous stromal hyperplasia, 94–95  
 mammography, 94, 94f  
 pearls and pitfalls, 95  
 ultrasound, 95, 95f
- Pseudogynecomastia, 386–387  
 mammography, 386, 386f  
 pearls and pitfalls, 387
- “Pull-away” sign, 430
- R**
- Radial scars  
 as architectural distortion cause, 9  
 as benign entity producing irregular mass, 6  
 as central architectural distortion, 351–352  
 mammography, 351f  
 pearls and pitfalls, 352  
 ultrasound, 352, 352f
- as irregular mass, 148–150  
 mammography, 148, 148f  
 MRI, 149f  
 pearls and pitfalls, 150  
 ultrasound, 149, 149f
- as mammographically occult lesion  
 MRI, 541f  
 pearls and pitfalls, 542
- as peripheral architectural distortion, 340–342  
 pearls and pitfalls, 342  
 ultrasound, 341, 341f
- Radiation changes, in neoplasm procedure patients, 479–482  
 mammography, 479, 479f, 480f  
 pearls and pitfalls, 482
- Recurrent disease  
 CT, 604f  
 mammography, 602f  
 MRI, 31, 603f  
 in neoplasm procedure patients, 479–491  
 mammography, 479, 479f, 480f, 483f, 486, 486f, 488, 488f  
 MRI, 485f, 489f  
 pearls and pitfalls, 482, 485, 487, 490  
 ultrasound, 481, 481f, 484, 484f, 487, 487f, 489, 489f, 490f
- pearls and pitfalls, 604f, 606
- PET, 605f  
 on PET, 37  
 PET-CT, 604f  
 ultrasound, 603f
- Reduction mammoplasty  
 architectural distortion after, 453–456  
 mammography, 453f, 455f, 456f  
 pearls and pitfalls, 453, 454, 456  
 fat necrosis after, 455–456  
 mammography, 455f, 456f  
 pearls and pitfalls, 456  
 postsurgical approach to, 449
- Reflection, shadowing and, 24–25
- Renal paraneoplastic syndromes, 495
- Residual disease, on MRI, 31
- Resolution, contrast, 15–16, 17f
- Rim calcification, 207–210  
 mammography, 207, 207f, 209, 209f  
 pearls and pitfalls, 208, 210
- Rim enhancement, 28
- Round lucent center calcification, 203–206  
 mammography, 203, 203f, 205, 205f  
 pearls and pitfalls, 204, 206  
 ultrasound, 204, 204f

- S**
- Scar
- architectural distortion and, 9
  - malignancy vs. , 6
  - mammography, 151, 151f
  - in neoplasm procedure patients, 458–466
    - mammography, 458, 458f, 462f, 464, 464f
    - pearls and pitfalls, 461, 463, 466
    - ultrasound, 462, 462f, 463f, 465f
  - radial
    - as architectural distortion cause, 9
    - as benign entity producing irregular mass, 6
    - as central architectural distortion, 351–352
      - mammography, 351f
      - pearls and pitfalls, 352
      - ultrasound, 352, 352f
    - as irregular mass, 148–150
      - mammography, 148, 148f
      - MRI, 149f
      - pearls and pitfalls, 150
      - ultrasound, 149, 149f
    - as peripheral architectural distortion, 336–337
      - pearls and pitfalls, 337
      - ultrasound, 337, 337f
  - ultrasound, 152, 152f
- Scattered heterogenous mammogram, 504–515
- Sclerosing adenosis, 6, 9, 348–350
  - mammography, 348f
  - pearls and pitfalls, 350
  - ultrasound, 349, 349f, 350, 350f
- Screening, MRI for, 31
- Sebaceous cyst, 84–85
  - in male breast, 390–391
    - mammography, 390, 390f
    - pearls and pitfalls, 391
    - ultrasound, 391, 391f
  - mammography, 84, 84f
  - pearls and pitfalls, 85, 85f
  - ultrasound, 85, 85f
- Seborrheic keratosis, 86–87
  - mammography, 86, 86f
  - pearls and pitfalls, 87
- “Second look” sonography, 29–31
- Secretory calcification, 195–198
  - mammography, 195, 195f, 197, 197f
  - pearls and pitfalls, 196, 198
- Shadowing, in sonography, 24–26
- Silicone injections, 408–409
  - mammography, 408f
  - pearls and pitfalls, 409
- Single focus, 28
- Skin
  - in breast anatomy, 20, 21f
  - as small round calcification, 224–225
    - mammography, 224, 224f
- Skin lesions, 86–87, 88–89
  - mammography, 86, 86f, 88, 88f
  - pearls and pitfalls, 87, 89
- Skin powder
  - as amorphous calcification, 244–247
    - mammography, 244, 244f
    - pearls and pitfalls, 245
  - as heterogenous calcification
    - mammography, 260, 260f, 261f
    - pearls and pitfalls, 261
- Smooth muscle hamartoma, 527–528
  - pearls and pitfalls, 528
  - ultrasound, 527, 527f
- Sonography
  - approach to palpable mass in, 18–19
  - architectural distortion and, 14
  - color, 16–18, 18f
  - contrast resolution in, 15–16, 17f
  - cross-correlation with
    - mammography, 19–23, 24f
  - 3D, 18
  - dynamic clips in, 18
  - echoes on, in benign cysts, 62
  - equipment, 15
  - fat on, vs. mammography, 20, 22f
  - frequencies in, 15
  - high-frequency, 15, 16f
  - mammography vs. , masses on, 21
  - scar vs. mass in, 6
  - “second look,” 29–31
  - shadowing in, 24–26
  - special problems in, 24–26, 27f
  - techniques, 15–18
- Staging
  - advanced disease, 574–591
  - with PET, 35, 36f, 571–591
- Standardized uptake value (SUV), 34–35
  - low, 615–618
- Sternalis muscle, 90–91
  - mammography, 90, 90f
  - pearls and pitfalls, 91
  - ultrasound, 91, 91f
- Subcutaneous fat, in breast anatomy, 20, 21f
- Subglandular implants
  - infected fluid in, 402–404
    - mammography, 402f
    - pearls and pitfalls, 404
    - ultrasound, 403, 403f
- Subpectoral implants, 405–407
  - advantages of, 406
  - mammography, 405f
  - MRI, 406f, 407f
  - pearls and pitfalls, 410, 411
- Superficial fascia, in breast anatomy, 20, 21f
- SUV. *See* Standardized uptake value (SUV)
- T**
- Tattoos, 244–245
  - mammography, 244, 244f
  - pearls and pitfalls, 245
- Team, composition of, 1
- “Teardrop” sign, 430
- “Tent sign,” 9, 13f
- Therapeutic response assessment
  - mammography, 592, 592f, 597f
  - MRI, 31, 593f, 599f
  - pearls and pitfalls, 595, 601
  - PET, 37, 594f, 600f
  - PET-CT, 594f
  - ultrasound, 593f, 598f, 599f
- 3D sonography, 18
- TMC. *See* Typical medullary carcinoma (TMC)
- Transducer position, 19
- Tubular carcinoma
  - as central architectural distortion, 365–367
    - mammography, 365, 365f, 366f
    - pearls and pitfalls, 367
    - ultrasound, 367, 367f
  - as irregular mass, 181–185
    - mammography, 181, 181f, 183, 183f
    - microscopy, 185f
    - pearls and pitfalls, 182, 185f
    - ultrasound, 182, 182f, 184, 184f
  - as peripheral architectural distortion, 346–347
    - mammography, 346, 346f
    - pearls and pitfalls, 347
    - ultrasound, 347, 347f
- Typical medullary carcinoma (TMC), 118
- U**
- Ultrasound. *See* Sonography
- Underestimation of tumor size, on
  - mammography, 519–526
- Unknown primary
  - mammography, 610f
  - MRI, 31–32, 610f
  - pearls and pitfalls, 614
  - PET-CT, 611f
  - ultrasound, 611f, 612f
- V**
- Vascular calcification, 190–192
  - mammography, 190, 191f
  - pearls and pitfalls, 192
- Vascularity, color Doppler and, 16
- Vascular lesions, benign, 92–93, 94–95
  - mammography, 92, 92f, 94, 94f
  - pearls and pitfalls, 93, 95

Vascular lesions (*continued*)  
  ultrasound, 93, 93f, 95, 95f  
Venous hemangioma, 92–93  
  mammography, 92, 92f  
  pearls and pitfalls, 93

ultrasound, 93, 93f

**W**

Warts, 86–87  
  mammography, 86, 86f

  pearls and pitfalls, 87  
Well-defined margins, 2–3, 4f