

Index

A

ABCD profiles 150–3, 173
 abdominal sonography 74
 abnormalities, perinatal 166–75
 abortion 41, 50, 261, 269, 272
 abscesses 316
 absent end-diastolic flow (AEDF)
 166–73, 252–4
 artifacts 168
 birthweight 253
 detection 20–2
 diagnosis 166–8
 fetal aorta 168–9
 fetal heart rate 170
 intracerebral hemorrhage 170–1
 intrauterine growth retardation
 170
 labor 189
 neuromotor abnormalities 170
 neuromotor development 169
 perinatal abnormalities 169
 placental weight, gestational age
 253
 positive end-diastolic flow 171
 pregnancy-induced hypertension
 172
 reverse flow 171–2
 umbilical arteries, placental insufficiency 254
 umbilical arteries 167–9, 253
 absent or reverse end-diastolic flow
 (ARED) 172–3
 abscesses 86
 absolute velocities 342
 absorption 3
 coefficient 29
 acetylcholine (ACh) 64
 acoustic impedance 2
 adenocarcinomas 325
 adenofibromas, endometrial 270
 adenomatous hyperplasia 282
 adenomyosis 44, 271–2
 and uterine malignancy 271
 vascularization 269
 adnexal tumors
 benign 304–9
 blood flow velocity 315–16
 color Doppler sonography 304–9
 corpus luteum 315–16
 diastolic notch 313
 malignant 310–18
 size 315
 vascular impedance 314
 vessels 315–16
 AEDF *see* absent end-diastolic flow
 AFI *see* amniotic fluid index
 AGA fetuses 254
 age
 abortion 50
 endometrial carcinoma 288
 endometrial function 46–7
 endometrial thickness 51
 oocyte quality 50
 ovarian artery 52
 ovarian cancer 335
 ovarian function 51
 pituitary-ovarian axis 51
 uterine artery 53
 uterine receptivity 50
 alcohol abuse 157, 199
 aliasing 13–15, 21
 color duplex imaging 17
 continuous-wave Doppler sonog-
 raphy 352
 power Doppler imaging 17
 allergies 74
 alpha-adrenergic receptors 51
 amniocentesis 120–1
 amniotic cavity 232
 amniotic fluid index (AFI) 150,
 158–9
 expanded (EFI) 159
 amniotic-type inflammations 245
 amplitude 15, 29–30
 α NA *see* norepinephrine
 analysis 18–20
 anemia 142–3
 aneurysms 242
 angiogenesis 64
 breast carcinomas 376
 Doppler sonography, color 312
 inhibitors 326
 menstrual cycle 36
 neoangiogenesis 312
 ovarian tumors 322–6
 three-dimensional imaging 320–6
 angiography 350
 angiotensin 176
 angle
 continuous-wave Doppler sonog-
 raphy 352
 dependence 13, 15
 insonation 16
 anovulatory cycles 38
 anteverted uterus 58
 antiphospholipid antibody syn-
 drome 244
 aorta, fetal 176–7, 203
 aortic arch 179–80, 204
 aortic coarctation 207
 aortic stenosis 224
 Apgar score 170, 173, 251–2, 255

appropriate for gestational age
see AGA
 AR *see* autoregression
 arcuate arteries 121
 ARED *see* absent or reverse end-
 diastolic flow
 arterial vasculopathy, acute 244
 arteries
 abdominal, stenoses 21
 D-transposition 213–14, 217–18,
 224, 226
 dilation, pregnancy 117
 femoral 177–9
 intracranial 178
 L-transposition 213–14, 224
 uterine fertility 45–6
 arteriovenous anastomoses 143
 arteriovenous fistulae 20
 arteriovenous malformations 278
 artifacts
 absent end-diastolic flow 168
 B-mode ultrasound 7–8
 color Doppler sonography 22–3
 diagnosis 20–3
 mirror-image 8, 23
 motion 23
 shadowing 23
 vibration 22
 Aschoff-Tawara node *see* still-re-
 fractory AV node
 ASD *see* atrial septal defects
 Asherman syndrome 44–5
 assisted reproduction
 Doppler sonography 62–4
 color 57–68
 endometrium 59
 follicular aspiration 83–4
 uterine blood flow 59–61, 67
see also in-vitro fertilization
 asymmetrical vascular foci 339
 atherosclerosis 242
 atherosclerosis, acute 243–4
 atresia 41
 atria 200–1, 203–4
 atrial septal defects 205–7
 ASD-dependent 218
 postnatal defects 217
 atrioventricular anomalies 223
 atrioventricular canal defects
see atrioventricular septal
 defects
 atrioventricular fistular vibration
 artifacts 22
 atrioventricular septal defects 206,
 225
 fetal heart 206, 225

atrioventricular valves 204, 206–7,
 221
 attenuation 3
 autocorrelation 11
 autoregression (AR) 12
 AV valve *see* atrioventricular valves
 axial resolution 5

B

B-mode sonography 2–8, 13
 breast cancer diagnosis 353
 breast tumors 340
 corpus luteum 80
 ductus venosus 137
 endometrial carcinoma 291
 fibroadenoma 341
 insonation angle 16
 line density 18
 normal ovaries 304
 safety 33
 septate uterus 261–2
 tubal patency 70, 73–4
see also color Duplex sonography;
 duplex sonography
 balance index (BI) 179
 balloon atriostomy 218
 basal plate 230
 vessels 236–7
 basal pseudoinfarcts 242
 baseline 14, 18
 beam 5–6, 16
 beta-mimetics 120–1
 BI *see* balance index
 bicornuate uterus 41, 260
 bigeminal extrasystoles 142
 biophysical profile *see* ABCD profile
 birthweight 253, 255
 blastocytes 230
 blood flow velocity
 adnexal tumors 315–16
 breast tumors 342
 corpus luteum 98
 hormone stimulation 63
 radial arteries 37–8
 spiral arteries 37–8
 spontaneous cycles 63
 tumors 315, 342
 uterine arteries 63
 blood supply
 leiomyomas 43
 pregnancy 117
 uterine 98
 uteroplacental 116
 Bourneville-Pringle disease 198, 216
 bradycardia 142, 189–94

- breast 366–7
 menopause 365–7
 panoramic images 27
 resistance index 361–2, 365, 373–5
- breast cancer diagnosis
 aliasing 352
 angiography 350
 B-mode sonography 353
 blood flow 354–5
 Doppler sonography
 color 280, 351–8, 371–2
 continuous wave 350–1
 pulsed 351
 frequency 352
 gain 352
 histology 372
 magnetic resonance imaging 350
 mammography 348–9
 menopause 372–5
 patients 353
 power output 353
 pulse repetition frequency 352
 resistance indices 372–7
 thermography 349
 transducers 352
 tumor vascularity 349
 tumor vessels 353–4
 ultrasonography 348
 wall filters 352
- breast carcinomas
 angiogenesis 376
 color Doppler sonography 301, 342, 356, 358
 duplex sonography 356
 resistance index 342, 361–3
 postmenopausal 373, 376
 ultrasound 348
- breast tumors 343–5
 absolute velocities 342
 B-mode sonography 340
 benign 350
 benign-malignant discrimination 360–3, 371–8
 blood flow 339–47, 360, 364–71
 chemotherapy 350
 color pixels 343–5
 diastolic notch 345
 Doppler sonography
 color 48–59, 302, 340, 343, 348–59, 371–8
 continuous-wave 350
 power 340, 343
 Doppler waveforms 344–5
 hormone replacement therapy 364–70
 malignant 360, 372, 375
 menopause 302, 364–70
 mirror image areas 345
 prognosis 371
 resistance index 342, 361–3
 blood vessels 361–3
 hormone replacement therapy 368–9
 malignant 372, 375
 menopause 365–7
 tumor vessels 341, 360–2
 vascular impedance 342
- Brenner tumor 308
 broadband technique 7
- C**
- calcitonin gene-related polypeptide (CGRP) 51, 64
- cancers
 estrogen 284
 myometrial vessels 286
 progestin 284
 subendometrial vessels 286
 tamoxifen 284
see also individual types of cancers
- Candida albicans* 245–6
- capillaries 234–5
- carcinoma, endothelial 294–5
- carcinomas
 adenocarcinomas 325
 color Doppler sonography 358
 endometrial *see* endometrial carcinomas
 endothelial 294–5
- cardiac defects
 septa 225–6
see also CATCH-22
- cardiac tumors, fetus 216–17
- cardiac valves 221–2
- cardiac position 217
- cardiotocography 33
see also fetal heart rate monitoring
- carotid sinus 21
- CATCH-22 (cardiac defects, abnormal facies, thymic hyperplasia, cleft palate, hypocalcemia, and chromosome 22) 198, 210
- catheterization 85
- cavitation 29–32
- CDS *see* color duplex sonography
- cerebral arteries
 (MCA), middle 177, 195
 pregnancy 133
 reference curves 131–2
 term effect 177–9
- cerebroplacental ratio 132
- cervical carcinoma
 chemotherapy 299–303
 cisplatin 299
 Doppler sonography
 color 297
 pulsed color 299–303
 intratumoral vascularity 300–1
 tumor volume 299
- cervix
 cerclage 120–1
 lesions 301–2
 mucus 47–8
- CGRP *see* calcitonin gene-related peptide
- chemotherapy
 breast tumors 350
 cervical carcinoma 299–303
 endometrial carcinoma 294
 intra-arterial 299
- chorangiomas 246
- chorangiogenesis 239–40
 Vogel type I 239–40
- chorion frondosum 231–2
- chorion laeve 231
- chorionic plate 230, 232
- chromopertubation 73–4, 91
- chromosomes
 22 *see* CATCH-22
 abnormalities 238
- CIN 331
- cisplatin 299
- cleft palate *see* CATCH-22
- clomiphene 64–5, 78–9
 citrate 39, 46
 endometrium dysfunction 57
- color Doppler echocardiography 219
 fetal heart 227–8
 growth-retarded fetus 220
 imaging jets 220
 prenatal diagnosis 219
 pulse repetition frequency 219
 and two-dimensional echocardiography 227–8
 variance mode 219–20
- color Doppler hysterosalpingography 88–91
- color Doppler sonography 2–28, 116
 ABCD profiles 151
 adnexal tumors 304–9
 angiogenesis 312
 angle dependence 13
 artifacts 22–3
 assisted reproduction 57–68
 breast cancer 280, 301, 342, 351–8, 371–2
 breast tumors 48–59, 302, 340, 343, 348–59, 371–8
 Brenner tumor 308
 carcinoma 358
 cervical carcinoma 297
 cervical lesions 301–2
 corpus luteum 80, 304–5
 cystadenomas 305–6, 308
 cystic teratomas 306–7
 cysts 308
 echocardiography 198–229
 ectopic pregnancy 111–15
 endometrial carcinoma 281, 291–2
 endometrioma 306
 endometriosis 308
 endometrium 57, 280–7
 fallopian tube 72
 fetal heart 199, 226–8
 fetal vena cava 139
 fibroadenomas 341, 358
 fibrocystic breasts 301
 fibromas 307–8
 intracystic papilloma 357
 leiomyoma 43
 mastitis 301
 normal ovaries 304
 nuchal cord 148–54
 ovarian 58, 66
 ovarian cancer 280
 ovarian cysts 86, 304
 parovarian cysts 306
 pelvic congestion syndrome 278
 pelvic inflammatory disease 307–8
 pelvic vascular diseases 278
 polycystic ovaries 304–5
 power output 16
 pregnancy 124
 receiver gain 16
 safety 29–35
 scars 357
 septate uterus 264
- system settings 18
- theca-granulosa cell tumor 308
 and transvaginal sonography 113
 triplex mode imaging 115
 trophoblastic tumors 301
 tubal patency 75
 tumors 280, 302, 312–13
 uterine arteries 58, 61, 66, 124–8, 281
 uterine sarcoma 296
 uterus 89–90
 velocity scale 16
- color duplex sonography (CDS) 9, 11–12
 aliasing 17
 limitations 13–15
 stenoses 21
 tubal patency 69–76
 turbulence 17
see also B-mode sonography; duplex sonography
- color imaging
 analysis 20
 box information 16
 encoding 12
 line density 18
 pixels 343–5
 priority 18
- color velocity imaging (CVI) 31
- comet-tail artifacts 8
- congenital abnormalities 41
- congenital heart disease 143, 198–9, 205–18
- conotruncal facial anomaly syndrome 210
- continuous-wave (CW) Doppler sonography 355, 364
 aliasing 352
 angle 352
 angle dependence 13
 breast tumors 350–1
 duplex mode 352–3
 high frequency 350, 352, 360
 sampling beam 220
 system settings 18
 techniques 9–10
- continuous-wave (CW) transducers 116
- convex array transducers 4
- corpus luteum
 adnexal tumors 315–16
 B-mode ultrasound 80
 cysts 304, 316
 development 97–8
 Doppler sonography
 3-D power 323
 color 80, 304–5
 transvaginal color 315–16
 formation 77
 function 77–82
 hormones 79
 luteal phase defect 77–81
 mature 97
 ovarian carcinomas 315–16
 pregnancy 81–2
 resistance index 79–80
 size 79
 transvaginal sonography 80
 vascularization 97
- correlation 18
- cortical impedance (EEG) 151

- cross-correlation technique 12
crown-rump length (CRL) 103
CTG *see* fetal heart monitoring
cul-de-sac 86, 332
CVI *see* color velocity imaging; time-domain of correlation
CW *see* continuous wave
cystadenomas 305–6, 308
cystic teratomas 306–7
cysts
 adenomyosis 44
 corpus luteum 304–5, 316
 dermoid 324
 Doppler sonography
 3-D power 325
 color 304–5, 308, 357
 transvaginal color 316
 echo enhancement 7
 harmonic imaging 26
 inspissated 349
 ovarian 86, 306
 parovarian 306
 and vascular lesions 278
 cytology 289
 cytomegalovirus *see* TORCH
 cytotrophoblasts 234, 236–7
- D**
- D *see* end-diastolic velocity
DA *see* ductus arteriosus
decidua 232, 272
demodulation 10
dermoid cysts 324
desquamation phase 262
diabetes 199, 238, 288
diastolic notch 186, 313, 345
diffraction artifacts 8
DiGeorge syndrome 210
Doppler effect 9, 116
Doppler flowmetry 122
Doppler indices
 beta-mimetics 120
 cerebral artery 133
 ductus venosus 138
 endometrial carcinoma 293
 fetal descending aorta 133
 surgery 120
 umbilical artery 133
 uterine artery 133–4
 venous vascular system 138
Doppler sonography
 analysis 18–20
 assisted reproduction 62–4
 data 345–6
 endometrial carcinoma 293–4
 endometrial receptivity 66–7
 fallopian tube 71–3
 fetal diseases 166
 in-vitro fertilization 58
 infertility evaluation 62–4
 intrapartum fetal heart rate 182–97
 nuchal chord 151–2
 parameters 15
 pregnancy-induced hypertension, uterine arteries 127
 principles 9
 receiver gain 16
 safety 29–35
 septate uterus 261–2
 tissue effects 29–30
 tubal patency 74–5
 tumor neoangiogenesis 346
 tumor neovascularity 346
 umbilical arteries 254–5
 uterine abnormalities 260–5
 uterine arteries 127
 uterine blood flow 66–7
 uteroplacental insufficiency 127
 venous 135–45
 see also individual types
Doppler spectra 10–11
 chronic placental insufficiency 138
 ductus venosus 138
 fibroadenoma 341
 parameters 19–20
 see also pulsatility index; resistance index; S/D ratio
 pregnancy 125, 136
 resistance 19
 twins 143
 umbilical vein 136
 uterine artery 125–6
Doppler ultrasound
 abnormalities 166–75
 embryos 103–10
 endometrium 266–72
 fallopian tubal patency 70–1
 hysterosalpingography 73
 luteal phase defect 81
 placenta 249–58
 placentation, early 103–10
 power output 16
 pregnancy 96–102, 126–8
 see also color Doppler sonography; continuous-wave Doppler sonography; power Doppler sonography; pulsed-wave Doppler sonography
 Doppler velocimetry
 fetoplacental unit 170–3
 nuchal cord 149–50
 pregnancy 120
 Doppler waveforms 345
 breast tumors 344
 fetal vessels 120
 quantile curves 129–30
 uterine perfusion 120
 double-expansion-chamber model 191
 Down syndrome 198
 drug abuse 157
 ductal carcinoma 349
 ductus arteriosus (DA) 203–4, 206, 217
 ductus venosus 135–40, 143, 202
 duplex sonography 9–28, 30–3, 352–6
 dynamic focusing 6
 dynamic frequency filtering 7
 dynamic range 7
 dysmaturity *see* intrauterine growth retardation
- E**
- Ebstein anomaly 213, 223
echo 2–9
echocardiography, color Doppler 198–229
echogenicity 59, 289
eclampsia 159
ectopic pregnancy (EP) 111–15
edge enhancement 7
EDRF *see* endothelial-derived relaxing factor
Edwards syndrome 198
EEG *see* cortical impedance
EFI *see* amniotic fluid index; expanded amniotic fluid index
EFSUMB clinical safety 33
electrocautery 278
electronic beam steering 4
embryo transfer 39, 85
 intrauterine (TET) 57
embryonic circulation 107–9
end-diastolic flow
 high-risk pregnancy 173
 infertility 38
 postnatal development 173
 umbilical arteries 252–4
 velocity (D) 19, 36–8, 98, 252–4
 see also absent end-diastolic flow; positive end-diastolic flow; reverse end-diastolic flow
endarteritis obliterans 241
endarteropathy obliterans 240–1
endocardial cushion defect *see* atrioventricular septal defect
endocardial fibroelastosis 143, 223
endometrial carcinomas 288–90
 age 288
 B-mode sonography 291
 transvaginal 292–3
 chemotherapy 294
 cytology 289
 diabetes 288
 Doppler indices 293
 Doppler sonography 293–4
 color 281, 291–2
 transvaginal color 290–1
 transvaginal pulsed 290–1
 echogenicity 289
 and endometrial hyperplasia 270–1
 endometrial thickness 289–92
 estrogen 288
 genetic factors 288
 intrauterine fluid 292
 myometrial invasion 292
 obesity 288
 screening 288–9
 spiral arteries 294
 tumor vessels 290–2
 ultrasound
 transabdominal 289–90
 transvaginal 290
 uterine arteries 290, 294
 uterine bleeding 289
 uterine vascularity 294
 endometrioma 306
 endometriosis 86, 272
 Doppler sonography
 color 308
 three-dimensional power 324
 transvaginal color 316
 vascularization 269
 endometritis 44
 endometrium 45–7, 58, 61–2
 abortive secretion 60
 adenofibromas 270
 adenomyosis 44
 assisted reproduction 59
 benign changes 266–72
 carcinoma 280, 282–3, 288–98
 desquamation phase 262
 Doppler sonography, color 57
 Doppler ultrasound 266–72
 pulsed 57
 dysfunction, clomiphene 57
 echogenicity 59
 endometritis 44
 examination 266–72
 fertility 46
 follicular phase, early 266
 functional status 57
 histology 57–9, 61–2
 human chorionic gonadotropin (hCG) 45
 hyperplasia 270–1
 implantation 45, 61–2
 in-vitro fertilization 39
 infertility 45–8, 59
 leiomyomas 43
 luteal phase defect 78, 81
 menstrual cycle 45, 61, 266–7
 midluteal phase 266
 normal 60
 ovulation 266
 perfusion 40, 266–7, 270
 peristalsis 47
 placental development 231
 polyps 41–2, 269–70
 receptivity 66–7, 99
 secretion 60, 266
 sonography, transvaginal 113
 sonomorphology 57
 spiral arteries 38
 structure 45
 Swiss cheese 44
 thickness 45–6, 51, 60–1, 99, 289–92
 vessels 284
 endothelial relaxing factor (ERF) 51
 endothelial-derived relaxing factor (EDRF) 100
 energy mode imaging *see* power Doppler imaging
 enlarged atrium 217
 EP *see* ectopic pregnancy
 epithelial plates 255
 ERF *see* endothelial relaxing factor
 erythrocyte sedimentation rate (ESR) 69
 estrogen 284, 288
 European GRIT study 163
- F**
- facies, abnormal *see* CATCH-22
fallopian tubal patency 69–76
 abdominal sonography 74
 B-mode analysis 70
 Doppler analysis 70–1, 73
 color 75
 Doppler hysterosalpingography, color 87–91
 Doppler sonography 74–5
 examination 69–70
 infertility 69

- laparoscopic chromopertubation 73–4
 patients 69
 radiographic hysterosalpingography 73–4
 transvaginal hysterocontrast sonography 74
 ultrasound 88
 uterus 70
- fallopian tubes
 catheterization 85
 disease 69
 Doppler sonography 71–3
 color 72
 Doppler ultrasound hysterosalpingography 73
 hysteroscopy 87
 infertility 87–91
 laparoscopy 86–7
 obstructed 72
 radiographic hysterosalpingography 87
 transvaginal sonography 88
 ultrasound side effects 74
 unobstructed 71
- false-negative flow detection *see* absent flow detection
 false-positive flow 22–3
 fast Fourier transform (FFT) 10–11
 fat metabolism 242
 femoral arteries 177–9
 fertility 46–8, 50–1
 fetal aorta 176–7
 absent end-diastolic flow 168–9
 descending 133
 intrapartum blood flow 194–5
 intrapartum fetal heart rate 194–5
 labor 196
 normal flow velocity waveform 167
 reference curves 131
 reverse flow 167–9
 S/D ratio 131, 167
 term effect 178–9
 fetal diseases 166–8
 chronic *see* intrauterine growth retardation
 fetal heart
 aorta *see* fetal aorta
 aortic arch 204
 aortic coarctation 207
 aortic stenosis 207–8, 224
 arrhythmias 226–8
 atria 200–1, 203–4
 septal defects 205–7
 atrioventricular septal defect 206, 225
 atrioventricular valve 204
 cardiac position anomalies 217–18
 cardiac septal anomalies 225–6
 cardiac tumors 216–17
 cardiac valve regurgitation 221–2
 cardiac position 217
 common truncus arteriosus 213, 215
 congenital heart disease 205–18
 critical pulmonary stenosis 209–10
 Doppler echocardiography, color 227–8
 Doppler sonography, color 199
- ductus arteriosus 203–4, 206
 ductus venosus 202
 Ebstein anomaly 213, 223
 echocardiography, two dimensional 227–8
 endocardial fibroelastosis 223
 enlarged atrium 217
 fetal echocardiography 199, 226–8
 foramen ovale 135, 201, 204, 208
 great arteries transposition 213–14
 great vessel transposition 224–5
 hemangiomas 216–17
 heterotaxy syndrome 216
 hypoplasia 207–9, 223–4
 mitral valve 200, 222–3
 myocardial diseases 221
 normal 200, 219–21
 postnatal defects 217–18
 pulmonary arteries 203
 pulmonary atresia 209–10
 pulmonary stenosis 209, 224
 pulmonary veins 200–1, 222–3
 rhabdomyomas 216
 tachyarrhythmias 221
 tachycardia 142, 188
 supraventricular 222
 tachycardia-induced cardiomyopathy 226
 teratomas 216–17
 tetralogy of Fallot 210
 tricuspid valves 135, 200, 210–11, 213–15, 221–3
 vena cava 135, 202, 222–3
 ventricles 200–1, 203–4, 211–12, 217
 septal defects 206, 225–6
 fetal heart rate (FHR) 129, 141, 148, 184, 190–6, 249
 absent end-diastolic flow 170
 chronic placental insufficiency 159
 intrapartum deceleration 187, 191–3
 monitoring 33, 149, 160–1, 186
 trace 151, 170, 182, 188–91, 194
 fetofetal transfusion syndrome 141
 fetomaternal perfusion 129–35
 fetoplacental
 perfusion 158, 178, 249–50
 unit 170–3
 vascular tree 250, 252
 villous architecture 250
- fetus
 AGA 254
 anemia 142–3, 160
 aorta *see* fetal aorta
 aortic arch 179–80
 arrhythmias 141–2, 226
 arteriovenous anastomoses 143
 atrioventricular valve 222–3
 bradycardia 142, 189–93
 cerebral vessels 177–9, 195–6
 chorionic plate 230
 circulation 107–9
 congenital heart disease 143, 199
 death 198
 delivery 194
 development 232
 ductus venosus 139–40, 143
 echocardiography 198–218, 226–8
- endocardial fibroelastosis 143
 femoral arteries 177–9
 great arteries 213–15
 growth 121, 140
 restriction *see* intrauterine growth retardation
 heart *see* fetal heart
 hepatic vein 140
 heterotaxy syndromes 216
 hydrops fetalis 142–3
 hypoxemia 196
 intracranial arteries 178
 intrauterine growth retardation 155
 labor 195
 late pregnancy 176–82
 liver 35, 135
 malnutrition *see* intrauterine growth retardation
 neck 149, 152
 umbilical cord *see* nuchal cord
 obliterative vascular disease 240–2
 outcome 150
 parvovirus B19 143
 placental perfusion 178–9, 188–9
 pulmonic stenosis 139
 renal arteries 177–9
 risk 199
 supraventricular bigeminal extrasystoles 142
 term effect 178–9
 thrombi 241–2
 umbilical arteries 249–58
 umbilical cord 178
 complications *see* nuchal cord
 vascular circulation 140–1
 ventriculoarterial anomalies 224–5
 vessels 120, 149
 viscerotrial anomalies 222–3
 weight 250
 wrist 152
- FFT *see* fast Fourier transform
 FHR *see* fetal heart rate
 fibroadenomas 349
 B-mode sonography 341
 diastolic notch 345
 Doppler sonography
 color 341, 355, 358
 duplex color 355
 power 341
 Doppler spectrum 341
 premenopausal 374
 fibrocystic breasts 301
 fibrocystic endometrial polyps 285
 fibroelastosis, endocardial 143, 223
 fibroids *see* leiomyomas
 fibromas 307–8
 field-of-view width 5
 FIGO classification 290, 299, 302, 331, 334
 filtering techniques 24
 filters 16, 18
 fine needle aspiration biopsy (FNA) 349
 Fischer's exact test 252
 flash-artifact filters 18
 flow *see* blood flow
 FNA *see* fine needle aspiration biopsy
- focusing 6
 Foley catheter 69, 84
 follicle-stimulating hormone (FSH) 51, 77–9
 follicles 77, 96–7
 aspiration 83–4
 hCG induction 97
 mature 97
 preovulation 96
 stimulation 79
 three-dimensional power Doppler sonography 323
 transvaginal scan 96
 follicular phase 53
 early 266
 fertility 46
 folliculogenesis 96–102
 foramen ovale, fetal heart 135, 201, 204, 208
 FP *see* follicular phase
 frequency 15, 352
 shift 9
 FSH *see* follicle-stimulating hormone
- G**
- gallbladder 26
 gamete intrafallopian transfer (GIFT) 57–8, 69, 85
 Gartner duct 306
 genetic factors
 endometrial carcinoma 288
 ovarian cancer 336
 gestational age 198, 253, 255
 gitterinfarcts 242
 glandular-cystic polyps 282
 GnRH *see* gonadotropin-releasing hormone
 gonadotropin 78
 gonadotropin-releasing hormone (GnRH) 78, 269
 agonists 277
 great arteries transposition 213–14, 224–5
 growth 141, 220
 Growth Restriction Intervention Trial *see* European GRIT study
- H**
- harmonic imaging 2, 24–6
 Hartmann solution 83
 hCG *see* human chorionic gonadotropin
 heat 29–31
 hemangiomas 216–17
 hemorrhage, intracerebral 170–1
 hepatic veins 135, 139–40
 herpes simplex virus *see* TORCH
 5-HETE *see* hydroxyeicosatetraenoic acid
 heterotaxy syndromes 216
 histology
 breast cancer 372
 endometrial carcinoma 289
 HIV-associated vasculopathy 241
 hMG *see* human menopausal gonadotropin

- Hofbauer cells 233
hormone replacement therapy (HRT) 51–4
 breast tumors 364–70
 menopause 52, 364–70
hormone-stimulated cycles 39, 62–4
hormones
 luteal phase defect 81
 ovarian blood flow 66
 uterine blood flow 66
HRT *see* hormone replacement therapy
HSG *see* hysterosalpingography
human chorionic gonadotropin (hCG) 39, 50, 58, 64–5, 79, 83, 97, 100, 267
 β -hCG 111, 301
 endometrium 45
 transvaginal sonography 111
human immunodeficiency virus *see* HIV
human menopausal gonadotropin (hMG) 39, 46, 58, 64–5, 79
Huygen point emitters 4
Hy-Co-Sy *see* hysterosonosalingography
hydatiform moles 282
hydrops fetalis 141–3
hydroxyecosatetraenoic acid (5-HETE) 77
17-hydroxyprogesterone 79
hyperplasia 270–1, 282–3
hyperthermia 29
hypocalcemia *see* CATCH-22
hypoplasia 223–4
 left heart syndrome 207–9
 thymic *see* CATCH-22
hypothalamic-pituitary axis 77
hypoxia 157
hysterosalpingography (HSG) 261
 color Doppler 91
 radiographic 74, 87, 90–1, 263
 septate uterus 261
 ultrasound 90–1
hysteroscopy 87, 263
hysterosonography 261–3
- I**
- ICSI *see* intracytoplasmic sperm injection
images
 panoramic 25
 postprocessing 7
 programmable processors 25
imaging jets 220
impedance (Z), acoustic 2
implantation 45, 61, 63–6, 103
 luteal phase defect 80
in-vitro fertilization (IVF) 69
 Doppler sonographic examination 58
 and embryo transfer (IVF-ET) 57–8
 endometrial imaging 39
 ovarian capacity test 50–1
 sonographic examination 58
 uterine blood flow 39, 64
 see also assisted reproduction
infections 199
- infertility 62–4
 endometrial 45–8, 59
 leiomyomas 268, 275
 tubal imaging 87–91
 tubal patency 69
 uterine 38–9, 41–4, 59–61, 100
inhibitors, angiogenesis 326
insonation angle 16
intermediate villi 240, 252
interpartum 161
intervillous
 circulation 103–5
 space 124, 230
 thrombosis 243
intracytoplasmic sperm injection (ICSI) 57
intrapartum
 fetal heart rate 182–97
 fetal hypoxemia 193–4
 fetal hypoxia 193–4
intrauterine
 embryo transfer 85, 155
 fetal death 172
 fluid 292
 growth retardation (IUGR) 140–1, 155–9, 162, 170, 172, 199, 252
 insemination (IUI) 57
 synechiae 44–5
intravillous blood volume 251–2
 reduced 251
ISPTA *see* spatial peak time average intensity
IUGR *see* intrauterine growth retardation
IUI *see* intrauterine insemination
IVF *see* in-vitro fertilization
IVF-ET *see* in-vitro fertilization and embryo transfer
- K**
- K cells 77
Keith-Flack node *see* sinus node
kinetocardiocography (KCTG) 150, 162
- L**
- labor 188–90
 fetal aorta 196
 fetal brachycardia 189–91
 fetal cerebral vessels 195–6
 fetal head compression 195
 fetal hypoxemia 196
 fetal tachycardia 188
 oxytocin 183–4
 premature 184
 radial arteries 186
 umbilical cord 187–92
 uterine arteries 183–7, 196
 uteroplacental perfusion 186
Langhans-type giant cells 245
laparoscopy 73, 83, 86–7
laser therapy 277
lateral resolution 5–6
leiomyomas
 blood supply 43
 color Doppler imaging 43
 electrocautery 278
- endometrium 43
infertility 268, 275
laser therapy 277
leuprolide acetate 269, 277
 and ovarian tumors 276
 postmenopause 275–6
 pregnancy 276
 premenopause 275
 RU-486 269, 277
 submucous 42–3, 268–9
 three-dimensional ultrasound 43
 uterine 269, 274, 277–8
 uterine arteries 268
 vascularization 268–9, 275–6
leuprolide acetate 269, 277
LH *see* luteinizing hormone
light micrographs, normal endometrium 60
line density 16, 18
linear array transducer 3
listeriosis 245
LMP *see* last menstrual period
LPD *see* luteal phase defect
LUF syndrome *see* luteinized but unruptured follicle syndrome
lupus erythematosus 244
luteal blood flow 100
luteal conversion 80
luteal insufficiency *see* luteal phase defect
luteal phase 77
 corpus luteum 80–1
 defect (LPD) 47, 77–81, 267
 fertility 46
 inadequate *see* luteal phase defect
 intraovarian 80
 progesterone 80
 short *see* luteal phase defect
 luteal phase deficiency *see* luteal phase defect
 luteal regression phase 98
 luteinized but unruptured follicle (LUF) syndrome 79–80
 luteinizing hormone (LH) 37, 51, 54, 77–80, 96
- M**
- M-mode imaging 33
McNemer test 252
magnetic resonance imaging (MRI) 350
MAGS *see* microscopic angiogenesis grading system
mainstem villi 233
malnutrition 157
mammography 348
Mann-Whitney *U* test 364
Manning biophysical profile 160–1
Marfan syndrome 198
mastitis 301
mature intermediate villi 233
Maulik 19
maximum entropy method (MEM) 12
maximum intensity projection (MIP) 27
MCA *see* middle cerebral artery
menopause
 breast cancer diagnosis 372–5
- breast tumors 302, 364–70
cancers 284–6
Doppler sonography
 color 302
 pulsed 50–6
 transvaginal color 50–6
estrogen 284
hormone replacement therapy 52, 364–70
lesions 282
ovarian arteries 52
ovarian perfusion 50–6
progesterin 284
spiral artery 53–4
tamoxifen 284
treatment 50–6
uterine arteries 53
uterine perfusion 50–6
see also postmenopause; premenopause
menorrhagia 281
menstrual cycle 36
 angiogenesis 36
 endometrium 45, 266–7
 luteal insufficiency 267
 ovarian blood flow 54
 preovulatory phase 267
 pulsality index 64–5
 radial arteries 266
 spiral arteries 267
 spontaneous 62–3
 uterine blood flow 51–2
menstrual period (LMP), last 157
metastases 26
microscopic angiogenesis grading system (MAGS) 346, 377
mifepristone *see* RU-486
minimum frequency shift (D) 116
minimum resistance index 360–3
MIP *see* maximum intensity projection
mirror-image artifacts 8, 23, 345
mitral valves 200, 222–3
mother
 adaptation 176
 alcohol abuse 199
 aneurysms 242
 atherosclerosis 242
 basal-plate vessels 236–7
 blood vessels 116–23
 Doppler flow physiology 116–23
 fat metabolism 242
 materoplacental blood flow 242–3
 spiral artery thrombosis 242
 weight 157
motion artifacts 23
filters 16
motion detection 9
 one-dimensional techniques 9–11, 13
 see also continuous wave (CW) Doppler; pulsed-wave (PW) Doppler
 two-dimensional techniques 11–13
 see also color duplex sonography; power Doppler sonography
motion detectors 12
MRI *see* magnetic resonance imaging
mucinous cystadenomas 305–6

- multi-dimensional transducer arrays 23–4
 multifrequency technique 7
 multiple pregnancies 141, 159–60
 quadruplets 27
 twins 143, 160
 muscle fibers 264
 myocardial diseases 221
 myomas *see* leiomyomas, uterine
 myometrium
 adenomyosis 44
 cancers 286
 echogenicity 59
 endometrial carcinoma 292
 endometrial peristalsis 47
 placenta 230
- N**
- N/P ratio *see* notch/peak ratio
 NC *see* nuchal cord
 neck 21
 neoangiogenesis 312
 neonatal morbidity 169
 neoplasia of the cervix, intraepithelial *see* CIN
 neuromotors 151–2, 160, 169–70
 neuropeptides 64
 neurotransmitters 64
 nicotine abuse 172
 NO donors 128
 norepinephrine (aNA) 64
 notch/peak (N/P) ratio 125–6
 nuchal cord (NC) 152
 ABCD profiles 150
 Doppler sonography 151–2
 color 148–54
 Doppler velocimetry 149–50
 fetal heart rate monitoring 149
 fetal vessels 149
 kinetocardiography 150
 neuromotor defects 151–2
 perinatal findings 151
 umbilical cord length 149, 151
see also fetal neck, umbilical cord
 Nyquist limit 14
- O**
- OAPR *see* overall predictive ratio
 obesity 288
 OCT-negative cases 187
 ODS *see* Output Display Standard
 oocytes 50, 83–5
 oral contraceptives 336
 Output Display Standard (ODS) 32
 ovarian arteries 51–4
 ovarian cancer
 age 335
 bimanual pelvic examination 332
 carcinoma 332–3
 cul-de-sac washings 332
 Doppler sonography, color 280
 genetic factors 336
 life expectancy 335
 oral contraceptives 336
 postmenopausal palpable ovaries syndrome 332
 radiological studies 332
 screening 330–8
 groups 335–6
 programs 330–1
 tests 332–5
 survival 330
 tumor markers 332–3
 ultrasound
 transabdominal 333–4
 transvaginal 334
 ovarian carcinomas, corpus luteum 315–16
 ovarian cysts 86, 304
 ovarian endometriomas 323
 ovarian tumors
 angiogenesis 319–29
 Doppler sonography
 power 319
 three-dimensional power 319–29
 transvaginal color 319
 imaging, three dimensional 320–1
 and leiomyomas 276
 size 319
 ultrasound technology 321–6
 ovaries 96
 B-mode sonography 304
 capacity 50–1
 color Doppler sonography 58, 304
 fertility 51
 late luteal phase 98
 luteal phase defect 78
 luteal regression phase 98
 menopause 50–6
 menstrual cycle 64–5
 normal 304
 stimulation 39, 78
 overall predictive ratio (OAPR) 331, 333
 ovulation 77, 99, 266
 oxytocin 183–5
- P**
- panoramic imaging 25, 27
 papillomas, intracystic 357
 parallel processing 24
 parameters
 Doppler spectra 19–20
 ultrasound safety 32
 paraovarian cysts 306
 parenchymal placentitis 245–6
 partial zone dissection (PZD) 57
 parvovirus B19 143
 Patau syndrome 198
 PCO *see* polycystic ovary
 PCO₂ 151
 peak systolic velocity (S) 19
 pelvic congestion syndrome 278
 pelvic inflammatory disease (PID) 84, 86, 88, 307–8
 pelvis
 arteriovenous malformations 278
 cul-de-sac 86, 332
 ovarian cancer screening 332
 varicose veins 278
 vascular diseases 278
 penetration depth 5
 perimenopausal period 50–1
 perinatal abnormalities 151, 166–75
 periovarulatory phase 96, 99
 perivillitis 245
 persistence *see* correlation
 PGF_{2α} *see* prostaglandin F_{2α}
 phase-inversion techniques 25
 phased array transducers 4
 PI *see* pulsatility index
 PID *see* pelvic inflammatory disease
 PIH *see* pregnancy-induced hypertension
 pituitary-ovarian axis, age 51
 placenta 101
 abruption 244
 amniotic cavity 232
 attachment 253
 basal plate 230, 236–7
 blood flow 117, 176
 chorion frondosum 231–2
 chorion laeve 231
 chorionic plate 230, 232
 decidua 232
 early development 230–1
 endometrium 231
 fetal chorionic plate 230
 fetal umbilical arteries 249–58
 function 250–1
 hematoma 243
 insufficiency *see* placental insufficiency
 intervillous space 230
 mature 230, 235
 myometrium 230
 placental weight 176, 250, 253, 255
 placentone 236
 reserve capacity 250–1
 septum 230
 spiral arteries 230
 term effect 178–9
 tumors 246–7
 umbilical cord 230
 villous tree 230, 232–6
 placental insufficiency
 abruption 244
 absent end-diastolic flow 254
 accelerated villous maturation 240
 acute arterial vasculopathy 244
 acute atherosclerosis 243–4
 amniotic-type inflammations 245
 antiphospholipid antibody syndrome 244
 arrested villous maturation 238
 basal pseudoinfarcts 242
 chorangiomas 246
 chorangiosis 239–40
 chromosome abnormalities 238
 chronic 138, 140–1, 155–62, 166
 compensation 237
 definition 237–8
 diabetes mellitus 238
 diagnosis 249
 epithelial plates 255
 etiology 237
 fetal obliterative vascular disease 240–2
 fetal thrombi 241–2
 fetal weight 250, 255
 fetoplacental blood flow 249–50
 fetoplacental vascular tree 250, 252, 255
 fetoplacental villous architecture 250, 255
 functional competence 250–1
 hematoma 243
 HIV-associated vasculopathy 241
 hypertensive disorders of pregnancy 243–4
 infarctions 242–3
 inflammation 244–6
 intermediate villi 240, 252
 intervillous thrombosis 243
 intravillous blood volume 251
 listeriosis 245
 lupus erythematosus 244
 materoplacental blood flow 242–3
 obliterative foci 242
 parenchymal placentitis 246
 parenchymal type placentitis 245
 pathomorphology 250–1
 pathophysiology 230–49
 perivillitis 245
 placental weight 250, 252
 pregnancy 124
 reserve capacity 250–1
 reticular infarctions 242–3
 rhesus incompatibility 238–9
 sequelae 241
 subchorionic pseudoinfarcts 243
 Tenney-Parker changes 244
 terminal villi 250–2
 thromboangiitis 245
 tumors 246–7
 umbilical arteries 250–1, 254–5
 villitis 245
 villous tree maturation 238–40, 250, 253
 placental protein 78
 placentation, early 103–10
 placentone 236
 polycystic ovary (PCO) 304–5
 syndrome 304
 polyps 41–2, 269–70, 282, 285
 portal vein 35
 positive end-diastolic flow 171
 postmenopause 54
 bleeding 281
 breast carcinomas 373, 376
 leiomyomas 275–6
 palpable ovaries (PPO) 332
 postsystolic notch 121
 power Doppler sonography 12–13
 aliasing 17
 breast tumors 340, 343
 fibroadenomas 341
 limitations 15
 ovarian tumors 319
 risks 31
 turbulence 17
 uterine cavity 89
 power output 16, 352
 PPO *see* postmenopausal palpable ovaries
 preeclampsia 124–8
 intrauterine growth retardation 157, 159
 pregnancy
 alcohol abuse 199
 amniocentesis 120–1
 arterial dilation 117
 beta-mimetics 121
 blood supply 117

- cerebral artery 133
cervical cerclage 120–1
corpus luteum 81–2
diabetes mellitus 199
Doppler sonography
 color 124
 transvaginal 124–5
 transvaginal pulsed 118–19
Doppler spectra, umbilical vein 136
Doppler velocimetry 120
 uterine artery 118
early 96–102, 118, 124–8
fetal aorta 176–7
fetal descending aorta 133
fetal risks 199
fetomaternal Doppler indices 129–34
intervillous space 124
late 176–82
leiomyomas 276
luteal perfusion 100
maternal adaptation 176
maternal vessels 116–23
multiple 86–7
myomas 269
placenta *see* placenta
placental insufficiency *see* placental insufficiency
postsystolic notch 121
postterm 178–80
preeclampsia 124
pulsatility index 119
S/D index 119
spiral arteries 117, 124, 127
term 178–80
ultrasound safety 33
umbilical artery 133
uterine artery 117, 133–4
uterine enlargement 117
uterine perfusion 118–19, 121–2, 128
uteroplacental blood flow 127
pregnancy-induced hypertension (PIH)
 absent end-diastolic flow 172
 early diastolic notch 186
 intrauterine growth retardation 159
 uterine arteries 127
 uterine perfusion 121
preimplantation 230
premenopause
 fibroadenomas 374
 leiomyomas 275
prenatal diagnosis 219
preovulatory phase 267
PRF *see* pulse repetition frequency
progesterone 52, 77–80
progestin 284
pronucleus stage transfer (PROST) 57
prostaglandins 77, 217
 E₂ 51, 55, 77, 79
 F_{2α} (PGF_{2α}) 77, 100
pseudojets *see* flow acceleration
pseudoprematurity *see* intrauterine growth retardation
pulmonary arteries 203
pulmonary atresia 209–10, 221
pulmonary stenosis 139, 209–10, 224
pulmonary veins 200–1, 222–3
pulsatility index (PI) 19–20
 cerebral arteries 132
 fetal aorta 131
 implantation 63–4
 menstrual cycle 64–5
 reference curves 131–2
 umbilical arteries 131–2
 uterine arteries 51, 62–3, 126
pulse repetition frequency (PRF) 10–11, 14, 18, 321
 breast cancer diagnosis 352
 color Doppler echocardiography 219–20
pulse-inversion techniques 25
pulsed-wave (PW) Doppler sonography 9, 13–14, 18, 32
 breast cancer 351
 color, cervical carcinoma 299–303
 endometrium 57
 menopause 50–6
 tumors 313
 umbilical cord 152
 uterine myometrium 274–9
 uterine perfusion 39
pulsed-wave (PW) transducers 116
PZD *see* partial zone dissection
- Q**
quadruplet gestation 27
quantile curves 129–30
- R**
radial arteries
 anatomy 116
 blood flow 37–8, 98–9
 fertility 45–6
 hormone replacement therapy 53
 labor 186
 menstrual cycle 266
 postmenopausal hormone replacement therapy 54
radiographic hysterosalpingography (HSG) 90
 septate uterus 263
 tubal imaging 87
 tubal patency 73–4
Rashkind maneuver *see* balloon atrioseptostomy
receive focusing 6
receivers
 gain 16, 18
 operating characteristic (ROC) curves 133
reference curves
 cutoff values 133
 pulsatility index
 cerebral arteries 132
 fetal aorta 131
 umbilical arteries 131
 uterine arteries 132
 resistance index
 cerebral arteries 132
 cerebroplacental ratio 132
 fetal aorta 131
 umbilical artery 131
 uterine arteries 132
S/D ratio
 cerebral artery 131
 fetal aorta 131
 umbilical arteries 130
 uterine arteries 132
reflection 2–3
refraction 3
 artifacts 8
region of interest box *see* ROI box
renal arteries 177–9
reproduction, assisted 57–68
RES *see* reticuloendothelial system
resistance, Doppler spectrum 19
resistance index (RI) 19–20, 36, 52, 62, 64, 99
 breast cancer 372–7
 breast carcinomas 342, 361–3
 breast tumors 342, 361–70, 372, 375
 breasts 361–2, 365
 cancers 284–6
 cerebral artery 132
 cerebroplacental ratio 132
 corpus luteum 79–80
 early pregnancy 126
 fetal aorta 131
 hormone replacement therapy 368–9
 implantation 63–4
 menopause 284–6, 365–7, 372–5
 menstrual cycles 62
 ovarian luteal regression phase 98
 placental insufficiency 251, 254–5
 postmenopausal 373, 376
 of Pourcelot (RI) 116
 premenopausal 374
 reference curves 131–2
 umbilical arteries 251–2
 uterine arteries 62
resolution 5–6, 18, 23–4
respiration 140
reticuloendothelial system (RES) 26
reverberations 8
reverse end-diastolic flow 171–2
 birthweight 253
 components 20–1
 diagnosis 166–8
 fetal aorta 167–9
 fetal placenta perfusion 188–9
 gestational age 253
 intrauterine fetal death 172
 labor 188–90
 neonatal morbidity 169
 nicotine abuse 172
 placental attachment 253
 smoking 172
 umbilical arteries 167–9
rhabdomyomas 216
RI *see* resistance index
ROC curves *see* receiver operating characteristic curves
ROI (region of interest) box 219
Rokitansky protuberance 306
RU-486 269, 277
rubella *see* TORCH
- S**
S see peak systolic velocity
S/D ratio 19, 116
 cerebral arteries 131
 early pregnancy 126
 fetal aorta 131
 pregnancy 119
 reference curves 130–2
 umbilical arteries 130, 250
 uterine arteries 132
safety
 transducer heating 33
 ultrasound field parameters 32
scan frequency *see* velocity scale
scanners 3–4
 high-speed digital technology 24
scanning electron micrographs 60
scanning techniques 3–7
scars 357
scattering 3
SCC tumor marker 300
sclerosis, tuberous *see* Bourneville-Pringle disease
screening
 endometrial carcinoma 288–9
 ovarian cancer 330–8
 second trimester 129–34
 secretory phase 266
 Seldinger technique 299
 septal blood flow 264
 septal defects
 atrial 205–7, 218
 atrioventricular 206, 225
 ventricular 206–7, 228
 septate uterus 41, 260–4
 septum
 endometrium 264
 placenta 230
 sequelae 241
 serous cystadenomas 305–6
 SGA baby 158
 SGA fetuses 251–2, 254–5
 shadowing 8, 23
 side-lobe artifacts 8
 SieScape technology 25
 sinus node 142
 slice-thickness artifacts 8
 small-for-date baby *see* intrauterine growth retardation
 small-for-date infant *see* intrauterine growth retardation
 small-for-gestational-age *see* SGA
 smoking 157, 172
 sonography
 abdominal 74
 in-vitro fertilization 58
 uterine abnormalities 260–5
 see also individual types
 sonohysterography 41
 Sonoline Elegra system 25
 sonomorphology, endometrium 57
 SP *see* substance P
 spatial averaging 18
 spatial peak time average intensity (ISPTA) 29–31
 spatial resolution *see* line density
 spectral analysis 19–20
 Doppler parameters, *see also* pulsatility index; resistance index; S/D ratio
 fast Fourier transform (FFT) 10

- spectral imaging 15–17
sperm 48
spiral arteries 40, 99
 anatomy 116
 blood flow velocity 37–8, 40
 endometrial carcinoma 294
 hormone replacement therapy 53–4
 luteal phase defect 81
 menopause 53–4
 menstrual cycle 267
 placenta 230
 placentone 236
 pregnancy 117, 124, 127
 thrombosis 242
stenoses 20–2, 139
still-refractory AV node 142
Stuart index *see* S/D ratio
subchorionic pseudoinfarcts 243
subendometrial vessels 286
substance P (SP) 64
subzonal insemination (SUZI) 57
supraventricular tachycardia, fetus 222
Swiss cheese endometrium 44
sympathetic vasoconstrictor nerves 51–2
syncytiotrophoblasts 234, 236–7
synthetic aperture scanning 24
systolic modulation 339
- T**
- T4 helper cells 241
tachyarrhythmias 221
tachycardia 142, 188
tachycardia-induced cardiomyopathy 226
tamoxifen 270, 284–5
Tav *see* time-average peak velocity
TEM *see* transparent energy mode
temporal average of spatial average velocity (TASAV) 176
temporal resolution 18
Tenney-Parker changes 244
 placental insufficiency 244
teratomas 216–17, 306–7
term effect 178–80
TET *see* intratubal embryo transfer
tetralogy of Fallot 210
TGC *see* time gain compensation
theca interna 97
theca-granulosa cell tumor 308
thermography 349
THI *see* tissue harmonic imaging
third trimester 129–34
three-dimensional imaging 27, 320–1
three-dimensional power Doppler sonography 322–6
three-dimensional sonography 294–5
three-dimensional ultrasound 43, 45, 262–4
thromboangiitis 245
thromboses 20
time averaging 12
 sensitivity 16
time gain compensation (TGC) 6–7, 32
time-average peak velocity (Tav) 19
time-domain of correlation (CVI) 9
time-varying frequency spectrum *see* Doppler spectrum
tissue harmonic imaging (THI) 2, 24–6
tissues, ultrasound safety 33
tocodynamometry (TKD) 183
tocolysis 186
TORCH 157
toxoplasmosis *see* TORCH
transabdominal Doppler velocimetry 118
transabdominal ultrasound 289–90, 333–4
transducers 3–7, 23–4, 33, 64
transit time of the pulses (T) 10–11
transmission frequency 5, 16
transmit focusing 6
transmit power 18
transparent energy mode (TEM) 12
transvaginal B-mode ultrasound 262
transvaginal color Doppler sonography (TVCD) 124–5, 334
 abscess 316
 adnexal tumors 314–16
 corpus luteum 315–16
 cyst 316
 ectopic pregnancy 112–15
 endometrial carcinoma 290–1
 endometriosis 316
 menopause 50–6
 ovarian tumors, size 319
 septate uterus 262–3
 uterine 36, 39, 41–9, 274–9
transvaginal hysterocontrast sonography 74
transvaginal hysterosalpingo-contrast sonography *see* hysterosonosalingography
transvaginal pulsed-wave Doppler flowmetry 117
transvaginal pulsed-wave Doppler sonography 118–19, 262–3, 290–1, 334
transvaginal sonography 290, 334
 anteflexed uterus 58
 and color Doppler sonography 113
 corpus luteum 80
 endometrium 113
 fallopian tubes 88
 human chorionic gonadotropin 111
 risk 31
 septate uterus 261
transvaginal sonosalpingography *see* hysterosonosalingography
trapezoid scan transducers 4, 23
tricuspid valves 135, 200, 210–11, 213–15, 221–3
trophoblasts 101, 127, 230, 237, 301
 cytotrophoblasts 234, 236–7
 extravillous 236–7
 tumors 246
truncus arteriosus, common 213, 215
tubal patency *see* fallopian tubal patency
tumor vessels 312, 325
 adnexal tumors 315–16
 breast tumors 341, 360–2
 endometrial carcinoma 290–1
 tumors
 adnexal 310–18
 analysis 20
 angiogenesis 319–29
 benign 356
 blood vessels 312, 341
 breast 339–47, 360–78
 cardiac 216–17
 diagnosis 316–17
 Doppler flow, pulsed 313
 Doppler sonography
 3-D power 319–29
 color 302, 312–13
 growth 315–16
 markers 332–3
 mathematical models 321–2
 morphology 321
 neoangiogenesis 312, 346
 neovascularity 280, 346
 ovarian 320–1
 perfusion 315
 placental insufficiency 246–7
 size 312, 315
 uterine 288–98
 vascular patterns 312–14, 321–2
 vascularity 302, 312, 349
 vessels *see* tumor vessels
 volume 299
 turbulence 17
 Turner syndrome 198
 TVCD *see* transvaginal color Doppler sonography
twins 160
two-dimensional Doppler echocardiography *see* color Doppler echocardiography
two-dimensional echocardiography 227–8
two-dimensional transducer arrays 23
- U**
- ultrasound
 artifacts 7–8
 breast carcinoma 348
 contrast agents 31–3
 hysterosalpingography 90–1
 images 2
 interventional 83–93
 lines 24
 parameters 32
 propagation 25
 risk 32
 safety 32–3
 scanners 24
 settings 16–18
 side effects 74
 technology 321–6
umbilical arteries
 absent end-diastolic flow 167–9
 birthweight 253
 Doppler indices 133
 Doppler sonography 254–5
 fetal bradycardia 192–3
 fetal growth restriction 254
 fetal tachycardia 188
 gestational age 253
 histology 251–5
 intrapartum fetal hypoxemia 193–4
 intrapartum fetal hypoxia 193–4
 intravillous blood volume 251–2
 labor 188
 normal flow velocity waveform 167
 placental attachment 253
 placental insufficiency 254
 pulsatility index 131
 resistance index 250–1
 reference curves 131
 reverse flow 167–9
 S/D ratio 167, 250
 reference curves 130
 term effect 178–9
umbilical cord
 complications *see* nuchal cord
 fetal neck 149
 fetal wrist 152
 intrapartum deceleration 192–3
 labor 187–92
 length 149, 151
 perfusion, fetus 178
 placenta 230
 prolapse 152–3
 pulsed Doppler sonography 152
 vascular architecture 235
 umbilical veins 135–7, 193–4
 unicornuate uterus 41, 260
 unidirectional blood flow 339
uterine arteries
 anatomy 116
 Doppler flow 51
 Doppler indices, pregnancy 133–4
 Doppler sonography 127
 color 58, 61, 124–8, 281
 transvaginal pulsed 118–19
 Doppler spectra 125
 Doppler velocimetry 118
 early pregnancy 124–8
 endometrial carcinoma 290, 294
 fertility 45–6
 hormone replacement therapy (HRT) 51–2
 hormone-stimulated cycles 63
 impedance 196
 infertility 100
 labor 183–7, 196
 menstrual cycle 62–3
 normal 125–6
 oxytocin 185
 perfusion *see* uterine perfusion
 pulsatility index 126
 reference curves
 pulsatility index 132
 resistance index 132
 S/D ratio 132
 resistance index 126
 S/D ratio 126
 uterine cavity 89
 uterine fundus 58–9, 70–2
 uterine perfusion 36–40, 98–9, 117–19, 121–2, 128, 176
 acetylcholine 64
 age 53
 amniocentesis 120–1
 arcuate arteries 121
 assisted reproduction 59–61, 67
 beta-mimetics 120–1
 cervical cerclage 120–1

- Doppler sonography 59–61, 66–7
 Doppler waveform 120
 early pregnancy 118
 ectopic pregnancy 113
 embryo transfer 39
 endometrial receptivity 66–7
 estrogen effect 51–2
 fertility 38
 fetal growth 121
 fibroids 268
 hormones 39, 53–4, 64, 66
 implantation 63–6
 in-vitro fertilization 39, 64
 infertility 38–9, 59–61
 leiomyomas 268
 manipulation 120, 122
 medication 120, 122
 menopause 50–6
 menstrual cycle 51–2, 64–5
 neuropeptides 64
 neurotransmitters 64
 norepinephrine 64
 normal menstrual cycle 39
 ovarian stimulation 39
 oxytocin 183
 placentation 107
 postmenopausal 55
 postsystolic notch 121
 pregnancy-induced hypertension 121
 progesterone 52
 spiral arteries, pregnancy 124, 127
 surgery 120
 sympathetic vasoconstrictor nerves 51–2
 uteroplacental insufficiency 124–8
 uteroplacental perfusion 116
 abnormal pregnancy 126–8
 chronic placental insufficiency 155–6
- labor 186
 trophoblastic invasion 127
- uterus
 abnormalities 41–4
 bicornuate 41, 260
 bleeding, endometrial carcinoma 289
 blood supply 36–7, 98
 congenital abnormalities 41
 didelphys 41, 260
 Doppler sonography 260–5
 color 89–90, 296
 pulsed-wave 274–9
 transvaginal color 274–9
 enlargement 117
 fibroids 268
 infertility 41–4
 leiomyomas 274
 malignancy, and adenomyosis 271
 manipulation 120, 122
 mucosal polyps 282
 myometrium 274–9
 polyps 42
 receptivity 50, 99
 sarcoma 296
 septate 41, 260–4
 tubal patency 70
 tumors 288–98
 unicornuate 41, 260
 vascularity 294
- V**
- valvular aortic stenosis 207–8
 valvular pulmonary stenosis 209
 variance mode 219–20
 varicella zoster 245
 varicose veins 278
 vasovagal reactions 74
- vascular
 architecture 235
 circulation 140–1
 impedance 314, 342
 patterns 312–13, 320–2
 resistance 37, 51–2
 system 138, 321
- vascularization 97
 adenomyosis 269
 cervical carcinoma 300–1
 corpus luteum 97
 endometrial polyps 269
 endometriosis 269
 incomplete abortion 269
 leiomyomas 268–9, 275–6
 tumors 312
 viteline duct 106
 yolk sac 106
- vasoactive intestinal polypeptide (VIP) 64
- velocardiofacial syndrome 210
 velocity scale 16, 18
 vena cava 135, 139, 202, 222–3
 venous Doppler sonography 135–45
 ventricles 200–1, 203–4
 dilation 217
 hypoplasia 217
 single 211–12
- ventricular septal defect *see* VSD
- ventriculoarterial anomalies, fetus 224–5
- vibration artifacts 22
- villi
 ghost 242
 immature intermediate 232–3
 mainstem 233
 mature intermediate 233
 mesenchymal 232–3
 primary 230–1
 secondary 230–1
- terminal 233–5
 tertiary 230–1
- villitis 245
 villous tree 230, 232–6, 238–40, 250, 253
- VIP *see* vasoactive intestinal polypeptide
- visceroatrial anomalies 222–3
 viteline duct 106
 Vogel type I chorangiosis 239–40
 VSD 206–7, 225–6, 228
- W**
- wall filters 16–18, 352
 waveform analysis 19
 Wertheim-Meigs operation 299
 WFUMB clinical safety 33
 Wilcoxon test 63, 252
 Williams-Beuren syndrome 198
 Willis arteries 177
 windkessel model *see* double-expansion-chamber model
 World Health Organization (WHO) criteria 330
- Y**
- yolk sac 106
- Z**
- Z *see* acoustic impedance
 zygote intrafallopian transfer (ZIFT) 57, 85