

# Index

Note: Tabular material is indicated by a “t” following the page number.

## A

### Abdomen

- muscles (internal/external obliques) of, 242
- vagus nerve branches to, 91t

### Abducent nerve (CN VI), 66t, 72, 72t, 114t

- emergence from brainstem, 114
- eye movement and, 140
- function of, 67t

### Abducent nerve palsy, 72t, 113, 114t

### Abducting nystagmus, 141

### Accessory lacrimal glands, 122

### Accessory meningeal artery, 45t, 47t

### Accessory parotid gland, 218

### Accessory spinal nerve (CN XI), 66t, 92

- anterior cervical triangle and, 281
- course of, 92t
- in deep lateral cervical region, 283
- function of, 67t
- in lateral neck, 278
- nerve lesions of, 92, 92t
- in nuchal region, 276
- nuclei, ganglia, and fiber distribution of, 92t
- spinal contribution to, 291
- on transverse MRI of head, 333
- in transverse section of head
  - through C5 level, 328
  - through nasopharynx, 326

### Accessory visual system, 137

### Accommodation, pathways for, 138

### Acoustic neuroma, 87, 165, 168

### Acromion, inferior boundary of neck and, 273

### Action potential, 306

### Adam's apple. *See* Thyroid cartilage

### Afferent impulses, in gustatory pathway, 222

### Afferent (motor) fibers, 54, 66t, 291

- brainstem reflexes and, 137
- facial nerve and, 82t

### Afferent nuclei, 68t, 69

### Afferent tracts. *See* Sensory (afferent) pathways

### Age-related changes

- in cranial sutures and fontanelles, 3, 3t
- in mandible, 23, 192
- in spinal cord segment levels, 299

### Ageusia, 222

### Air pressure equalization, 161

### Airways, on coronal MRI of neck, 317

### Alae, 142

### Alar cartilage, 142

### Alar ligaments, 236, 237

### Alveolar arteries, 44, 45t

### Alveolar bone, 182, 182t

### Alveolar processes of teeth, 23

### Alzheimer disease, neurofibrils in, 306

### Amacrine cells, 133

### Amaurosis, 136, 139

### American Academy of Otolaryngology, deep cervical lymph node groups and, 268

### Ampulla, 174

### Ampullary crest, 174

### Amygdala, in sagittal section of head, 340

### Anastomosis

- arterial, in face, 97
- in arterial supply to auricle, 157

### Anesthesia, epidural and lumbar, 299

### Angular vein, infection transmission and, 52t

### Anosmia, 222

### Ansa cervicalis, 270, 282

### Anterior auricular arteries, 157

### Anterior cerebral artery, 305

### Anterior cervical triangle, 272, 272t

- dissection of, 280–281

### Anterior communicating artery, 305

### Anterior cranial fossa, 310

### Anterior ethmoid nerve, 76, 77t

### Anterior jugular vein, 50–51, 51t

### Anterior olfactory stria, 152

### Anterior rhinoscopy, 151

### Anterior tympanic artery, 44, 45t, 47t, 166, 166t

### Apical ligaments of the dens, 237

### Aqueous humor, drainage of, 131

- obstructed, glaucoma and, 131

### Arachnoid, 296

### Arcuate eminence, 155

### Argyll Robertson pupil, 138

### Arterial grooves, in calvaria, 10

### Arterial supply

- to brain, 304
- stenoses and occlusions of, 305
- to thyroid gland, 265

### Artery(ies). *See also individually named arteries*

- of auricle, 157
- in circle of Willis, 305
- of ear, 166–167, 166t
- of infratemporal fossa, 102–103, 102t
- laryngeal, 261
- ligation sites for nosebleed, 151
- of neck, 266, 266t
- of pterygoid canal, 45t, 46, 47t
- of right lateral nasal wall, 148, 149
- superficial, of head, 99
- of tongue, 220

### Articular disk

- in temporomandibular joint, 37
- on coronal MRI of neck, 319
- on transverse MRI of neck, 334

- Aryepiglottic fold, on transverse MRI of neck, 336
- Arytenoid cartilages, 256, 257  
 on coronal MRI of neck, 317  
 in transverse section of head, 328
- Arytenoid muscles, 258, 258t
- Ascending pharyngeal artery, 41t, 43, 43t  
 variants of, 284
- Atherosclerosis, arterial supply to brain and, 305
- Atlantoaxial joints, 233  
 median, transverse section of head through, 327  
 short nuchal muscles and, 250
- Atlanto-occipital joints, 233  
 capsule of, 237  
 short nuchal muscles and, 250
- Atlanto-occipital membrane, 237
- Atlas (C1), 230  
 on coronal MRI of neck, 321  
 craniovertebral joints and, 232, 233  
 transverse ligament of, in transverse section of head, 327
- Auditory apparatus, of ear, 156, 164, 170–171  
 key stations of, 172
- Auditory ossicles, 156, 160, 162
- Auditory pathway, 172–173  
 afferent, 172  
 efferent, 173  
 tonotopic organization of, 172
- Auditory tube. *See* Pharyngotympanic (auditory) tube
- Auricle  
 arterial supply of, 157  
 cartilage of, 157  
 muscles of, 157  
 sensory innervation of, 158
- Auricular arteries, 157
- Auricularis muscles, 25, 26, 27t
- Auriculotemporal nerve, 80, 81t, 160  
 TMJ capsule and, 37
- Autonomic (visceral) nervous system, 54  
 motor pathways, 58, 62–63  
 parasympathetic, 63t  
 sympathetic, 62t
- Axis (C2), 230  
 craniovertebral joints and, 232, 233  
 dens of  
 on coronal MRI of neck, 321  
 in transverse section of head, 327
- Axon bundles, in CNS and PNS, 306
- Axon hillock, potential at, 306
- Axons, 55, 306  
 in convergence and accommodation, 138  
 in gustatory pathway, 222  
 in olfactory tract, 152  
 in spinal cord, 292  
 in visual pathway  
 geniculate part, 134  
 nongeniculate part, 137
- B**
- Baby teeth. *See* Deciduous teeth
- Back muscles. *See also individually named muscles*  
 extrinsic, 240, 242  
 intrinsic, 240, 242–243, 248–249, 248t  
 erector spinae and interspinales, 246–247, 246t  
 origins and insertions of, 38, 39  
 short nuchal, 250–251, 250t
- “Ballistic” eye movements, 140
- Basilar artery, 305  
 in transverse section of head, 324
- Basilar membrane, 170
- Basilar plexus, dural sinus drainage and, 302
- Bicuspid. *See* Premolars
- Bimanual examination, of salivary glands, 219
- Binaural processing, 172
- Bipolar cells, 133
- Bipolar neuron(s), 55, 307  
 in afferent auditory pathway, 172
- Bitemporal hemianopia, 136
- Blind spot, 125, 127  
 lamina cribrosa and, 133
- Blindness, 136, 139
- Blink reflex/Blinking, 121
- Blood supply/vessels. *See* Arterial supply; Artery(ies); *individually named arteries and veins*; Veins; Venous drainage
- Bone(s). *See also individually named bones*  
 alveolar, 182, 182t  
 in hard palate, 190–191  
 nasal, 5, 7, 11, 108, 142  
 of nasal cavity, 142  
 of nose, 142  
 of orbit, 108–109  
 of skull, 2, 5t  
 anterior view, 2t, 6–7  
 lateral view, 4–5  
 posterior view, 8–9  
 of skull base, 12–13
- Bony labyrinth, 164
- Bony prominences, in neck, 273
- Botulinum toxin injection, 24
- Bouton en passage*, 307
- Brachial plexus, 279  
 anterior cervical triangle and, 281  
 in deep anterolateral neck, 282  
 deep lateral cervical region and, 283  
 on sagittal MRI of neck, 345
- Brachiocephalic vein, 50, 267, 267t
- Brain  
 arterial supply to, 304–305  
 developmental organization of, 295, 295t  
 gross anatomy of, 294  
 meninges in situ and, 296  
 neuroanatomy of, 294–295  
 structures of, 297
- Brainstem  
 cranial nerve nuclei and, 63t, 168, 168t, 169  
 emergence of cranial nerves from, 114  
 oculomotor nuclei connections in, 140  
 structures of  
 anterior projection, 297  
 lateral projection, 297
- Brainstem reflexes, 137
- Branchial muscle, 60t, 61  
 derivatives of, 61  
 embryonic development of, 60, 61t  
 of head, 61t  
 second arch, innervation of, 82, 84
- Branchiomotor nuclei, cranial nerves, 68t, 69

accessory spinal nerve, 92t  
 facial nerve, 82t  
 glossopharyngeal nerve, 88t  
 trigeminal nerve, 75, 75t  
 vagus nerve, 90t  
 Bridging veins, in subarachnoid space, 296  
 Brodmann area, 134  
 Bruch membrane, 133  
 Buccal artery, 44, 45t, 47t  
 Buccal fat pad, 312  
 Buccal muscles, in sagittal section of head, 341  
 Buccal nerve, 80, 81t  
 Buccal tooth surface, 180  
 Buccinator muscle, 24, 28, 29, 29t  
 Buccopharyngeal fascia, 274  
   retropharyngeal space and, 286  
 Buccopharyngeus muscle, 213t, 214

## C

Calvaria  
   external and internal surfaces of, 10–11  
   layers of, 11  
   muscles of, 25, 26–27, 27t  
   innervation, 27t  
   scalp and, 11  
   sensitivity to trauma, 11  
 Canal of Schlemm, 124  
 Canines, 179, 184, 184t  
   eruption patterns of, 188, 188t  
 Cardinal directions of gaze, 113  
 Caroticotympanic arteries, 166, 166t  
 Carotid arteries, variants of, 283. *See also* Common carotid artery;  
   External carotid artery; Internal carotid artery  
 Carotid bifurcation, 40  
   sagittal MRI of neck through, 345  
 Carotid canal  
   foramen lacerum relationship to, 12  
   neurovascular pathways through, 94, 95t  
   temporal bone and, 19  
 Carotid sheath fascia, 274, 274t  
 Carotid triangle, in neck, 272, 272t  
   deep anterolateral neck, 282  
 Cartilage  
   of auricle, 157  
   of larynx, 256–257, 258t  
   of nasal septum, 143  
   of nose, 142  
 Cartilaginous neurocranium, 2, 2t  
 Cauda equina, 292  
   in vertebral canal, 298–299  
 Cavernous part/division, internal carotid artery, 48, 304  
 Cavernous sinus  
   infection transmission and, 52t  
   pterygoid plexus and, 53  
 Cementum, of tooth, 182, 182t, 183  
 Central lesion, vagus nerve, 263, 263t  
 Central nervous system (CNS), 54, 290  
   information flow to and from, 291  
   location and direction in, terminology for, 291  
   neurons in, 55  
   synapses in, 307  
 Central paralysis, face, 84  
 Central scotoma, homonymous hemianopic, 136  
 Ceratopharyngeus muscle, 213t, 214  
 Cerebellar vermis, 323  
 Cerebellopontine angle, acoustic neuroma in, 87, 165, 168  
 Cerebral arteries, 305  
 Cerebral part/division, internal carotid artery, 48, 304  
 Cerebral veins, 302  
 Cerebrospinal fluid (CSF), 300–301  
   circulation of, 301  
   meninges and, 296  
 Cerumen glands, 159  
 Cervical fascia, 274, 274t  
   deep, 241  
   relationships in neck, 275  
 Cervical lymph nodes, in neck  
   anterior, 268  
   deep, 268  
   lymphatic drainage from ear into, 158  
   relationship to systemic lymphatic circulation, 269  
   superficial, 268  
   systematic palpation of, 269  
 Cervical part/division, internal carotid artery, 48, 304  
 Cervical plexus, 270  
   auricle and, 158  
   motor nerves of, 271  
   sensory nerves of, 99, 271  
 Cervical regions (triangles), 272–273, 272t  
   anterior, 272, 272t  
   lateral, 272, 272t  
   deep, 283  
   posterior cervical, 272, 272t  
   lymph nodes in, 268  
   sternocleidomastoid, 272, 272t  
 Cervical spine (C1–C7)  
   joints of, 232–233  
   ligaments of, 234–235, 236  
   nerves of, 270  
   dorsal rami, 270, 270t  
   motor nerves, 271  
   sensory nerves, 99, 271  
   ventral rami, 270  
   neurovasculature of, 233  
   in vertebral column, 226, 230  
 Cervical vertebrae (C1–C7), 230–231. *See also* Atlas (C1); Axis (C2)  
   on MRIs of neck  
   coronal view, 319, 320  
   sagittal view, 343  
   transverse view, 336  
   structural elements of, 227, 227t  
   transverse sections of head through  
   C5 level, 328  
   C6 level, 330  
 Chambers, of eye, 130  
 Choana(e), 147  
   in head sections  
   midsagittal, 338  
   transverse, 326  
   of nose, 143  
 Chondrocranium, bone development in, 2  
 Chondropharyngeus muscle, 213t, 214  
 Chorda tympani  
   nerve supply to, 83, 85, 161  
   temporal bone and, 18, 19

- Choroid, 124
- Choroid plexus, 301  
 histology of, 301
- Ciliary beating, paranasal sinus drainage and, 150
- Ciliary body, lens and, 128
- Ciliary ganglion, sensory root of, 76, 77
- Circle of Willis, 304, 305  
 variants of, 305
- Circle of Zinn (and von Haller), 127
- Circumvallate papillae, 206, 207t
- Cisterns, subarachnoid, 301
- Clavicle, inferior boundary of neck and, 273
- Clivus, in transverse section of head, 324
- Closed-angle glaucoma, 131
- CN. *See* Cranial nerve(s); *individually named cranial nerves*
- CNS. *See* Central nervous system (CNS)
- Cochlea, 164  
 location and structure of, 170  
 spiral ganglia in, 165  
 traveling wave formation in, 171
- Cochlear amplifier, 173
- Cochlear duct, 170
- Cochlear ganglion. *See* Spiral ganglia
- Cochlear nuclei, 86t, 87, 168
- Coding, of teeth, 180
- Common carotid artery  
 in deep lateral cervical region, 283  
 on MRIs of neck  
 sagittal view, 345  
 transverse view, 335, 337  
 in thoracic inlet, 281  
 in transverse section of neck, 331
- Common facial vein, 50
- Communicating arteries, 305
- Concha(e), 147  
 nasal. *See* Nasal concha(e)  
 paranasal sinuses and, 145
- Condylar canal, occipital bone and, 20
- Cones, 133
- Confrontation test, in visual field examination, 135
- Conjugate eye movements, 140
- Conjunctiva  
 goblet cell distribution in, 123  
 structure of, 121
- Conjunctival sac, 121
- Connective tissue  
 in gingiva, 183  
 of nose, 142
- Constriction, pupil, 130t
- Contralateral homonymous hemianopia, 136
- Contralateral quadrantanopia, upper and lower, 136
- Contralateral visual cortex, visual fields in, 134
- Conus medullaris, in adult vs. newborn, 299
- Convergence  
 internuclear ophthalmoplegia and, 141  
 pathways for, 138
- Cornea, 124  
 position of, 128  
 structure of, 129
- Corneal reflex, 137
- Corniculate cartilage, 256, 257
- Corpus callosum  
 in midsagittal section of head, 338  
 on sagittal MRI of head, 343
- Corrugator supercilii muscle, 24, 26, 27, 27t
- Cortex  
 motor, 58t, 63t  
 primary auditory, 172  
 in sagittal section of head, 341  
 somatomotor, 84  
 visual. *See* Visual cortex
- Cranial bones  
 development of, 2–3, 2t  
 ossification of, 2, 2t
- Cranial fossa(e), 14  
 anterior, 310  
 in head sections  
 midsagittal, 338  
 transverse, 324
- Cranial nerve(s), 54, 291. *See also* *individually named nerves*  
 in anterior coronal cross section of head, 313  
 convergence and accommodation and, 138  
 emergence from brainstem, 114  
 entry into orbit, 118  
 fiber types, 66t  
 functions of, 67t  
 in internal acoustic meatus, 165  
 motor pathways in, 58t, 59  
 overview of, 66, 66t  
 parasympathetic ganglia and, 63  
 sensory pathways in, 56t, 57  
 in skeletal muscle innervation, 61t
- Cranial nerve lesions  
 accessory spinal nerve, 92, 92t  
 glossopharyngeal nerve, 88t  
 hypoglossal nerve, 93, 93t  
 vagus nerve, 90t
- Cranial nerve nuclei, 68t  
 in brainstem, 63t, 168, 168t, 169  
 facial nerve, 82t  
 glossopharyngeal nerve, 88t  
 location of, 69  
 oculomotor nerve, 140  
 topographic arrangement of, 68  
 trigeminal nerve, 74t, 75, 75t  
 vestibulocochlear nerve, 86t, 87
- Cranial sutures. *See* Craniosynostoses
- Cranial vault. *See* Neurocranium
- Craniosynostoses, 8  
 in adult skull, 3  
 closure of, 3t  
 premature, 8, 9  
 neonatal, 3
- Craniovertebral joints, 232, 233  
 ligaments of, 236–237  
 muscles of, on sagittal MRI of neck, 345  
 suboccipital muscles and, 251
- Cranium. *See* Skull
- Cribriform plate  
 in skull base, 15  
 neurovascular pathways, 94, 95t  
 traumatic fracture of, 15, 21
- Cricoarytenoid muscles, 258, 258t
- Cricoid cartilage, 256, 257

on MRIs of neck  
 sagittal view, 343  
 transverse view, 336

Cricopharyngeus muscle, 213t, 215

Cricothyroid muscle, 258, 258t

Cricothyrotomy, 262

Crista galli, ethmoid bone and, 21

Cruciform eminence, 20

Cruciform ligament of atlas, 236, 237

CSF. *See* Cerebrospinal fluid (CSF)

Curvature, spinal, 226  
 ligaments maintaining, 229

Cusp-and-fissure dentition, 181, 183

Cuspids. *See* Canines

Cutaneous sensory innervation, 65  
 dermatomes and, 293  
 nerve lesions and, 65  
 of nuchal region, 277  
 by peripheral nerves, 64

**D**

“Danger space”  
 cervical fasciae and, 275  
 infection and, 286

“Danger zone,” venous, infection and, 97

Deciduous teeth, 188–189  
 coding of, 188, 189  
 eruption of, 188, 188t  
 in 6-year-old child, 188, 189

Deep auricular artery, 44, 45t, 47t, 166, 166t

Deep cervical lymph nodes  
 lymphatic drainage from ear into, 158  
 in neck, 268, 283

Deep petrosal nerve, 161

Deep temporal arteries, 44, 45t, 47t

Deep temporal nerve, 80, 81t

Dendrites, 55, 306

Dens of axis (C2)  
 on coronal MRI of neck, 321  
 in transverse section of head, 327

Dental arches, 183. *See also* Mandibular arch; Maxillary arch

Dental panoramic tomogram (DPT), 181

Dental pulp, 182, 182t

Dentate nucleus, in transverse section of head, 325

Dentine, of tooth, 182, 182t

Dentition  
 first, 188, 188t. *See also* Deciduous teeth  
 second, 188, 188t. *See also* Permanent teeth  
 in 6-year-old child, 189

Depressor anguli oris muscle, 24, 25, 28, 29, 29t

Depressor labii inferioris muscle, 24, 25, 28, 29, 29t

Dermatomes, 293

Descending palatine artery, 45t, 46, 47t

Descending palatine nerve, 78, 79t

Desmocranium, bone development in, 2

Diencephalon, 295, 295t

Digastric muscles, anterior and posterior belly, 202, 202t, 203, 254, 254t, 255  
 pharynx and, 214

Dilation, pupil, 130t

Diploë, of calvaria, 11

Diploic veins, 11

Direct light response, testing for, 139

Dislocation, of TMJ, 37, 195

Distal tooth surface, 180

Diverticula, pharyngeal, 215

Dizziness. *See* Vertigo

Dorsal horn, spinal cord, 292

Dorsomedial margin of brainstem, motor nuclei in, 58t

DPT (dental panoramic tomogram), 181

Drainage  
 of aqueous humor, 131  
 of dural sinuses, 302  
 lacrimal, obstructions to, 123  
 lymphatic. *See* Lymphatics  
 of nasolacrimal duct, 145t  
 of paranasal sinuses, 144, 145t, 150  
 venous. *See* Venous drainage

Dura mater, 296  
 outpouching in intervertebral foramina, 298

Dural venous sinuses, 297  
 accessory drainage pathways of, 302  
 cerebral vein tributaries, 302  
 neuroanatomy of, 302–303  
 occipital bone groove for, 20  
 occiput veins and, 53

**E**

Ear  
 arteries of, 166–167, 166t  
 auditory and vestibular apparatus of, 156  
 external, 156–159. *See also* Auricle  
 inner. *See* Inner ear  
 middle. *See* Middle ear  
 muscles of, 26–27, 27t  
 innervation, 27t  
 veins of, 167

Ebner glands, 223

Edinger-Westphal nucleus, 138, 139  
 lesion of, 139

Efferent (motor) fibers, 54, 66t, 291  
 brainstem reflexes and, 137

Efferent nuclei, 68t, 69

Efferent tracts. *See* Motor (efferent) pathways

Electrochemical potentials, 170

Electron microscopy, of neuron, 306

Embryonic development  
 branchial muscle, 60, 61t  
 neuronal migration and, 68  
 peripheral nerves, 64  
 somatic muscle, 60, 60t

Emissary veins, 303  
 dural sinus drainage and, 302  
 of occiput, 11, 53

Enamel, of tooth, 182, 182t

Endolymph, 170

Endoplasmic reticulum, 306

Endoscopy  
 of maxillary sinus, 151  
 semilunar hiatus on, 21

Endotracheal ossification, 2, 2t

Epaxial muscles, 242

Epicranial muscles, 25, 26  
 Epidural anesthesia, 299  
 Epiglottic cartilage, 256, 257  
 Epiglottic vallecula, in midsagittal section of head, 338  
 Epiglottis, innervation of, 222  
 Epipharynx. *See* Nasopharynx  
 Epitympanum, 163  
 EPSP (excitatory postsynaptic potential), 306  
 Erb's point, 270, 271, 278  
 Erector spinae, 242, 243  
   interspinales and, 246–247, 246t  
 Esophagus, on MRIs of neck  
   sagittal view, 343  
   transverse view, 337  
 Ethmoid air cells, 144, 310  
   relationship with nasal cavity, 343  
   in sagittal section of head, 339, 340  
   transverse MRI of head through, 332  
 Ethmoid arteries, ligation site for, 151  
 Ethmoid bone, 5, 7, 14, 21, 108, 142, 190, 191  
   cranial nerve passage through, 67t  
   paranasal sinuses and, 145  
 Eustachian tube. *See* Pharyngotympanic (auditory) tube  
 Excitatory postsynaptic potential (EPSP), 306  
 External acoustic meatus, temporal bone and, 155  
 External auditory canal, 156, 159  
   auricle and, 158  
   curvature of, 159  
   temporal bone and, 155  
 External capsule, thyroid gland, 264  
 External carotid artery, 283  
   blood supply to anterior face from, 96  
   branches of, 40, 41, 41t. *See also individually named arteries*  
     anterior, 41t, 42, 43, 43t  
     medial, 41t, 42, 43t  
     in neck, 266, 266t  
     posterior, 41t, 42, 43t  
     terminal, 41t, 46–47. *See also* Maxillary artery  
     variants in, 41  
   in carotid triangle, 282  
   in deep lateral cervical region, 283  
   on sagittal MRI of neck, 345  
 External ear, 156–159. *See also* Auricle  
 External jugular vein, 50–51, 51t  
   on sagittal MRI of neck, 345  
 External laryngeal nerve, 91, 91t  
 External occipital protuberance, superior boundary of neck, 273  
 Extracranial veins, infection and, 52t  
 Extraocular muscles, 112  
   actions of, 113, 113t  
   cranial nerves of, 72, 72t  
   eye movement and, 140  
   innervation of, 112, 113t  
 Extrinsic muscles  
   of back, 240, 242  
   of eye. *See* Extraocular muscles  
   of tongue, 204, 204t, 205  
 Eye movement, coordination of, 140–141  
 Eye/Eyeball  
   blood supply to, 126–127  
   chambers of, 130  
   coronal MRI of head through, 314

muscles of, 26–27, 27t  
   innervation, 27t  
   reference lines/points of, 125  
   in sagittal section of head, 341  
   structure of, 124–125  
   surface anatomy of, 121  
 Eyelids, structure of, 121

## F

Face  
   anterior, superficial neurovasculature of, 96  
   arterial anastomoses in, 97  
   cutaneous sensory innervation of, 64  
   venous “danger zone” in, 97  
 Facet joint capsules, of vertebral arch, 228  
 Facial artery  
   branches of, 42, 43t  
   external carotid artery and, 41t  
   nasal septum and, 149  
   ophthalmic artery and, 40, 41  
 Facial expression, muscles of  
   calvaria, 26–27, 27t  
   ear, 26–27, 27t, 157  
   eye, 26–27, 27t  
   mouth, 28–29, 29t  
   origins and insertions of, 38  
   superficial  
     anterior view, 24  
     lateral view, 25  
 Facial motor nucleus, 82t  
 Facial nerve (CN VII), 66t, 82–85  
   in anterior face, 96  
   auricular muscles and, 157  
   brainstem reflexes and, 137  
   branches of, 83  
     external, 84, 85  
     internal, 82, 83  
     in lateral head, 100  
   course of, 83  
     intraglandular, in parotid gland, 219  
   fiber distribution in, 82t  
   function of, 67t  
   ganglia, 82t, 85  
   in head sections  
     sagittal, 341  
     transverse, 325  
   innervation by  
     of auricle, 158  
     of second branchial arch muscles, 82, 84  
     of tongue, 221, 222  
   in internal acoustic meatus, 165  
   nuclei of, 82t  
   parotid plexus of, 100, 101  
   in petrous bone, 161  
   temporal bone and, 18, 155  
   on transverse MRI of head, 332  
 Facial paralysis, facial nerve lesions and, 83, 84  
 Facial skeleton  
   ethmoid bone integration into, 21  
   in midsagittal section of head, 338  
 Facial skin, facial muscles and, 24

- Facial veins, 50, 51  
 False vocal cords, 260  
 Falx cerebri, 311, 313, 323  
   on coronal MRI of head, 315  
   ethmoid bone and, 21  
 Far vision/Farsightedness, 125, 129  
 Fascia(e)  
   buccopharyngeal, 274, 286  
   cervical, 241, 274–275, 274t  
   nuchal. *See* Nuchal fascia  
   pharyngobasilar, 215  
   pretracheal. *See* Pretracheal fascia  
   prevertebral. *See* Prevertebral fascia  
   thoracolumbar, 241, 242, 243  
 Filiform papillae, 206, 207t  
 Filum terminale, 293  
   in vertebral canal, 298–299  
 First molars, 186t, 187  
   eruption patterns of, 188, 188t  
 Fissure  
   palpebral, muscles of, 26–27, 27t  
   petrotympanic. *See* Petrotympanic fissure  
   superior orbital, neurovascular pathways through, 67t, 94, 95t, 118  
 Foliate papillae, 206, 207t  
 Fontanelles, 3  
   closure of, 3t  
 Foodways, on coronal MRI of neck, 317  
 Foramen(ina). *See also individually named foramina*  
   intervertebral, 290, 297  
   jugular, 13, 20  
   for nerve supply to face, 6  
   of skull base, 15  
     neurovascular pathways through, 94, 95t  
   of sphenoid bone, 16, 17  
   stylomastoid, 15  
   supraorbital, 6  
 Foramen cecum, 206, 207t  
 Foramen lacerum  
   carotid canal relationship to, 12  
   neurovascular pathways through, 94, 95t  
 Foramen magnum  
   neurovascular pathways through, 94, 95t  
   occipital bone and, 13, 20  
 Foramen ovale  
   cranial nerve passage through, 67t  
   dural sinus drainage and, 302  
   neurovascular pathways through, 94, 95t  
   pterygoid process and, 16, 17  
 Foramen rotundum, 16, 17  
   cranial nerve passage through, 67t  
   neurovascular pathways through, 94, 95t  
 Foramen spinosum  
   neurovascular pathways through, 94, 95t  
   pterygoid process and, 16, 17  
 Force, lines of, in facial skeleton, 7  
 Forebrain, 295, 295t  
 Fornical conjunctiva, 121  
 Fovea centralis, 124, 132, 135  
   macula lutea and, 133  
 Fracture(s)  
   cribriform plate, 15, 21  
   midfacial, classification of, 7  
   skull base fracture lines, 14  
   temporal bone, facial nerve lesion and, 82t, 83  
 Frontal bone, 5, 7, 9, 11, 14, 108, 142  
 Frontal crest, in calvaria, 10  
 Frontal nerve, 76, 77t  
 Frontal sinus, 144, 146  
   ethmoid bone and, 145  
   fluid flow in, 150  
   pneumatization of, 144  
   on transverse MRI of head, 332  
 Fungiform papillae, 206, 207t
- ## G
- Galea aponeurotica, 24, 25, 26  
 Ganglion(ia)  
   ciliary, sensory root of, 76, 77  
   cranial nerve parasympathetic, 63  
   facial nerve, 85  
   geniculate, 82t, 83, 161, 170, 222  
   inferior, 88t, 90t  
   nodose, 222  
   otic, 80, 81t, 88t, 89, 89t, 161  
   petrosal, 222  
   in PNS, nerve tracts and, 55  
   prevertebral, 62t  
   pseudounipolar ganglion cells, 222  
   pterygopalatine, 79t, 82t, 148  
   spinal, 290  
   spiral (cochlear), 86, 86t, 165, 170, 172, 173  
   submandibular, 80, 81t, 82t  
   superior, 88t, 90t  
   trigeminal, 340  
   vestibular, 86, 86t, 165, 174, 176  
 Gaps, pharyngeal, 214t  
 Gastrulation, 60  
 Gaze, cardinal directions of, 113  
 Gaze centers, 140  
 Geniculate ganglion, 161, 170, 222  
   facial nerve and, 82t, 83  
 Genioglossus muscle, 204, 204t, 205  
 Geniohyoid muscle, 202, 202t, 203, 254, 254t, 255  
 Gennari, stria of, 134  
 Gingiva, 182, 182t  
   connective tissue fibers in, 183  
 Glaucoma, acute and chronic, 131  
 Glenoid fossa, of TMJ, 36, 194  
 Glial cells, 133  
 Gliding movement, in TMJ, 34, 37, 196  
 Glomerulus, olfactory, 153  
 Glossoepiglottic folds, 207t  
 Glossoepiglottic valliculae, 207t  
 Glossopharyngeal nerve (CN IX), 66t, 88–89, 88t  
   branches of, 89, 89t  
   course of, 88t  
   function of, 67t  
   innervation by  
     of pharynx, 213t, 217  
     of tongue, 220, 221, 222  
   nuclei, ganglia, and fiber distribution, 88t  
   on transverse MRI of head, 333

Glossopharyngeal nerve (CN IX) (*continued*)

in transverse section of head, 326

Glossopharyngeus muscle, 213t, 214

Goblet cell, in conjunctiva, 123

Granular foveolae, in calvaria, 10

Granule cells, in olfactory bulb, 153

Graves' disease, 265

Gray matter, 292

Great auricular nerve

in anterior face, 96

auricle and, 158

in lateral head and neck, 99

in nuchal region, 276, 277

Great vessels, on coronal MRI of neck, 318

Greater occipital nerve, 270t

in lateral head and neck, 99

in nuchal region, 277

Greater palatine foramen, neurovascular pathways through, 94, 95t

Greater palatine nerve, 78, 79t

Greater petrosal nerve, 83, 85, 161

hiatus of canal for, 94, 95t

Grinding movements, in TMJ, 34, 196

Gustatory pathway, 222

**H**

Habenular nuclei, 152

Hair cells

in auditory apparatus/pathway

inner, 170, 172, 173

outer, 170, 171, 173

vestibular, categories of, 174

Hard palate

bones of, 190–191

in midsagittal section of head, 338

nasal cavity and, 147

in skull base, 190

transverse MRI of neck through, 334

Head

anterior face, 96–97

arteries of. *See also individually named arteries*

overview, 40–41

superficial, 99

coronal MRIs of

through eyeball, 314

through posterior orbit, 315

coronal sections of

anterior, 310–311

posterior, 312–313

lateral

intermediate layer of, 100–101

sensory innervation of, 99

superficial neurovasculature of, 98

muscles of

origins and insertions, 38–39

skeletal, 61t

rotation of, semicircular canals during, 175

sagittal MRIs of

through nasal cavity, 342

through orbit, 343

sagittal sections of

lateral, 340–341

medial, 338–339

transverse MRIs of

through orbit and ethmoid air cells, 332

through orbit and nasolacrimal duct, 333

transverse sections of

caudal, 326–327

cranial, 322–323

through middle nasal concha, 325

through optic nerve and pituitary, 323

through orbits (upper level), 322

through sphenoid sinus, 324

veins of

deep, 52–53

superficial, 50–51, 51t

Hearing

loss of, CN VIII lesion and, 168

sound conduction during, 171

Helicotrema, 170

Hemianopia

bitemporal, 136

contralateral homonymous, 136

homonymous, 136

Hindbrain, 295, 295t

Hinge movement, in TMJ, 34, 37, 196

Hippocampus, in sagittal section of head, 341

Histology

of choroid plexus, 301

of nasal mucosa, 150

of oral cavity and pharynx, 209

of parathyroid glands, 265

of thyroid gland, 265

of vocal folds, 263

Homonymous hemianopia, contralateral, 136

Homonymous hemianopic central scotoma, 136

Horizontal cells, 133

Horizontal gaze movements, 140

Hyaline cartilages, 257

“Hyaloid canal,” 125

Hydrocephalus, 9

Hyoglossus muscle, 204, 204t, 205

Hyoid bone, 23, 192, 256

Hypaxial muscles, 242

Hyperacusis, facial nerve lesions and, 82t, 83

Hypercalcemia, 265

Hyperopia, 125

Hyperparathyroidism, 265

Hypoglossal canal

cranial nerve passage through, 67t

neurovascular pathways through, 94, 95t

occipital bone and, 20

Hypoglossal nerve (CN XII), 66t, 93

in carotid triangle, 282

course of, 93

in deep lateral cervical region, 283

function of, 67t

lesions of, 93, 93t

unilateral, 205

nuclei, ganglia, and fiber distribution of, 93, 93t

in transverse section of head, 326

Hypopharynx. *See* Laryngopharynx

Hypophysis. *See* Pituitary gland

Hypothalamus, 62t

Hypotympanum, 163

## I

Iliocostalis cervicis muscle, 245, 246t, 247

Iliocostalis lumborum muscle, 245, 246t, 247

Iliocostalis thoracis muscle, 245, 246t, 247

Impedance matching, 162

Incisive canal, neurovascular pathways through, 94, 95t

Incisors, 179, 184, 184t

eruption patterns of, 188, 188t

Incus (anvil), 160, 162

Indirect light response, testing for, 139

Infection

parapharyngeal space and, 286

temporal bone and, 154

of tympanic cavity, 163

venous anastomoses as portals for, 52t

venous “danger zone” and, 97

via pharyngotympanic (auditory) tube, 18, 154

Inferior alveolar artery, 44, 45t, 47t

Inferior alveolar nerve, 80, 81t

Inferior ganglion, 88t, 90t

Inferior longitudinal muscle, 204, 204t, 205

Inferior meatus, 143

paranasal sinus drainage and, 145t

Inferior salivatory nucleus, 88t

Inferior thyroid vein, 281

Inferior tympanic artery, 166, 166t

Inflammation, conjunctival, 121

Infrahyoid muscles, 254–255, 254t

Infranuclear paralysis, 84

Infraorbital artery, 44, 45t, 46, 47t

Infraorbital canal, 310

on coronal MRI of head, 314, 315

Infraorbital foramen, 6

Infraorbital nerve, 78, 79t

Infratemporal fossa

blood vessels of, 102

dissection of

deep, 103

superficial, 102

muscles of, 102

nerves of, 102–103, 103t

pterygopalatine fossa and, 102, 105, 105t

Infratrochlear nerve, 76, 77t

Inhibitory postsynaptic potential (IPSP), 306

Inner ear, 156, 164–165

arteries and veins of, 167

sound conduction to, 171

Inner hair cells, 170, 172, 173

Innervation

branchiomotor

of laryngeal muscles, 263

of second branchial arch muscles, 82, 84

of infrahyoid muscles, 254, 254t

of lacrimal gland, 85

of lingual muscles, 204, 204t, 205

of membranous labyrinth, 165

motor

of extraocular muscles, 24

of facial muscles, 24

calvaria and ear, 27t

mouth, 29t

palpebral fissure and nose, 27t

of larynx, 262

of muscles of mastication, 30, 30t, 198, 198t

parasympathetic, of salivary glands, 82

of orbit, 117

of pharynx, 217

pharyngeal constrictor muscles, 213t

pharyngeal levator muscles, 213t

sensory. *See also* Cutaneous sensory innervation

of auricle, 158

of face, 64

of larynx, 262, 263

of lateral head and neck, 99

of nuchal region, 277

peripheral, 65

segmental (radicular), 65

of temporomandibular joint, 37

of skeletal muscle, 60t

of soft palate muscles, 213t

of suprahyoid muscles, 202, 202t, 254, 254t

of tongue, 207t, 221

Interfascial spaces, 274–275, 274t

Internal acoustic meatus

cranial nerves in, 67t, 165

facial nerve lesions and, 83

neurovascular pathways through, 94, 95t

in skull base, 15

temporal bone and, 155

on transverse MRI of head, 332

Internal auditory canal, in sagittal section of head, 341

Internal capsule, thyroid gland, 264

Internal carotid artery, 48–49, 283, 313, 323

in carotid triangle, 282

in circle of Willis, 305

course in head, 40

in deep lateral cervical region, 283

divisions/parts of, 48, 304

foramen lacerum relationship to, 12

in head sections

sagittal, 340, 341

transverse, 326

nasal septum and, 49

syphon of, in sagittal MRI of head, 342

temporal bone and, 18

Internal jugular vein, 50–51, 51t, 220

in carotid triangle, 282

in deep lateral cervical region, 283

in head sections

sagittal, 341

transverse, 326

on MRIs of neck

sagittal view, 345

transverse view, 335, 337

temporal bone and, 18

in thoracic inlet, 281

in transverse section of neck, 331

Internal laryngeal nerve, 91, 91t  
 Interneurons, 55  
 Internuclear ophthalmoplegia, 141  
 Interspinales muscles  
   cervical, 245, 246t, 247  
   erector spinae and, 246–247, 246t  
   lumbar, 245, 246t, 247  
 Interspinous ligaments, 228  
 Intertransversarii cervicis muscles, 245, 248, 248t, 249  
   anterior, 248t  
   posterior, 248, 248t, 249  
 Intertransversarii lumborum muscles, 248, 248t, 249  
   lateral, 248, 248t, 249  
   medial, 248, 248t, 249  
 Intertransverse ligaments, of vertebral arch, 228, 228t, 229  
 Intervertebral disks, 226, 228, 228t  
   on coronal MRI of neck, 319  
 Intervertebral foramina, 290, 292, 297  
   outpouching of dura mater in, 298  
 Intracavernous course, of cranial nerves into orbit, 118  
 Intramembranous ossification, 2, 2t  
 Intraspinous ligament, of cervical spine, 234, 235  
 Intrinsic muscles  
   of back. *See* Back muscles, intrinsic  
   of tongue, 204, 204t, 205  
 Iodine deficiency, 265  
 IPSP (inhibitory postsynaptic potential), 306  
 Iris, 124  
   ocular chambers and, 130  
   structure of, 131

## J

Jacobson's organ, 153  
 Joints  
   atlantoaxial. *See* Atlantoaxial joints  
   atlanto-occipital. *See* Atlanto-occipital joints  
   of cervical spine, 232  
   craniovertebral. *See* Craniovertebral joints  
   of neck, 232–235  
   temporomandibular. *See* Temporomandibular joint (TMJ)  
   of vertebral column, 232  
 Jugular foramen, 13, 20  
   cranial nerve passage through, 67t  
   neurovascular pathways through, 94, 95t  
 Jugular vein(s). *See also* Internal jugular vein  
   infection transmission via, 286  
   on sagittal MRI of neck, 345  
 Jugulofacial venous junction, lymphatic drainage in neck, 269  
 Jugulosubclavian venous junction, lymphatic drainage in neck,  
   268–269

## K

Kiesselbach's area, 49, 149  
 Killian triangle, 215  
 Krause gland, 122  
 Kyphosis, 226

## L

Labial (facial) artery, nasal septum and, 149

Labial creases, 178  
 Labial tooth surface, 180  
 Labyrinthine artery and veins  
   of inner ear, 167  
   in internal acoustic meatus, 165  
 Lacrimal apparatus, 122–123  
 Lacrimal bone, 5, 108, 142  
 Lacrimal drainage, obstructions to, 123  
 Lacrimal fluid, mechanical propulsion of, 123  
 Lacrimal gland  
   innervation of, 85  
   maxillary nerve and, 79t  
   nerve supply to, 161  
 Lacrimal nerve, 76, 77t  
 Laimer triangle, 215  
 Lambdoid suture, 8  
 Lamina cribrosa, 133  
 Laryngeal arteries, 261  
 Laryngeal cavity, divisions of, 260t  
 Laryngeal nerves, 261  
   lesions of  
     recurrent nerve, 263, 263t  
     superior nerve, 263, 263t  
   recurrent  
     in anterior cervical triangle, 281  
     lesions of, 263, 263t  
 Laryngeal veins, 261  
 Laryngopharynx, 216, 216t, 313  
   on coronal MRI of neck, 317  
   in transverse section of neck, 330  
 Laryngoscopy, indirect, 259  
 Laryngotracheal junction, 256  
 Larynx. *See also* Laryngeal entries  
   blood supply to, 261  
   bony structures of, 256  
   cartilage of, 256–257  
   innervation of, 261  
     motor, 262  
     sensory, 262  
   laryngoscopic examination of, 259  
   ligaments of, 256  
   on MRIs of neck  
     coronal view, 317  
     transverse view, 336  
   muscles of, 258–259, 258t  
   neurovasculature of, 260–261, 260t  
   parathyroid glands and, 264–265  
   surgical approaches to, 262  
   thyroid gland and, 264–265  
   topography of, 262–263  
 Lateral cervical triangle, 272, 272t  
   deep, 283  
 Lateral geniculate body, 134, 135  
 Lateral head  
   intermediate layer of, 100–101  
   sensory innervation of, 99  
   superficial neurovasculature of, 98  
 Lateral horn, spinal cord, 292  
 Lateral neck, sensory innervation of, 99  
 Lateral olfactory stria, 152  
 Lateral pterygoid artery, 45t, 47t  
 Lateral pterygoid nerve, 80, 81t

- Lateropharyngeal space, 286
- Le Fort fractures, midfacial, 7
- Lens, 124
  - ciliary body and, 128
  - growth of, 129
  - light refraction and, 125
  - position of, 128
  - reference lines/points for, 129
- Leptomeninges, 296
- Lesser occipital nerve, 270t, 271
  - auricle and, 158
  - in lateral head and neck, 99
  - in nuchal region, 276, 277
- Lesser palatine foramen, neurovascular pathways through, 94, 95t
- Lesser petrosal nerve, 85, 89, 89t, 161
  - hiatus of canal for, 94, 95t
- Levator anguli oris, 24, 28, 29, 29t
- Levator costarum brevis muscle, 248, 248t, 249
- Levator costarum longi muscle, 248, 248t, 249
- Levator labii superioris alaeque nasi muscle, 24, 25, 27, 27t, 29t
- Levator labii superioris muscle, 24, 25, 26, 28, 29t
  - on transverse MRI of head, 333
- Levator scapulae muscle, 239t
- Levator veli palatini muscle, 212, 213t
  - on transverse MRI of head, 333
- Ligament(s). *See also individually named ligaments*
  - of cervical spine, 234–235, 236
  - of craniovertebral joints, 236–237
  - of larynx, 256
  - of neck, 234–237
  - nuchal, 234, 235
  - periodontal, 182, 182t, 183
  - of temporomandibular joint, 36, 37
  - transverse, of atlas, 327
  - of vertebral column, 228–229, 228t
  - vestibular. *See Vestibular ligament*
  - vocal. *See Vocal ligament*
- Ligamenta flava
  - of cervical spine, 234, 235
  - of vertebral arch, 228, 228t, 229
- Light refraction, 125
- Light response
  - loss of, tests for, 139
  - of pupillary sphincter, 138
- Limbs, peripheral nerves and, 64
- Lines of force
  - in facial skeleton, 7
  - in skull base, 14
- Lingual artery, 41t, 43, 43t, 220
- Lingual mucosa, 206
- Lingual muscles, 204–205, 204t
  - on coronal MRI of neck, 316
- Lingual nerve, 80, 81t, 220, 221, 222
- Lingual tonsils, 206, 207t, 216
- Lingual tooth surface, 180
- Lips, 178
- Long ciliary nerves, 76, 77t
- Longissimus capitis muscle, 245, 246t, 247
- Longissimus cervicis muscle, 245, 246t, 247
- Longissimus thoracis muscle, 245, 246t, 247
- Longitudinal ligaments
  - of cervical spine, 234, 235
  - of vertebral bodies, 228, 228t
    - anterior, 229, 344
    - posterior, 229
- Longitudinal muscles, of tongue, 204, 204t, 205
- Longus capitis muscle, 252, 252t, 253
  - on transverse MRI of neck, 335, 336
- Longus colli muscle, 252, 252t, 253
  - on transverse MRI of neck, 335, 336
- Lordosis, 226
- Low transverse fracture, midfacial, 7
- Lower quadrantanopia, contralateral, 136
- Lumbar anesthesia, 299
- Lumbar puncture, 299
- Lumbar vertebra, structural elements of, 227, 227t
- Lung, pleural dome of, 331
- Lymph nodes
  - in neck
    - deep, 268
    - regional vs. collecting, 268, 269
    - superficial, 268
  - of oral floor, 221
- Lymphatics
  - of ear, 158
  - of neck, 268–269
    - drainage directions, 269
    - superficial and deep, 268
  - of oral cavity, 209
  - system circulation and, cervical nodes relationship to, 269
  - of tongue and oral floor, 221
- Lymphoepithelial tissue, histology of, 209
- ## M
- Macula(e), saccular and utricular, 174
- Macula lutea, 132
  - examination of, 127
  - fovea centralis and, 133
- Macular visual field, 135
- Magnetic resonance imaging (MRI)
  - of cervical spine, 235
  - of head
    - coronal views
      - through eyeball, 314
      - through posterior orbit, 315
    - sagittal views
      - through nasal cavity, 342
      - through orbit, 343
    - transverse views
      - through orbit and ethmoid air cells, 332
      - through orbit and nasolacrimal duct, 333
  - of neck
    - coronal views, 318–319
      - anterior, 316–317
      - posterior, 320–321
    - sagittal views, 344–345
    - transverse views
      - through C7 vertebra, 337
      - through C4 vertebral body, 336
      - through C6 vertebral body, 336
- Malleus (hammer), 160, 162
- MALT (mucosa-associated lymphatic tissue), 208, 209

- Mandible, 5, 7, 9, 22–23, 192  
 age-related changes in, 23  
 fossa of, 36, 194  
 movements in TMJ, 34, 196  
 on MRIs of neck  
   coronal view, 319  
   transverse view, 334  
 ramus of, 23, 319, 334  
 superior boundary of neck and, 273  
 transverse MRIs through, 335  
 in transverse section of head, 325
- Mandibular arch, 179  
 incisors of, 184, 184t  
 molars of, 186t, 187  
 premolars of, 185, 185t
- Mandibular division, of trigeminal nerve, 80, 81t
- Mandibular fossa, of TMJ, 36, 194
- Mandibular nerve, 80, 81t
- Mandibular ramus, 23, 319, 334
- Masseter muscle, 24, 30, 30t, 31, 198, 198t, 199  
 pharynx and, 215
- Masseteric artery, 44, 45t, 47t
- Masseteric nerve, 80, 81t  
 TMJ capsule and, 37
- Mastication, mandibular movement in TMJ during, 34, 196
- Masticatory muscles, 311  
 deep, 32–33, 200–201  
 in head sections  
   sagittal, 340, 341  
   transverse, 325  
 innervation of, 30, 30t, 198, 198t  
 on MRIs of neck  
   coronal view, 316, 317  
   transverse view, 334  
 origins and insertions of, 38, 39  
 overview of, 30–31, 30t, 198–199, 198t  
 at sphenoid sinus level, 33, 201
- Masticatory muscular sling, 32, 200
- Mastoid air cells  
 arteries of, 166  
 infection transmission and, 154  
 temporal bone and, 18
- Mastoid foramen, neurovascular pathways through, 94, 95t
- Mastoid lymph nodes, lymphatic drainage from ear into, 158
- Mastoid process  
 temporal bone and, 18, 19  
 tip of, superior boundary of neck and, 273
- Maxilla, 5, 7, 9, 12, 108, 142, 190, 191  
 in nasal cavity anatomy, 142  
 pterygopalatine fossa and, 104, 104t
- Maxillary arch, 179  
 dentition and maxillary sinus relationship to, 343  
 incisors of, 184, 184t  
 molars of, 186t, 187  
 premolars of, 185, 185t
- Maxillary artery, 41t, 44  
 ligation site for, 151  
 nasal septum and, 148, 149  
 parts/branches of, 45t, 47t  
 right lateral nasal wall and, 148, 149  
 variants of, 44
- Maxillary division, of trigeminal nerve, 78, 79t
- Maxillary nerve, 78, 79t
- Maxillary sinus, 144, 146  
 bony ostium of, 145  
 endoscopy of, 151  
 fluid flow in, 150  
 on MRIs of head  
   sagittal view, 343  
   transverse view, 333  
 pneumatization of, 144
- Meatus  
 external acoustic, temporal bone and, 155  
 internal acoustic. *See* Internal acoustic meatus  
 nasal structures and, 143. *See also* Middle meatus; Superior meatus  
 paranasal sinus drainage and, 145t
- Medial longitudinal fasciculus (MLF), 140  
 course in brainstem, 141  
 internuclear ophthalmoplegia and, 141
- Medial olfactory stria, 152
- Medial pterygoid artery, 45t, 47t
- Medial pterygoid nerve, 80, 81t
- Median furrow, of tongue, 207t
- Medulla oblongata, 297
- Membrane potentials, 306
- Membranous labyrinth, 164  
 endolymph in, 170  
 innervation of, 165
- Membranous neurocranium, 2, 2t
- Meningeal nerve, 76, 77t
- Meninges  
 brain and, 296–297  
 layers of, 296  
 spinal cord and, 298–299
- Mental foramen, 6  
 resorption of alveolar process and, 23
- Mental nerve, surgical considerations and, 23
- Mentalis muscle, 24, 25, 28, 29, 29t
- Mesencephalic reticular formation, 140
- Mesencephalon, 295, 295t, 322. *See also* Brainstem
- Mesial tooth surface, 180
- Mesopharynx. *See* Oropharynx
- Mesotympanum, 163
- Metencephalon, 295, 295t
- Microcephaly, 9
- Midbrain, 295, 295t
- Middle cerebral artery, 305
- Middle cranial fossa, 105, 105t
- Middle ear, 156, 160–163. *See also* Ossicular chain;  
 Pharyngotympanic (auditory) tube; Tympanic cavity  
 auditory ossicles in, 156, 160, 162  
 sound conduction from, 171
- Middle meatus, 143  
 osteomeatal unit and, 145, 150  
 paranasal sinus drainage and, 145t
- Middle meningeal artery, 44, 45t, 46, 47t
- Middle meningeal nerve, 78, 79t
- Midline septum, of tongue, 207t
- Mirror examination, of larynx, 259
- Mitral cells, in olfactory bulb, 153
- MLF. *See* Medial longitudinal fasciculus (MLF)
- Modiolus, 170
- Molars, 179  
 eruption patterns of, 188, 188t

first, 186t, 187  
 second, 186t, 187  
 third. *See* Wisdom teeth  
 Motor cortex, 58t, 63t  
 Motor fibers. *See also* Afferent (motor) fibers  
   carotid triangle and, 282  
   cervical plexus, 270  
 Motor neurons, 55, 58t, 59  
   facial paralysis and, 84  
   in parasympathetic pathway, 63t  
   in sympathetic pathway, 62t  
 Motor nuclei  
   dorsal, 90t  
   facial, 82t  
   ventral horn of spinal cord, 58t  
 Motor paralysis, facial nerve lesions and, 83  
 Motor (efferent) pathways, 56, 58–59, 58t  
   fibers in, 138, 139  
   spinal cord development and, 292  
 Mouth. *See also* Oral cavity  
   muscles of, 28–29, 29t  
     innervation, 29t  
   TMJ movements and, 35, 197  
 Mucosa  
   laryngeal, 260  
   lingual, 206, 207t  
   nasal, 147, 150  
   olfactory, 152  
   of oral cavity, 178  
   of pharynx, 210  
   of tongue, 206, 207t  
   of tympanic cavity, 163  
 Mucosa-associated lymphatic tissue (MALT), 208, 209  
 Müller cells, 133  
 Multifidus muscle, 248, 248t, 249  
 Multipolar neurons, 307  
 Muscles. *See also individually named muscles*  
   of abdomen (internal/external obliques), 242  
   of auricle, 157  
   of back. *See* Back muscles  
   extraocular (extrinsic eye). *See* Extraocular muscles  
   of facial expression. *See* Facial expression, muscles of  
   of infratemporal fossa, 102  
   of larynx, 258–259, 258t  
   lingual, 204, 204t, 205  
   of mastication. *See* Masticatory muscles  
   motor lesions and, 64  
   of neck. *See* Neck, muscles of  
   of nose, 26–27, 27t  
   nuchal. *See* Nuchal muscles  
   ocular, nerves supplying, 73  
   of pharyngotympanic tube, 212  
   of pharynx, 211, 212, 213t, 214–215  
   skeletal, development and innervation of, 60–61, 60t, 61t  
   of skull, 24–33, 198–201  
     origins and insertions on, 38–39  
   of soft palate, 212, 213t  
   thyrohyoid, 254, 254t, 255  
   of tongue, 204, 204t, 205  
 Muscular sling, masticatory, 32, 200  
 Muscular triangle, in neck, 272, 272t  
 Musculus uvulae, 212, 213t

Myelencephalon, 295, 295t  
 Mylohyoid muscle, 202, 202t, 203, 254, 254t, 255  
 Myopia, 125

## N

Nares, 142  
 Nasal bones, 5, 7, 11, 108, 142  
 Nasal cavity, 310  
   bones of, 142  
   ethmoid cells relationship to, 343  
   lateral wall of, 143  
   mucosa of, 147, 150  
   nerves of, 161  
   neurovasculature of, 148–149  
   olfactory mucosa in, 152  
   overview, 146  
   paranasal sinuses and, 144, 145  
   pneumatization of, 144  
   pterygopalatine fossa and, 105, 105t  
   sagittal MRIs of head through, 342  
 Nasal concha(e), 142, 143  
   ethmoid bone and, 21  
   inferior, 7, 12, 142, 190, 191  
   in sagittal section of head, 339  
   transverse section of head through, 325  
 Nasal mucosa, 147  
   functional states of, 150  
   histology of, 150  
 Nasal septum  
   arteries of, 148, 149  
   bones of, 142  
   deviations of, 143  
   in midsagittal section of head, 338  
   midsagittal section of head through, 338  
   nerves of, 148, 149  
   neurovasculature of, 148  
   structures of, 143  
   vascular supply of, 49  
 Nasal visual field, 134  
 Nasal wall, right lateral  
   arteries of, 148, 149  
   nerves of, 148, 149  
 Nasalis muscle, 24, 25, 27, 27t  
 Nasociliary nerve, 76, 77t  
 Nasolacrimal duct  
   drainage of, 145t  
   transverse MRI of head through, 333  
 Nasolacrimal gland, 122  
 Nasopalatine nerve, 78, 79t  
 Nasopharynx, 210t, 216, 216t, 313  
   on MRI of head, sagittal view, 342  
   on MRIs of neck  
     coronal view, 317, 318  
     sagittal view, 343  
   posterior rhinoscopy of, 211  
   pterygopalatine fossa and, 105, 105t  
   in sagittal section of head, 339  
   soft palate and, 212  
   transverse section of head through, 326  
 Nausea, noxious smell inducing, 152  
 Near vision/Nearsightedness, 125, 129

## Neck

- anterior, 280–281. *See also* Anterior cervical triangle
  - arteries of, 266, 266t
  - cervical spine and, 230–231
  - deep anterolateral, 282–283
  - fascial relationships in, 275
  - joints of, 232–235
  - lateral, 278–279. *See also* Posterior cervical triangle
    - sensory innervation of, 99
  - ligaments of, 234–237
  - lymphatics of, 268–269
  - MRIs of
    - coronal views, 318–319
      - anterior, 316–317
      - posterior, 320–321
    - sagittal views, 344–345
    - transverse views
      - through C7 vertebra, 337
      - through C4 vertebral body, 336
      - through C6 vertebral body, 336
  - muscles of, 238–255
    - dissection of, 273
    - fascial planes, 241
    - posterior neck, 244–245
    - prevertebral and scalene, 252–253, 252t, 336
    - superficial, 238, 238t, 239t
    - suprahyoid and infrahyoid, 202–203, 202t, 254–255, 254t
  - neurovascular topography of, 266–287
  - palpable bony prominences in, 23, 273
  - parapharyngeal space in, 284–285
  - posterior cervical (nuchal) region, 276–277
  - root of, structures in, 281
  - transverse sections of
    - caudal, 330–331
    - cranial, 328–329
  - vagus nerve branches in, 91
  - veins of, 50–51, 51t, 267, 267t
- Nerve lesions
- abducent nerve, 72t
  - cutaneous innervation and, 65
  - facial nerve, 82t, 83
  - motor lesions, 64
  - oculomotor nerve, 72t
  - sensory loss and, 64
  - trigeminal nerve, 75, 75t
  - trochlear nerve, 72t
- Nerves. *See also* individually named nerves
- of anterior face, 96
  - of infratemporal fossa, 102–103, 103t
  - laryngeal, 261
  - of lateral head (intermediate layer), 101
  - of nasal septum, 148, 149
  - neurons and, 55
  - of orbit, 115
  - of petrous bone, 161
  - of right lateral nasal wall, 148, 149
  - of tongue, 220–221
- Nervous system. *See also* Autonomic (visceral) nervous system; Central nervous system (CNS); Peripheral nervous system (PNS)
- information flow in, 291
  - neuroanatomy of, 290–291

- neurons in, 306–307
  - organization of, 54–55
  - topography of, 290–291
- Neural crest, cranial bone development from, 2t
- Neural tube, spinal cord development and, 60, 292
- Neuroanatomy
  - of brain
    - arterial supply and, 304
    - meninges and, 296–297
    - organization of, 294–295
  - of CSF spaces, 300–301
  - of dural venous sinuses, 302–303
  - of meninges
    - brain and, 296–297
    - spinal cord and, 298–299
  - of nervous system, 290–291
  - neurons and, 306–307
  - of spinal cord
    - meninges and, 298–299
    - organization of, 292–293, 293t
- Neurocranium
  - in midsagittal section of head, 338
  - ossification of, 2, 2t
- Neurofibrils, 306
- Neuroma, acoustic, 87, 165, 168
- Neurons, 306–307
  - basic forms of, 307
  - in CNS and PNS, 55
  - in convergence and accommodation, 138
  - in gustatory pathway, 222
  - nerves and, 55
  - in sensory (afferent) pathway, 56t
  - types of, 55
  - of visual pathway, 133, 134
- Neurotransmitters, 306
- Neurotubules, 306
- Neurovasculature
  - of cervical spine, 233
  - of larynx, 260–261, 260t
  - of lateral nasal wall, 148
  - of nasal septum, 148
  - in optic canal and superior orbital fissure, 118
  - of orbit, 116–117, 116t
  - of parapharyngeal space, 287
  - pathways through skull base, 94, 95t
  - superficial
    - of anterior face, 96
    - of lateral head, 98
  - of tongue, 220–221
  - in transverse section of neck, 331
- Nissl substance, 306
- Nodose ganglion, 222
- Nonvisual retina, 132
- Nose
  - cavity of. *See* Nasal cavity
  - glands of, innervation, 85
  - histology and clinical anatomy of, 150–151
  - muscles of, 26–27, 27t
    - innervation, 27t
  - overview, 146
  - paranasal sinuses and, 144–145
  - passages of, 143

- skeletal structures of, 142–143
  - Nosebleed, ligation sites for, 151
  - Nostrils, 142
  - Nuchal fascia, 241, 274, 274t
    - intrinsic back muscles and, 241, 242
  - Nuchal ligament, 234, 235
  - Nuchal muscles, 244. *See also individually named muscles*
    - coronal MRI through, 321
    - muscle attachments and, 245
    - origins and insertions of, 38, 39
    - on sagittal MRI of neck, 345
    - short, 250–251, 250t
  - Nuchal region, 276–277
  - Nuclei
    - afferent, 68t, 69
    - branchiomotor. *See* Branchiomotor nuclei, cranial nerves
    - cochlear, 86t, 87, 168
    - cranial nerve. *See* Cranial nerve nuclei
    - efferent, 68t, 69
    - habenular, 152
    - motor. *See* Motor nuclei
    - nerve tracts and, 55
    - oculomotor, 140
    - parasympathetic. *See* Parasympathetic nuclei, cranial nerves
    - parvocellular, axons to, 137
    - somatomotor. *See* Somatomotor nuclei, cranial nerves
    - thalamic, axons to, 137
    - vestibular. *See* Vestibular nuclei
    - viscerosensory. *See* Viscerosensory nuclei, cranial nerves
  - Nucleus ambiguus, 88t, 90t
  - Nucleus of the solitary tract, 90t
    - facial nerve and, 82, 82t
    - glossopharyngeal nerve and, 88, 88t
  - Nucleus prepositus hypoglossi, 140
  - Nystagmus, abducting, 141
- O**
- OAE (otoacoustic emissions), 173
  - Obliquii capitis muscles, 250, 250t, 251
    - inferior, 250, 250t, 251
    - superior, 250, 250t, 251
  - Obliquus oculi muscles, 112, 113t
  - Obstruction
    - of arterial supply to brain, 305
    - lacrimal drainage, 123
  - Occipital artery, 41t, 42, 43t
  - Occipital bone, 5, 9, 11, 12, 14, 20
    - fusion with sphenoid bone, 16, 17
  - Occipital lobe lesion, 136
  - Occipital nerves, of nuchal region, 276, 277
    - emergence sites, 277
  - Occipital pole lesion, 136
  - Occipital triangle, 272, 272t
  - Occipital vein, 50, 51
    - infection transmission and, 52t
  - Occipitofrontalis muscle
    - frontal belly, 24, 25, 27t
    - occipital belly, 25, 27t
  - Occiput veins, 53
    - emissary veins, 11
  - Occlusal plane, 183
  - Occlusion, of arteries supplying brain, 305
  - Ocular chambers, 130
  - Ocular conjunctiva, 121
  - Ocular muscles, nerves supplying, 73
  - Oculomotor nerve (CN III), 66t, 72, 72t
    - brainstem reflexes and, 137
    - on coronal MRI of head, 315
    - emergence from brainstem, 114
    - eye movement and, 140
    - function of, 67t
  - Oculomotor nerve palsy(ies), 72t, 113, 114t
  - Oculomotor nuclei
    - connections in brainstem, 140
    - topography of, 114
  - Olfactory bulb, 148
    - in midsagittal section of head, 338
    - synaptic patterns in, 153
  - Olfactory glomerulus, 153
  - Olfactory mucosa, 152, 153
  - Olfactory nerve (CN I), 66t, 70
    - foramina of skull base and, 15
    - function of, 67t
    - lateral nasal wall and, 148, 149
    - nasal septum and, 148, 149
  - Olfactory striae, 152
  - Olfactory system, 152–153
  - Olfactory tract, 152
  - Olive, in auditory pathway, 173
  - Omoclavicular (subclavian) triangle, in neck, 272, 272t
  - Omohyoid, 278, 279
    - anterior cervical triangle and, 280
  - Omohyoid muscle, inferior belly, 254, 254t, 255
  - Open-angle glaucoma, 131
  - Ophthalmic artery, 49, 126
    - branches of, 49, 117, 126
    - on coronal MRI of head, 315
    - course of, 149
    - internal carotid artery and, 40, 41, 49
    - lateral nasal wall and, 148, 149
    - nasal septum and, 148, 149
  - Ophthalmic division, trigeminal nerve, 76, 77t
  - Ophthalmoplegia, internuclear, 141
  - Ophthalmoscopic examination, of optic fundus, 127
  - Optic canal
    - neurovascular pathways through, 67t, 94, 95t
    - neurovasculature in, 118
  - Optic chiasm, 134, 135
    - lesion of, 136
    - in sagittal MRI of head, 342
  - Optic disk, 124
    - examination of, 125, 127
    - lamina cribrosa and, 133
  - Optic fundus, ophthalmoscopic examination of, 127
  - Optic nerve (CN II), 66t, 71, 124, 135
    - arteries of, 127
    - brainstem reflexes and, 137
    - function of, 67t
    - on MRIs of head
      - coronal views, 315
      - sagittal views, 342, 343
    - transverse MRI of head through, 332

- Optic nerve (CN II) (*continued*)  
 transverse section of head through, 323  
 unilateral lesion of, 136, 139  
 in visual pathway, 134
- Optic radiation, 134  
 lesions of, 139  
 in anterior temporal lobe, 136  
 in parietal lobe, 136
- Optic tract  
 thalamic nuclei and, 137  
 unilateral lesion of, 136  
 in visual pathway, 134, 135
- Optical axis, of eyeball, 125
- Optokinetic nystagmus, 137
- Oral cavity, 310  
 glands of  
 innervation, 85  
 maxillary nerve and, 79t  
 lymphatics of, 209  
 organization and boundaries of, 178  
 overview of, 178–179  
 pterygopalatine fossa and, 105, 105t  
 structures of, on coronal MRI of neck, 318  
 transverse MRIs of  
 through hard and soft palates, 334  
 through mandible, 335  
 through temporomandibular joint, 334
- Oral floor, lymph nodes of, 221
- Oral stage, in swallowing, 217
- Oral vestibule, 341
- Orbicularis oculi muscle, 24, 25, 26, 27t
- Orbicularis oris muscle, 24, 25, 28, 29, 29t
- Orbit, 310  
 axis of, eyeball and, 125  
 bones of, 108–109  
 communications of, 110, 111t  
 cranial nerves entry into, 118  
 innervation of, 117  
 MRIs of head through  
 posterior orbit, coronal view, 315  
 sagittal view, 343  
 transverse view, 332, 333  
 nerves supplying, 115  
 neurovasculature, 116–117, 116t  
 ophthalmic nerve divisions in, 76, 77t  
 pterygopalatine fossa and, 105, 105t  
 sagittal section of head through  
 approximate center, 341  
 inner third, 340  
 topography of, 118–121  
 deep layer, 120  
 eyelids and conjunctiva, 121  
 intracavernous course of cranial nerves, 118  
 middle level, 119  
 optic canal and superior orbital fissure, neurovasculature, 118  
 superficial layer, 120  
 surface anatomy of eye, 121  
 upper level, 119  
 upper level of, transverse section of head through, 322  
 veins of, 117
- Orbital apex, coronal section through, 312
- Orbital plate, 21
- Orbital wall, sagittal section of head through, 338
- Organ of Corti, 170, 172  
 deflected by traveling wave, 171  
 efferent fibers from olive to, 173  
 at rest, 171
- Oropharyngeal isthmus, 207t
- Oropharynx, 207t, 216, 216t, 313  
 in midsagittal section of head, 338  
 on MRI of head, sagittal view, 342  
 on MRIs of neck  
 coronal view, 317, 318  
 sagittal view, 343  
 transverse view, 335  
 palatine tonsils in, 208  
 soft palate and, 212
- Ossicular chain, 156, 162  
 arteries of, 167  
 function of, 162  
 motion in, 162  
 in tympanic cavity, 163
- Ossification  
 centers, in temporal bone, 18  
 of cranial bones, 2, 2t
- Osteomeatal unit, 145
- Otic ganglion, 80, 81t, 88t, 89, 89t, 161
- Otitis media, 163
- Otoacoustic emissions (OAE), 173
- Otoliths, 174
- Outer hair cells, 170, 173
- Oval window membrane, 171

## P

- Palatal tooth surface, 180
- Palatine aponeurosis, 212, 213t
- Palatine artery, nasal septum and, 149
- Palatine bone, 9, 12, 108, 142, 190, 191  
 pterygopalatine fossa and, 104, 104t
- Palatine glands, nerve supply to, 161
- Palatine nerves, 78, 79t
- Palatine tonsils, 147, 216  
 abnormal enlargement of, 208  
 on coronal MRI of neck, 318  
 histology of, 209  
 location of, 208  
 vascular supply to, 287  
 veins of, infection transmission and, 52t
- Palatoglossal arch, 206, 207t
- Palatoglossus muscle, 204, 204t, 205, 212, 213t
- Palatopharyngeal arch, 206, 207t
- Palatopharyngeus muscle, 206, 207t
- Palpation, of cervical lymph nodes in neck, 269
- Palpebral conjunctiva, 121
- Palpebral fissure, muscles of, 26–27, 27t  
 innervation of, 27t
- Palsy(ies). *See also* Paralysis  
 abducent nerve, 72t, 113, 114t  
 oculomotor, 72t, 113, 114t  
 trochlear nerve, 72t, 113, 114t
- Papillae, of tongue, 206, 207t
- Paralysis. *See also* Palsy(ies)  
 facial, facial nerve lesions and, 83, 84

- sternocleidomastoid, 92, 92t
- trapezius muscle, 92, 92t
- Paramedian pontine reticular formation (PPRF), 140
- Paranasal sinuses, 7, 144. *See also* Frontal sinus; Maxillary sinus
  - bony structures of, 145
  - drainage of, 144, 145t
  - histology and clinical anatomy of, 150–151
  - nasal cavity and, 145
  - nerve supply to, 161
  - overview of, 146
- Parapharyngeal space
  - clinical significance of, 286
  - divisions of, 286
  - neurovasculature of, 287
  - structures of, 284–285
- Parasympathetic nervous system, 63
- Parasympathetic nuclei, cranial nerves, 68t, 69
  - facial nerve, 82t
  - glossopharyngeal nerve, 88t
  - vagus nerve, 90t
- Parathormone, 265
- Parathyroid glands, histology of, 265
- Parathyroid hormone (PTH; parathormone), 265
- Paraxial mesoderm, cranial bone development from, 2t
- Parietal bone, 5, 7, 9, 11, 12, 14
- Parietal triangle, 272, 272t
- Parotid glands, 81t, 100, 218
  - facial nerve course in, 219
  - malignant tumor spread and, 219
  - nerves supplying, 161
  - on transverse MRI of neck, 335
- Parotid lymph nodes, lymphatic drainage from ear into, 158
- Parotid plexus, of facial nerve, 100, 101
- Pars flaccida, 159
- Pars tensa, 159
- Parvocellular nucleus, axons to, 137
- Peridontium, 182, 182t, 183
- Periglomerular cells, 153
- Perilymph, 162
  - sound conduction through, 171
- Perimetry, visual field defect detection, 135
- Periodontal ligament, 182, 182t, 183
- Peripheral nerves, cutaneous sensory innervation by, 64
- Peripheral nervous system (PNS), 54, 290
  - neurons in, 55
- Peripheral paralysis, of face, 84
- Peripheral sensory innervation, 65
  - cutaneous, 64
- Perlia's nucleus, 138
- Permanent teeth, 180–181
  - coding of, 180
  - eruption of, 188, 188t
  - panoramic tomogram of, 181
  - in 6-year-old child, 189
  - surface designation for, 180
- Petrosal artery, 166, 166t
- Petrosal ganglion, 222
- Petrotympenic fissure
  - neurovascular pathways through, 94, 95t
  - temporal bone and, 18, 19
- Petrous apex, temporal bone and, 19
- Petrous bone, in middle ear, 160
  - nerves of, 161
- Petrous part/division, of internal carotid artery, 48, 304
- Petrous pyramid, temporal bone and, 19, 155
- Pharyngeal artery, 45t, 47t
  - ascending, 41t, 43, 43t
  - variants of, 284
- Pharyngeal gaps, 214t
- Pharyngeal muscles
  - constrictor muscles, 212, 213t, 214, 215
  - levator muscles, 212, 213t, 214
  - origins and insertions of, 39
  - in sagittal section of head, 340
- Pharyngeal nerves, 78, 79t
- Pharyngeal plexus, 89, 89t, 91t
- Pharyngeal recess, on transverse MRI of head, 333
- Pharyngeal stage, in swallowing, 217
- Pharyngeal tonsils, 216
  - abnormal enlargement of, 208, 209
  - on coronal MRI of neck, 318
  - histology of, 209
  - location of, 208, 209
  - in posterior rhinoscopy, 211
- Pharyngobasilar fascia, 215
- Pharyngoesophageal stage, in swallowing, 217
- Pharyngotympanic (auditory) tube, 18, 147, 154, 161
  - in head sections
    - sagittal, 339, 340
    - transverse, 326
  - infection via, 18, 154
  - muscles of, 212
  - obstruction of, 216
  - in posterior rhinoscopy, 211
- Pharynx, 286. *See also* Pharyngeal *entries*
  - on coronal MRI of neck, 317
  - fascial space surrounding. *See* Parapharyngeal space
  - innervation of, 217
  - levels of, 210t, 216t
  - lymphatics of, 209
  - mucosa of, 210
  - muscles of, 211, 212, 213t, 214–215
  - topography of, 216
  - Waldeyer's ring of, 208, 216
- Phonation
  - arytenoid cartilage movement during, 256, 257
  - vocal folds position during, 259
- Photoreceptor cells, 133
- Phrenic nerve, 279
  - in deep lateral cervical region, 283
  - in thoracic inlet, 281
- "Pie in the sky" deficit, 136
- Pigment epithelium, 133
- "Pink eye," 121
- Pituitary gland
  - coronal section through, 313
  - in midsagittal section of head, 338
  - in sagittal MRI of head, 342
  - transverse section of head through, 323
- Platysma muscle, 24, 25, 28, 29t, 238, 239t
- Pleural dome of left lung, in transverse sections of neck, 331
- Plexuses (nerves)
  - brachial. *See* Brachial plexus
  - cervical. *See* Cervical plexus

Plexuses (nerves) (*continued*)  
 parotid, 100, 101  
 pharyngeal, 89, 89t, 90t, 217  
 Plexuses (venous)  
 basilar, 302  
 choroid, 301  
 dural sinus drainage and, 302  
 external vertebral, infection transmission and, 52t  
 pterygoid, 53  
 thyroid, 265  
 Pneumatization, of paranasal sinuses, 144  
 PNS. *See* Peripheral nervous system (PNS)  
 Pons, 297, 323  
 Pontocerebellar cistern, in transverse section of head, 325  
 Posterior auricular arteries, 41t, 42, 43t, 157  
 Posterior auricular nerve, 84  
 Posterior auricular vein, 50, 51  
     infection transmission and, 52t  
 Posterior cerebral artery, 305  
 Posterior cervical (nuchal) region, 276–277  
 Posterior cervical triangle  
     dissection of, 278–279  
     lymph nodes in, 268  
 Posterior communicating artery, 305  
 Posterior condylar canal, neurovascular pathways through, 94, 95t  
 Posterior ethmoid nerve, 76, 77t  
 Posterior rhinoscopy, 151, 211  
 Posterior superior alveolar artery, 44, 45t, 47t  
 Posterior superior nerves  
     alveolar, 78, 79t  
     nasal, 78, 79t  
 Posterior tympanic artery, 166, 166t  
 Postganglionic neuron  
     in parasympathetic pathway, 63t  
     in sympathetic pathway, 62t  
 Potential at the axon hillock, 306  
 PPRF (paramedian pontine reticular formation), 140  
 Preganglionic neuron  
     in parasympathetic pathway, 63t  
     in sympathetic pathway, 62t  
 Premolars, 179, 185, 185t  
     eruption patterns, 188, 188t  
 Pretectal area, axons to, 137  
 Pretracheal fascia, 274, 274t, 275  
     in parapharyngeal space, 284–287  
 Prevertebral fascia, 274, 274t, 278, 279  
     cervical, 241  
     retropharyngeal space and, 286  
 Prevertebral ganglia, 62t  
 Prevertebral muscles, 252–253, 252t. *See also individually named muscles*  
     origins and insertions of, 39  
     on transverse MRI of neck, 335, 336  
 Primary auditory cortex, 172  
 Procerus muscle, 24, 26, 27t  
 Prosencephalon, 295, 295t  
 Pseudounipolar neuron, 55, 57, 307  
 Pseudounipolar ganglion cells, 222  
 Pterygoid arteries, 45t, 47t  
 Pterygoid canal, 45t, 47t  
 Pterygoid muscles, lateral and medial, 30, 30t, 32, 198, 198t, 200  
 Pterygoid plexus, 53

Pterygoid process plates, on transverse MRI of head, 333  
 Pterygopalatine fossa, 16, 17, 104–105  
     borders of, 104t  
     communications of, 105, 105t  
     infratemporal fossa and, 102, 105, 105t  
 Pterygopalatine ganglion, 79t, 148  
     facial nerve and, 82t  
 Pterygopharyngeus muscle, 213t, 214  
 PTH (parathyroid hormone), 265  
 Pulvinar of thalamus, axons to, 137  
 Pupil size, 130  
     changes in, 130t  
 Pupillary constriction, 138  
 Pupillary light reflex, 139  
     pathway lesions and, 139  
 Pupillary reflex, 137  
 Pupillary resistance, 131  
 Pupillary sphincter light response, 138  
 Purkinje cell, 307  
 Pyramid fracture, midfacial, 7  
 Pyramidal cell, 307

## Q

Quadrantanopia, contralateral upper and lower, 136

## R

Ramus(rami)  
     of cervical nerves  
         dorsal, 99, 270, 270t  
         in nuchal region innervation, 277  
         ventral, 270  
     mandibular  
         angle of mandible and, 23  
         on MRIs of neck  
             coronal view, 319  
             transverse view, 334  
         ventral, of spinal nerves, 290  
 Rectus capitis muscles, 252, 252t, 253  
     anterior, 252, 252t, 253  
     lateral, 252, 252t, 253  
     posterior, 250, 250t, 251  
         major, 250, 250t, 251  
         minor, 250, 250t, 251  
     in sagittal section of head, 340  
 Rectus oculi muscles, 112, 113t  
     inferior  
         on sagittal MRI of head, 343  
         in sagittal section of head, 340  
     lateral, in sagittal section of head, 340  
     in sagittal section of head, 340  
     superior, on sagittal MRI of head, 343  
 Recurrent laryngeal nerve, 91, 91t  
     pharyngeal innervation and, 213t, 217  
     right, in anterior cervical triangle, 281  
     in thoracic inlet, 281  
 Red nucleus, 322  
 Reference lines/points  
     of eyeball, 125  
     of lens, 129  
 Reflex(es)

brainstem, 137  
 pupillary light, 139  
 salivary, 222  
 stapedius, 173  
 Reissner membrane, vestibular, 170  
 Respiration, position of vocal folds during, 259  
 Respiratory epithelium, 150  
 Reticular formation, mesencephalic, 140  
 Retina, 124, 132–133  
   layers of, 132  
   light refraction and, 125  
   neurons of, 133, 134  
   nonvisual, 132  
   structure of, 133  
 Retinal projection, 135  
 Retrobulbar space, coronal section through, 311  
 Retromandibular vein, 50, 51  
   on transverse MRI of neck, 335  
 Retropharyngeal space, 286  
 Retrovisceral/retropharyngeal fascial space, 274, 274t  
 Rhinoscopy, 151  
   posterior, of nasopharynx, 211  
 Rhombencephalon, 295, 295t  
 Rhomboid minor muscle, 239t, 240  
 Rima glottidis, 260  
 Rima vestibuli, 260  
 Risorius muscle, 24, 25, 28, 29, 29t  
 Rods, 133  
 Rotational movement, in TMJ, 34, 37, 196  
 Rotatores brevis muscle, 248, 248t, 249  
 Rotatores longi muscle, 248, 248t, 249  
 Round window, 171

**S**

Saccades, 140  
 Sacculae, 156  
   macular structure of, 174  
 Sacrum, structural elements of, 227, 227t  
 Salivary glands  
   bimanual examination of, 219  
   major, 218  
   minor, 219  
 Salivation, 219  
   afferent impulses and, 222  
   facial nerve lesions and, 82t, 83  
   stimulation of, 152  
 Salpingopharyngeal folds, 208, 209  
 Salpingopharyngeus muscle, 212, 213t  
 Scaffolding, trigeminal nerve and, 74t  
   autonomic, 79t  
 Scala media, 170  
 Scala tympani, 170  
 Scala vestibuli, 170  
 Scalene muscles, 252–253, 252t. *See also individually named muscles*  
   on MRIs of neck  
     sagittal view, 345  
     transverse view, 336  
   in transverse sections  
     of head, 329  
     of neck, 331  
 Scalene anterior muscle, 252, 252t, 253

  in transverse sections  
     of head, 252, 252t, 253  
     of neck, 331  
 Scalene medius muscle, 252, 252t, 253  
   on MRIs of neck  
     sagittal view, 345  
     transverse view, 336  
   in transverse sections  
     of head, 329  
     of neck, 331  
 Scalene posterior muscle, 252, 252t, 253  
   on MRI of neck, sagittal view, 345  
   in transverse sections  
     of head, 329  
     of neck, 331  
 Scalp, calvaria and, 11  
 Schlemm, canal of, 124  
 Schwannoma, vestibular, 87, 165, 168  
 Sclera, 124  
 Scoliosis, 226  
 Scotoma, homonymous hemianopic central,  
   136  
 Sebaceous glands, in ear, 159  
 Second molars, 186t, 187  
   eruption patterns of, 188, 188t  
 Secondary sensory cells  
   in auditory pathway, 172  
   in vestibular system, 176  
 Segmental (radicular) sensory innervation, 65  
 Sella turcica, 16, 17  
 Semicircular canals, of ear, 156  
   during head rotation, 175  
   in thermal function tests, 164  
 Semilunar hiatus, 21  
 Semispinalis capitis muscle, 248, 249, 249t  
 Semispinalis cervicis muscle, 248, 249, 249t  
 Semispinalis thoracis muscle, 248, 249, 249t  
 Senses  
   smell, 152–153, 222  
   sound. *See* Hearing  
   taste, 221, 222  
 Sensory cells, secondary  
   in auditory pathway, 172  
   in vestibular system, 176  
 Sensory fibers, cervical plexus, 270  
 Sensory neurons, 55  
 Sensory (afferent) pathways, 56–57  
   spinal and cranial nerves, 56t, 57  
   spinal cord development and, 292  
 Septal cartilage, 142  
 Serratus posterior superior muscle, 239t  
 Short nuchal muscles, 250–251, 250t  
 Shrapnell membrane, 159  
 Sigmoid sinus, 297  
   infection transmission and, 52t, 154  
   on transverse MRI of head, 332  
   in transverse section of head, 326  
 Signal transduction, 170  
 Sinus(es)  
   cavernous. *See* Cavernous sinus  
   dural. *See* Dural venous sinuses  
   frontal. *See* Frontal sinus

- Sinus(es) (*continued*)  
 maxillary. *See* Maxillary sinus  
 paranasal. *See* Paranasal sinuses  
 sigmoid. *See* Sigmoid sinus  
 sphenoid. *See* Sphenoid sinus  
 superior sagittal. *See* Superior sagittal sinus  
 transverse. *See* Transverse sinus  
 venous. *See* Venous sinus(es)
- Sinusitis, 150
- Skeletal muscle  
 development and innervation of, 60, 60t  
 of head, 61t
- Skull, 4–5. *See also* Cranial entries  
 basal aspect of, 13  
 bones of, 2, 5t. *See also* individually named bones  
 anterior view, 6–7  
 development of, 2t  
 lateral view, 4–5  
 posterior view, 8–9  
 cranial nerve passages through, 67t  
 inner ear projection into, 164  
 muscles of, 24–33, 198–201  
 origins and insertions on, 38–39  
 regional divisions of, 310
- Skull base  
 cranial fossae in, 14  
 ethmoid bone integration into, 21  
 external view of, 12–13  
 hard palate in, 190  
 internal view of, 14–15  
 lines of force in, 14  
 neurovascular pathways through, 94, 95t  
 occipital bone integration into, 20  
 pharyngobasilar fascia at, 215
- Skull base lesion, 263  
 vagus nerve, 263, 263t
- Smell, 152–153, 222
- Soft palate, 312  
 in midsagittal section of head, 338  
 on MRIs of neck  
 coronal view, 317  
 sagittal view, 343  
 transverse view, 335  
 muscles of, 212, 213t  
 nasal cavity and, 147  
 transverse MRI of neck through, 334
- Somatic muscle  
 embryonic development of, 60, 60t  
 of head, 61t
- Somatic sensation, tongue innervation and, 221
- Somatomotor cortex, 84
- Somatomotor nuclei, cranial nerves, 68t, 69  
 accessory spinal nerve, 92t  
 hypoglossal nerve, 93t
- Somatosensory nuclei, cranial nerves, 68t, 69  
 trigeminal nerve, 75, 75t
- Sound conduction  
 apparatus for, 156. *See also* Auditory apparatus, of ear  
 during hearing, 171
- Sound waves  
 capture and transformation of, 156  
 conduction from middle to inner ear, 171  
 ossicular chain and, 162  
 traveling, 171
- Speech, position of vocal folds during, 259
- Sphenoid bone, 5, 7, 9, 14, 16–17, 108, 142, 190, 191  
 occipital bone fusion with, 16, 17  
 pterygopalatine fossa and, 104, 104t  
 in transverse section of head  
 through middle nasal concha, 325  
 through sphenoid sinus, 324
- Sphenoid sinus, 16, 17, 144, 146, 147  
 on MRIs of head  
 sagittal view, 342  
 transverse view, 332  
 muscles of mastication at level of, 33, 201  
 in sagittal section of head, 339, 340  
 transverse section of head through, 324–325
- Sphenomandibular ligament, 37
- Sphenopalatine artery, 45t, 46, 47t  
 ligation site for, 151
- Spinal cord  
 development of, 292  
 on MRIs of neck  
 coronal view, 321  
 transverse view, 337  
 neuroanatomy of, 292–293, 293t  
 organization of, 292–293  
 parasympathetic pathways in, 63t  
 in transverse section of head, 327  
 in vertebral canal, 298
- Spinal cord segments, 293  
 levels of, 293t  
 age-related changes in, 299  
 numbering of, 293, 293t  
 organization (functional and topographical) of, 292
- Spinal ganglion, 55, 290
- Spinal nerves, 54  
 coronal MRI through, 320  
 intervertebral foramina and, 290, 291  
 motor pathways in, 58t, 59  
 in sagittal section of head, 339  
 sensory pathways in, 56t, 57  
 in transverse sections of neck, 331
- Spinal nucleus, of CN V, 88t, 90t
- Spinalis cervicis muscle, 245, 246t, 247
- Spinalis thoracis muscle, 245, 246t, 247
- Spine. *See also* Vertebral entries  
 curvature of, 226  
 regions of, 226
- “Spine synapse,” 307
- Spinous process  
 of C7 vertebra  
 inferior boundary of neck and, 273  
 on MRI of neck  
 coronal view, 321  
 transverse view, 336  
 in transverse section of head, 328, 329  
 spinal cord segments and, 293t
- Spiral canal. *See* Cochlea
- Spiral ganglia, 86, 86t, 165, 169, 170, 172, 173
- Spiral lamina, 170
- Splenius capitis muscle, 248, 249, 249t
- Splenius cervicis muscle, 248, 249, 249t

- Stapedial nerve, 83
- Stapedius, 163  
 nerve supply to, 161, 163
- Stapedius muscle contraction, 173
- Stapedius reflex, 173
- Stapes (stirrup), 162
- Statoliths, 174
- Stenosis(es)  
 arterial supply to brain and, 305  
 subclavian steal syndrome and, 305
- Stereocilia  
 bowing of, 171, 172  
 sound transduction and, 175  
 specialized orientations of, 175
- Sternocleidomastoid muscle, 25, 26, 238, 239, 239t  
 anterior cervical triangle and, 280  
 origins and insertions of, 38, 39  
 posterior cervical triangle and, 278, 279
- Sternocleidomastoid paralysis, 92, 92t
- Sternocleidomastoid triangle, 272, 272t
- Sternohyoid muscle, 254, 254t, 255
- Stria(e)  
 of Gennari, 134  
 olfactory, 152
- Stria vascularis, 170
- Striate area, 134. *See also* Visual cortex
- Styloglossus muscle, 204, 204t, 205
- Stylohyoid muscle, 202, 202t, 203, 254, 254t, 255
- Stylomastoid artery, 166, 166t
- Stylomastoid foramen  
 neurovascular pathways through, 94, 95t  
 in skull base, 15  
 temporal bone and, 19
- Stylopharyngeal aponeurosis, 286
- Stylopharyngeus muscle, 89t, 212, 213t
- Subarachnoid cisterns, 300–301
- Subarachnoid space, 296  
 CSF in, 300–301  
 infection transmission via, 286
- Subclavian artery  
 branches in neck, 266, 266t  
 in thoracic inlet, 281
- Subclavian steal syndrome, 305
- Subclavian vein, 281
- Sublingual glands, 81t, 218
- Submandibular ganglion, 80, 81t  
 facial nerve and, 82t
- Submandibular glands, 81t, 218  
 on MRIs  
 of head, coronal view, 315  
 of neck, sagittal view, 345  
 in sagittal section of head, 340
- Submandibular lymph nodes, 268, 269
- Submandibular triangle, 272, 272t
- Submental lymph nodes, 268, 269
- Submental triangle, 272, 272t
- Suboccipital muscles, 250–251, 251t. *See also* individually named muscles
- Suboccipital nerve, 270t
- Suboccipital triangle, 277
- Substantia nigra, 322
- Sulcus terminalis, 206, 207t
- Superficial cervical lymph nodes, in neck, 268
- Superficial neck muscles, 238, 238t, 239t
- Superficial temporal artery, 47  
 auricular arteries and, 157  
 parts/branches of, 47t
- Superficial temporal vein, infection transmission and, 52t
- Superior colliculus, axons to, 137
- Superior ganglion, 88t, 90t
- Superior labial glands, nerve supply to, 161
- Superior laryngeal nerve, 91, 91t  
 lesions of, 263, 263t
- Superior longitudinal muscle, 204, 204t, 205
- Superior meatus, 143  
 paranasal sinus drainage and, 145t
- Superior ophthalmic vein, dural sinus drainage and, 302  
 on coronal MRI of head, 314
- Superior orbital fissure, neurovascular pathways through, 67t, 94, 95t, 118
- Superior sagittal sinus, 297, 311, 313  
 groove for, 10  
 infection transmission and, 52t
- Superior thyroid artery, 41t, 42, 43t
- Superior tympanic artery, 166, 166t
- Suprachiasmatic nucleus, axons to, 137
- Supraclavicular nerves  
 of lateral head and neck, 99  
 in nuchal region, 277
- Suprahyoid muscles, 202–203, 202t, 254–255, 254t
- Supranuclear paralysis, 84
- Supraorbital foramen, 6
- Supraorbital nerve, 76, 77t  
 on coronal MRI of head, 314, 315
- Supraspinous ligaments  
 of cervical spine, 234, 235  
 of vertebral arch, 228
- Suprasternal notch, inferior boundary of neck and, 273
- Supratrochlear nerve, 76, 77t
- Surface designation, of teeth, 180
- “Surgical capsule,” thyroid gland, 264
- Sutures, cranial. *See* Craniosynostoses
- Swallowing  
 hyoid bone and, 23  
 phases of, 217
- Sympathetic nervous system, 63
- Sympathetic trunk  
 in carotid triangle, 282  
 in deep lateral cervical region, 283
- Synapses  
 in CNS, 307  
 neurons and, 306  
 patterns in olfactory bulb, 153
- Synaptic patterns, 307
- Syndesmosis. *See* Craniosynostoses

## T

- T4 (thyroxine), 265
- Tables, outer and inner, of calvaria, 11
- Taste, 222  
 facial nerve and, 85  
 nerve lesions, 82t, 83  
 mandibular nerve and, 81t

- Taste (*continued*)  
 maxillary nerve and, 79t  
 qualities of, 223  
 tongue innervation and, 221, 223
- Taste buds, 222, 223  
 facial nerve and, 85
- Taste receptors, 223
- Tear film, structure of, 123
- Tectorial membrane, 170
- Teeth  
 alveolar processes of  
 mandible shape influenced by, 23  
 resorption of, 23  
 coding of, 180  
 deciduous, 188–189, 188t  
 permanent, 180–181  
 structure of, 182, 182t  
 surface designation, 180  
 types of. *See* Canines; Incisors; Molars; Premolars
- Telencephalon, 295, 295t  
 structures of, 297
- Temporal bone, 5, 7, 9, 12, 14, 18–19, 154–155  
 clinically important relations in, 154  
 fractures of, facial nerve lesion and, 82t, 83  
 ossification centers of, 18  
 parts of, 154  
 in transverse section of head, 324
- Temporal crescent, 135
- Temporal nerve, posterior deep, TMJ capsule and, 37
- Temporal visual field, 134
- Temporalis muscle, 30, 30t, 31, 198, 198t, 199
- Temporomandibular joint (TMJ)  
 biomechanics of, 34–35, 196–197  
 dislocation of, 37, 195  
 glenoid fossa of, 36, 194  
 ligaments of, 36–37, 194–195  
 in lateral TMJ, 36, 194  
 in medial TMJ, 37, 195  
 mandible head in, 36, 194  
 mandibular fossa of, 36, 194  
 movements of, 35, 197  
 mandibular, 34, 196  
 MRIs of neck through  
 coronal view, 319  
 transverse view, 334  
 open, 37, 195  
 sensory innervation of, 37, 195
- Temporoparietalis muscle, 25
- Tensor tympani, 163
- Tensor veli palatini muscle, 212, 213t  
 on transverse MRI of head, 333
- Tentorium, 323
- Tetraiodothyronine (thyroxine), 265
- Thalamic nuclei, axons to, 137
- Thermal function tests, of vestibular apparatus, 164
- Third molars. *See* Wisdom teeth
- Thoracic inlet structures, 281  
 deep anterolateral, 282
- Thoracic muscles (external intercostals), 242
- Thoracic vertebra, structural elements of, 227, 227t
- Thoracolumbar fascia, 241, 242, 243
- Thorax, vagus nerve branches to, 91t
- Thyroarytenoid muscle, 258, 258t
- Thyroepiglottic ligament, 256
- Thyrohyoid muscle, 254, 254t, 255
- Thyroid arteries, 265  
 in deep lateral cervical region, 283  
 right inferior, branching patterns variations, 281
- Thyroid cartilage, 256, 257  
 on MRIs of neck  
 coronal view, 317  
 transverse view, 336
- Thyroid gland, 264  
 histology of, 265  
 topography of, 264  
 on transverse MRI of neck, 337  
 in transverse sections of neck  
 at C6/C7 level, 330  
 at C7/T1 level, 331  
 at T1/T2 level, 331
- Thyroid veins, inferior, 281
- Thyroid venous plexus, 265
- Thyropharyngeus muscle, 213t, 214, 215
- Thyroxine (T<sub>4</sub>, tetraiodothyronine), 265
- Tinnitus, 165
- TMJ. *See* Temporomandibular joint (TMJ)
- Tongue  
 innervation of, 221  
 mucosa of, 206, 207t  
 muscles of, 204, 204t, 205  
 neurovasculature of, 220–221  
 papillae of, 206  
 regions and structure of, 207t  
 taste buds of, 85, 222, 223  
 unilateral hypoglossal nerve palsy of, 205
- Tonotopic organization  
 of auditory pathway, 172  
 in basilar membrane, 170
- Tonsilla tubaria, 216  
 swelling of, 216
- Tonsils  
 lingual, 206, 207t, 216  
 palatine. *See* Palatine tonsils  
 pharyngeal. *See* Pharyngeal tonsils
- Tooth. *See* Teeth
- Trabecular resistance, 131
- Trachea  
 on MRIs of neck  
 sagittal view, 343  
 transverse view, 337  
 surgical approaches to, 262
- Tracheotomy, 262
- Translational movement, in TMJ, 34, 37, 196
- Transverse ligament, of atlas, 327
- Transverse muscle, of tongue, 204, 204t, 205
- Transverse sinus  
 infection transmission and, 52t  
 in transverse section of head, 325
- Trapezius muscle, 25, 26, 38, 238, 239, 239t  
 anterior cervical triangle and, 281  
 origins and insertions of, 39  
 paralysis of, 92, 92t  
 posterior cervical triangle and, 278, 279
- Trauma. *See also* Fracture(s)

calvarial table sensitivity to, 11  
 dislocation of TMJ, 37, 195  
 Traveling wave  
   formation in cochlea, 171  
   organ of Corti deflected by, 171  
 “Tribasilar bone,” 16  
 Trigeminal ganglion, in sagittal section of head, 340  
 Trigeminal nerve (CN V), 66t, 74–75  
   of anterior face, 96  
     emergence of, 97  
   brainstem reflexes and, 137  
   divisions and distribution of, 74, 74t  
     in infratemporal fossa, 102–103, 103t  
     mandibular division, 80, 81t  
     maxillary division, 78, 79t  
     ophthalmic division, 76, 77t  
     on transverse MRI of head, 333  
     in transverse section of head, 325  
   function of, 67t  
   in lateral head and neck, 99  
   nasal septum and, 148, 149  
   nuclei and lesions of, 75, 75t  
   of right lateral nasal wall, 149  
   in sensory innervation  
     of auricle, 158  
     of face, 64  
   in transverse section of head, 324  
 Triiodothyronine (T3), 265  
 Trochlear nerve (CN IV), 66t, 72, 72t, 114t  
   emergence from brainstem, 114  
   eye movement and, 140  
   function of, 67t  
 Trochlear nerve palsy, 72t, 113, 114t  
 Tubal artery, 166, 166t  
 Tumors  
   of inner ear, 165  
   malignant parotid, spread of, 165  
 Tympanic arteries, 166, 166t  
 Tympanic cavity, 154, 159  
   arteries of, 166, 166t  
   clinically important levels of, 163  
   communications with, 160  
   infection of, 163  
   mucosal lining of, 163  
   ossicular chain in, 163  
   temporal bone and, 155  
   walls of, 160  
 Tympanic membrane, 159  
   arteries of, 167  
   quadrants of, 159  
   stapedius reflex and, 173  
   temporal bone and, 18  
 Tympanic nerve, 89, 89t, 161

## U

Umbo, in tympanic membrane, 159  
 Uncinate process, 145  
 Uncovertebral joints, 232  
 Unilateral hypoglossal nerve palsy, 205  
 Unilateral optic nerve lesion, 136, 139  
 Unilateral optic radiation lesion

  in anterior temporal lobe, 136  
   in parietal lobe, 136  
 Unilateral optic tract lesion, 136  
 Upper quadrantanopia, contralateral, 136  
 Utricle, 156  
   macular structure of, 174  
 Uvula. *See also* Soft palate  
   nasal cavity and, 147  
   on sagittal MRI of neck, 343

## V

Vagus nerve (CN X), 66t, 90–91  
   branches of, 90, 90t  
   in carotid triangle, 282  
   course of, 90t  
   in deep lateral cervical region, 283  
   function of, 67t  
   laryngeal innervation and, 261, 262  
   lesions of, 263, 263t  
   nuclei, ganglia, and fiber distribution of, 90, 90t, 91  
   pharyngeal innervation and, 213t, 217  
   in sensory innervation of auricle, 158  
   tongue innervation and, 221, 222  
   on transverse MRIs  
     of head, 333  
     of neck, 335, 337  
   in transverse section of head  
     through C6 vertebral body, 329  
     through nasopharynx, 326  
   in transverse section of neck, 331  
 Valleculla(e)  
   epiglottic, in midsagittal section of head, 338  
   glossoepiglottic, 207t  
   innervation of, 222  
 Veins. *See also individually named veins*  
   of auricle, 157  
   of head  
     deep, 52–53  
     superficial, 50–51, 51t  
   of infratemporal fossa, 102–103, 102t  
   of inner ear, 167  
   laryngeal, 261  
   of neck, 50–51, 51t, 267, 267t  
   of orbit, 117  
   of tongue, 220  
 Venous “danger zone,” in face, 97  
 Venous drainage  
   of head and neck  
     deep, 52–53  
     superficial, 50–51, 51t  
   of thyroid gland, 265  
 Venous sinus(es). *See also* Dural venous sinuses  
   infection transmission and, 52t  
   thrombosis and, 52t, 302  
 Ventral horn, spinal cord, 292  
   motor nuclei in, 58t  
 Ventral rami, of spinal nerves, 290  
 Ventricles (brain), 297  
   choroid plexus and, 301  
 Vertebra prominens, in transverse section of head, 328, 329  
 Vertebrae. *See* Vertebral body(ies)

- Vertebral (neural) arch, 226  
 ligaments of, 228, 228t
- Vertebral artery, in head sections  
 sagittal, 339  
 transverse, 327
- Vertebral body(ies), 226  
 cervical. *See* Cervical vertebrae (C1-C7)  
 ligaments of, 228, 228t  
 spinal cord segments and, 293t  
 structural elements of, 227, 227t  
 transverse section of head through  
 at C5 level, 328  
 at C6 level, 329
- Vertebral canal, spinal cord in, 298
- Vertebral column  
 joints of, 232  
 ligaments of, 228–229, 228t  
 regions of, 226
- Vertebral junction, transverse sections of neck through  
 C6/C7 level, 330  
 C7/T1 level, 331  
 T1/T2 level, 331
- Vertical gaze movements, 140
- Vertical muscle, of tongue, 204, 204t, 205
- Vertigo, 156  
 CN VIII lesion and, 168  
 thermal function tests for, 164
- Vestibular apparatus, of ear, 156, 164, 174–175  
 thermal function tests of, 164
- Vestibular folds, 260
- Vestibular ganglion, 86, 86t, 165, 167, 169, 174, 176
- Vestibular ligament, 256, 260  
 on sagittal MRI of neck, 344
- Vestibular nuclei, 86t, 87, 177  
 of CN VIII, 168  
 efferent fiber targets and, 176, 177  
 role in maintaining balance, 177  
 topographic organization of, 177
- Vestibular Reissner membrane, 170
- Vestibular schwannoma, 87, 165, 168
- Vestibular sensory cells, stimulus transduction in, 175
- Vestibular system, 176–177
- Vestibulocochlear nerve (CN VIII), 66t, 86–87, 86t, 168–169, 168t  
 brainstem reflexes and, 137  
 central connections of, 176  
 function of, 67t  
 in head sections  
 sagittal, 341  
 transverse, 325  
 in internal acoustic meatus, 165  
 lesions of, 168t  
 nuclei of, 168, 168t  
 in brainstem, 169  
 temporal bone and, 155  
 on transverse MRI of head, 332
- Vestibulo-ocular reflex, 137
- Viscerocranium  
 boundaries of, 6  
 ossification of, 2, 2t
- Viscerosensory nuclei, cranial nerves, 68t, 69  
 glossopharyngeal nerve, 88t  
 vagus nerve, 90t
- Visual cortex, 134, 135  
 contralateral, visual fields in, 134  
 convergence and accommodation and, 138  
 lesion of, 139
- Visual field(s)  
 in contralateral visual cortex, 134  
 defects, 136  
 perimetry detection of, 135  
 examination of, 135  
 hemifields, 135
- Visual pathways  
 geniculate part, 134, 135  
 convergence and accommodation and, 138  
 topographic organization, 135  
 lesions of, 136, 139  
 nongeniculate part, 134, 137  
 overview of, 134
- Visual perception, lateral geniculate body and, 134
- Visual system. *See* Visual pathways
- Vitreous body (vitreous humor), 125
- VNO (vomeronasal organ), 153
- Vocal cords/folds, 260  
 examination of, 259  
 false, 260  
 histology of, 263  
 laryngeal divisions and, 260t  
 nerve lesions affecting, 263, 263t  
 positions of, 259, 263
- Vocal ligament, 256, 258t, 260  
 on sagittal MRI of neck, 344
- Vocalis muscle, 258, 258t, 260
- Vomer, 9, 12, 142, 190, 191
- Vomeronasal organ (VNO), 153

## W

- Waldeyer's ring, 208, 216
- "Watery eyes," 122
- Whispered speech, position of vocal folds during, 259
- White matter, 292  
 in head sections  
 coronal, 310  
 sagittal, 341  
 transverse, 325
- Wisdom teeth, 186t, 187  
 on dental panoramic tomogram, 181  
 eruption patterns of, 188, 188t
- Wolfring gland, 122
- Wormian bones, 8

## Z

- Zenker diverticulum, 215
- Zones of discontinuity, 129
- Zonular fibers, ciliary body and, 128
- Zygomatic arch, in transverse section of head, 325
- Zygomatic bone, 5, 7, 12, 108
- Zygomatic nerve, 78, 79t  
 zygomaticofacial nerve, 78, 79t  
 zygomaticotemporal nerve, 78, 79t
- Zygomaticus muscles, 24, 25, 26, 28, 29, 29t